

Council of the European Union

> Brussels, 9 November 2018 (OR. en)

13917/18

Interinstitutional File: 2018/0065(COD)

> ENT 200 MI 797 ENV 720 CODEC 1897

'I' ITEM NOTE

From:	From: General Secretariat of the Council				
To:Permanent Representatives Committee (Part 1)No. prev. doc.:13917/18					
					Subject:
	- Confirmation of the final compromise text with a view to agreement				

I. INTRODUCTION

- On 19 March 2018, the <u>Commission</u> transmitted the above-mentioned proposal for a Regulation to the European Parliament and to the Council.
- 2. The <u>Regulation covering two-or three wheel vehicles and quadricycles</u> aims to introduce changes in durability testing to ensure better performance of the environmental systems. It is also proposed to include modifications to the limits of on-board diagnostic systems of stage II, with some exemptions for light quadricycles (L6e-A category), as well as for enduro motorcycles (L3e-AxE category) and trial motorcycles (L3e-Ax category) from the mandatory fitting of an OBD stage II system. Furthermore, the proposed Regulation aims to solve inconsistencies in the date of application of the sound level limits for Euro 5 and to renew the empowerment granted to the Commission to adopt delegated acts.

II. STATE OF PLAY

- 3. Following the vote of the IMCO Committee on 26 October 2018, it appears that Council and European Parliament agree on a final compromise text as set out in the Annex to this note.
- 4. After initial examination by lawyer-linguists of the European Parliament and of the Council a few amendments of the text appeared to be necessary. Those changes were introduced to give the correct presentation of amendments to Regulation (EU) No 168/2013 and in no way affect the regulatory substance of the proposal.

III. CONCLUSION

- 5. Against this background, the Permanent Representatives Committee is invited to:
 - (a) approve the final compromise text regarding the Regulation of the European Parliament and of the Council amending Regulation (EU) No 168/2013 as regards the application of the Euro 5 step to the type-approval of two- or three- wheel vehicles and quadricycles, as set out in the Annex to this note, and
 - (b) confirm that the Presidency can indicate to the European Parliament that, should the European Parliament adopt its position at first reading concerning the Regulation of the European Parliament and of the Council amending Regulation (EU) No 168/2013 as regards the application of the Euro 5 step to the type-approval of two- or three- wheel vehicles and quadricycles, as set out in the Annex to this note, subject, if necessary, to revision of that text by the lawyer-linguists of both institutions, the Council would approve the European Parliament's position and the act shall be adopted in the wording which corresponds to the European Parliament's position.

<u>ANNEX</u>

Proposal for a

REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

amending Regulation (EU) No 168/2013 as regards the application of the Euro 5 step to the type-approval of two- or three- wheel vehicles and quadricycles

THE EUROPEAN PARLIAMENT AND THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 114 thereof,

Having regard to the proposal from the European Commission,

After transmission of the draft legislative act to the national parliaments,

Having regard to the opinion of the European Economic and Social Committee¹,

Acting in accordance with the ordinary legislative procedure,

Whereas:

(1) On the basis of the Commission report to the European Parliament and the Council on the comprehensive effect study of the environmental step Euro 5 for L-category vehicles² ("the effect study") carried out under in accordance with Article 23(4) of Regulation (EU) No 168/2013 of the European Parliament and of the Council³ regarding the Euro 5 emission step, and taking into account issues encountered by approval authorities and stakeholders in applying that Regulation, certain changes and clarifications should be made in Regulation (EU) No 168/2013 in order to ensure its smooth application.

¹ <u>OJ C 367, 10.10.2018, p.32</u>

² The report of the study: "Effect study of the environmental step Euro 5 for L-category vehicles", EU-Books (ET-04-17-619-EN-N).

³ Regulation (EU) No 168/2013 of the European Parliament and of the Council of 15 January 2013 on the approval and market surveillance of two- or three-wheel vehicles and quadricycles (OJ L 60, 2.3.2013, p. 52).

- (2) Regarding the requirement to install an on-board diagnostic system (OBD) of stage II, which ensures the monitoring and reporting on the emission control system failures and degradation, the Commission concluded on the basis of the comprehensive environmental effect study that there are technical limitations with respect to catalyst monitoring for certain vehicles and that further development is required to ensure its correct implementation. Catalyst monitoring is not expected to be ready for the first round of the Euro 5 emission step, but should be is envisaged for 2025. Article 21 of Regulation (EU) No 168/2013 should therefore provide for the lead time needed to ensure the correct implementation of the OBD system of stage II requirement.
- (3) It is necessary to clarify the exemption for mopeds (L1e and L2e categories) from the OBD system of stage II requirement and to extend that exemption to light quadricycles (L6e category) and to the enduro (L3e-AxE) and trial (L3e-AxT) motorcycle sub-categories.
- (3a) <u>Given that vehicles of categories L1e and L2e are already excluded from the</u> requirement to be equipped with an OBD stage I system, the vehicles of category L6e, which are designed and built around moped specifications and produced in rather small volumes should also be exempted from that requirement.
- (3b) <u>It is necessary to clarify the exemption for vehicles of categories L1e and L2e from the</u> requirement to be equipped with an OBD stage II system and to extend that exemption to light quadricycles (L6e category) and to the enduro (L3e-AxE) and trial (L3e-AxT) motorcycle sub-categories.
- (4) Given that mopeds of vehicle categories L1e and L2e are already excluded from the OBD system of stage II requirement, the vehicles of category L6e which are designed and built around moped specifications and produced in rather small volumes should also be exempted from that requirement.

- (5) Enduro and trial motorcycles have a short lifetime lifespan and are very similar in nature and use to heavy all-terrain quad (L7e-B) which are exempted from the requirement to be equipped with OBD system stage II system requirement. That exemption should therefore be extended to enduro and trial motorcycles.
- (6) The Commission concluded in its report to the European Parliament and the Council on the basis of the comprehensive environmental effect study that the mathematical durability procedure set out in <u>point (c) of</u> Article 23(3) of Regulation (EU) No 168/2013, whereby vehicles are tested after 100 km of use, does not reflect the real degradation of the emissions control system of a vehicle during its lifetime. That method should no longer be used and should as a result be phased out by 2025 to provide sufficient lead time to stakeholders to adapt. For the period until 2025, the required accumulated distance travelled by the vehicle before it is tested should be raised to ensure that the test results are reliable.
- (7) The technology that is necessary to meet the Euro 5 limits is already available. However the Commission concluded in its report to the European Parliament and the Council on the basis of the comprehensive environmental effect study earried out according to Article 23(4) of Regulation (EU) No 168/2013 of the European Parliament and of the Council regarding the Euro 5 emission step, that the date of application of the Euro 5 emission limits for certain L-category vehicles (L6e-B, L2e-U, L3e-AxT and L3e-AxE) will need to be postponed from 2020 to 2022 <u>4</u> to increase the cost-<u>benefit</u> beneficial ratio compared to the base line. In addition manufacturers of the<u>o</u>se vehicles, which are mainly SMEs, require more lead time to ensure that the transition towards zero emission powertrains, such as electrification can be achieved in a cost effective way.
- (7a) Article 30 of Regulation (EU) No 168/2013 requires that an EU type-approval certificate contains, as an attachment, the test results. In the interests of clarity, that provision should be amended in order to make clear that what is being referred to is the test results sheet.

- (8) Certain inconsistencies in the date of application of the sound level limits for Euro 5 in Annex IV to Regulation (EU) No 168/2013 should be clarified to ensure that the existing limits (Euro 4) stay <u>remain</u> applicable until the new limits for Euro 5 can be established.
- (9) Regulation (EU) No 168/2013 empowered the Commission to adopt delegated acts for a period of five years, which will expire expired on 21 March 2018. As there is a continuous need to update elements of the type-approval legislation to technical progress or to introduce other amendments in line with the empowerments, Article 75(2) of that Regulation should be amended to provide for the extension of the delegation for another five years with the possibility of for tact extension.
- (10) In the interest of legal certainty, the empowerment in Regulation (EU) No 168/2013 for the Commission to adopt delegated acts concerning the technical requirements related to on-board diagnostics should be made clearer and more precise.
- (11) Since As this Regulation modifies Regulation (EU) No 168/2013 without expanding its regulatory content and since the objectives of this Regulation cannot be sufficiently achieved by the Member States but can rather, by reason of its scale and effects, be better achieved at Union level, the Union may adopt measures, in accordance with the principle of subsidiarity as set out in Article 5 of the Treaty on European Union. In accordance with the principle of proportionality as set out in that Article, this Regulation does not go beyond what is necessary in order to achieve those objectives.
- (12) Regulation (EU) No 168/2013 should therefore be amended accordingly,

HAVE ADOPTED THIS REGULATION:

Article 1

Regulation (EU) No 168/2013 is amended as follows:

(1) Article 21 is replaced by the following:

"Article 21

General requirements of on-board diagnostic systems

- L-category vehicles, with the exception of L1e, L2e and L6e vehicles, shall be equipped with an OBD system which complies with the functional requirements and test procedures laid down in the delegated acts adopted pursuant to paragraph 8 and as from the application dates set out in Annex IV.
- 2. From the dates set out in point 1.8.1 of Annex IV, vehicle (sub-) categories L3e, L4e, L5e-A and L7e-A shall be equipped with an OBD stage I system which monitors for any electric circuit and electronics failure of the emission control system and reports those failures which result in the emission thresholds laid down in Annex VI (B1) being exceeded.
- 3. From the dates set out in point 1.8.2 of Annex IV, vehicle (sub-) categories L3e, L4e, L5e and L7e shall be equipped with an OBD stage I system which monitors for any electric circuit and electronics failure of the emission control system and which triggers a report is triggered when the emission thresholds laid down in Annex VI (B1) are being exceeded. OBD stage I systems for those vehicle (sub-) categories shall also report the triggering of any operating mode which significantly reduces engine torque.

- 4. From the dates set out in point 1.8.3 of Annex IV, vehicle (sub-) categories L3<u>e</u>, L4e, L5e and L7e shall be equipped with an OBD stage I system which monitors for any electric circuit and electronics failure of the emission control system and which <u>triggers a report</u> is triggered when the emission thresholds laid down in Annex VI (B2) are being exceeded. OBD stage I systems for those vehicle (sub-) categories shall also report the triggering of any operating mode which significantly reduces engine torque.
- 5. From the dates set out in point 1.8.4 of Annex IV, vehicle (sub-) categories L3e, L4e, L5e-A and L7e-A shall in addition be equipped with an OBD stage II system which monitors and reports emission control system failures and degradation, with the exception of catalyst monitoring, which result in the OBD emission thresholds laid down in Annex VI (B1) being exceeded.
- 6. From the dates set out in point 1.8.5 of Annex IV, vehicle (sub-) categories L3e, L4e, L5e-A and L7e-A shall in addition be equipped with an OBD stage II system which monitors and reports emission control system failures and degradation which result in the OBD emission thresholds laid down in Annex VI (B2) being exceeded.
- Paragraphs 5 and 6 shall not apply to enduro motorcycles in category L3e-AxE and trial motorcycles in category L3e-AxT.
- 8. In order to harmonise the OBD system reporting of functional safety or emission control system faults and facilitate effective and efficient repair of a vehicle, the Commission <u>is shall</u> be empowered to adopt delegated acts in accordance with Article 75 <u>supplementing this</u> <u>Regulation by laying down</u> concerning the detailed technical requirements related to onboard diagnostics with respect to vehicle categories as set out in Annex II, C1 Vehicle construction and general type-approval requirements, row 11, including functional OBD requirements and test procedures for the subjects listed in paragraphs 1 to 7 of this Article, and concerning the detailed technical requirements related to in Annex V.";

- (2) In Article 23(3), point (c) is replaced by the following:
 - "(c) mathematical durability procedure:

Until 31 December 2024, for each emission constituent, the product of the multiplication of the deterioration factor set out in Annex VII (B) and the environmental performance test result of a vehicle which has accumulated more than 100 km after it was first started at the end of the production line shall be lower than the environmental performance test limit set out in Annex VI (A).

Notwithstanding the first subparagraph, for new types of vehicles as of <u>from</u> 1 January 2020 and for existing types of vehicles as of <u>from</u> 1 January 2021 until 31 December 2024, for each emission constituent the product of the multiplication of the deterioration factor set out in Annex VII (B) and the environmental performance test result of a vehicle which has accumulated more than 2500 km for a vehicle with a max speed of < 130 km/h and 3500 km for a vehicle with a max speed \geq 130 km/h after it was first started at the end of the production line shall be lower than the environmental performance limit set out in Annex VI (A).";

(2a) In Article 30 (1), point (b) is replaced by the following:

"(b) the test results sheet";

(2b) In Article 44(1) the second subparagraph is replaced by the following:

"The first subparagraph shall apply only to vehicles within the territory of the Union which were covered by a valid EU type-approval at the time of their productio, but which neither were registered nor entered into service before that EU type-approval lost its validity." (3) Article 75(2) is replaced by the following:

"2. The power to adopt delegated acts referred to in Article 18(3), Article 20(2), Article 21(8), Article 22(5) and (6), Article 23(6) and (12), Article 24(3), Article 25(8), Article 32(6), Article 33(6), Article 50(4), Article 54(3), Article 57(12), Article 65 and Article 74 shall be conferred on the Commission for a period of <u>ten five</u> years from 22 March 2013. The delegation of power shall be tacitly extended for periods of five years, unless the European Parliament or the Council opposes such extension not later than three months before the end of each period. The Commission shall draw up a report in respect of the delegation of power not later than 22 June 2022 and nine months before the end of each following five-year period.";

(3a) In Annex II, section C1, in row 11, the sign "X" is deleted for sub-categories L6e-A and L6e-B;

(4) Annex<u>es II</u>, IV, <u>V and VI to Regulation (EU) N°168/2013 are is amended in accordance</u> with the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the European Parliament For the Council

The President The President

ANNEX

Amendments to Annex IV to Regulation (EU) No 168/2013

Annexes II, IV, V and VI are amended as follows:

(1) In Annex II, Section C1, row 11, the sign "X" is deleted for subcategories L6e-A and L6e-B;

(2) In Annex IV to Regulation (EU) No 168/2013, the table is amended as follows:

ʻ1.1.2.1.	Euro 4: Annex VI A1	L1e, L2e, L6e	1.1.2017	1.1.2018	31.12.2020; for L2e-
					U and L6e-B:
					31.12.202 2 <u>4</u>
1.1.2.2.	Euro 4: Annex VI A1	L3e,L4e,L5e,	1.1.2016	1.1.2017	31.12.2020; for L3e-
		L7e			AxE and L3e-AxT
					31.12.202 2 <u>4</u>
1.1.2.3.	Euro 5: Annex VI A2	L1e-L7e	1.1.2020;	1.1.2021;	" . ,
			for L2e-U;	for L2e-U;	
			L3e-AxE	L3e-AxE;	
			;L3e-AxT	L3e-AxT	
			and L6e-B:	and L6e-B:	
			1.1.202 2 <u>4</u>	1.1.202 2 <u>5</u>	
1					

(a) points 1.1.2.1., 1.1.2.2. and 1.1.2.3. are replaced by the following:

(b) points 1.8.1., 1.8.2. and 1.8.3. are replaced by the following:

ʻ1.8.1.	OBD stage I functional requirements OBD stage I environmental test procedure (test type VIII) OBD stage I environmental test	L3e, L4e, L5e-A, L7e-A	1.1.2016	1.1.2017	31.12.2020
	thresholds, Annex VI (B1)				
1.8.2.	OBD stage I functional requirements including any operating mode which significantly reduces engine torque	L3e, L4e,L5e,L7e	1.1.2020	1.1.2021	31.12.2024
	OBD stage I environmental test procedure (test type VIII)				
	OBD stage I environmental test thresholds, Annex VI (B1)				
1.8.3.	OBD stage I functional requirements including any operating mode which significantly reduces engine torque	L3e, L4e,L5e,L7e	1.1.2024	1.1.2025	?. ,
	OBD stage I environmental test procedure (test type VIII)				
	OBD stage I environmental test thresholds, Annex VI (B2)				

(c) the following points are inserted:

ʻ1.8.4.	OBD stage II functional requirements	L3e <u>(except</u>	1.1.2020	1.1.2021	31.12.2024
	with the exception of catalyst monitoring	L3e-AxE and L3e-AxT), L4e, L5e-A, L7e-A			
	OBD stage II environmental test procedures (test type VIII)				
	OBD stage II environmental test thresholds, Annex VI (B1)				
1.8.5.	OBD stage II functional requirements,	L3e <u>(except</u> L3e-AxE and L3e-AxT),, L4e, L5e-A, L7e-A	1.1.2024	1.1.2025	?. ,
	OBD stage II environmental test procedures (test type VIII),				
	OBD stage II environmental test thresholds, Annex VI (B2)				

(d) points 1.9.1. and 1.9.2. are replaced by the following:

ʻ1.9.1.	Sound level test procedure and limit	L1e, L2e, L6e	1.1.2017	1.1.2018	
1.9.2.	values Annex VI (D) Sound level test procedure and limit values (3), Annex VI (D)	L3e, L4e, L5e, L7e	1.1.2016	1.1.2017	?. ?

(e) point 1.9.4. is replaced by the following:

ʻ1.9.4.	UNECE regulations Nos 9, 41, 63, 92	L1e-L7e		,
	and associated new limit values			
	proposed by the Commission			

(3) In Annex V, Section B, row 11, the content of the cell in the first column, second row, is replaced by the following:

"Type I test (19) Particulate mass (Euro 5 only)";

(4) Annex VI is amended as follows:

- (a) in section B1, the first row, referring to Vehicle category "L6e-A", is <u>deleted</u>;
- (b) in section B2, first row:

(i) the words "L3e-L7e (6)" are replaced the following:

<u>"L3e, L4e, L5e, L7e"</u>

(ii) the words "All L category vehicles except category L1e and L2e" are replaced by the following:

"All L category vehicles except category L1e, L2e and L6e".