



Rådet for  
Den Europæiske Union

Bruxelles, den 28. juli 2021  
(OR. en)

11099/21  
ADD 2

ENV 557  
WTO 188

## FØLGESKRIVELSE

---

fra:	Europa-Kommissionen
modtaget:	27. juli 2021
til:	Generalsekretariatet for Rådet
Komm. dok. nr.:	D074372/02 - Annex 2 to 3
Vedr.:	BILAG til KOMMISSIONENS FORORDNING (EU) .../... af XXX om ændring af Kommissionens forordning (EF) nr. 865/2006 om gennemførelsesbestemmelser til Rådets forordning (EF) nr. 338/97 om beskyttelse af vilde dyr og planter ved kontrol af handelen hermed

---

Hermed følger til delegationerne dokument D074372/02 - Annex 2 to 3.

---

Bilag: D074372/02 - Annex 2 to 3



Bruxelles, den XXX  
D074372/01  
[...] (2021) XXX draft

ANNEXES 2 to 3

## **BILAG**

**til**

**KOMMISSIONENS FORORDNING (EU) .../... af XXX**

**om ændring af Kommissionens forordning (EF) nr. 865/2006 om gennemførelsesbestemmelser til Rådets forordning (EF) nr. 338/97 om beskyttelse af vilde dyr og planter ved kontrol af handelen hermed**

## **BILAG 2**

### "BILAG VIII

Standardreferenceværker for den nomenklatur, der i medfør af artikel 5, stk. 4, skal anvendes til angivelse af videnskabelige artsnavne i tilladelser og certifikater

<b>FAUNA</b>			
		Berørt takson	Taksonomisk referenceværk
<b>MAMMALIA</b>			
		Alle MAMMALIA-taksa — dog ikke hvad angår anerkendelse af følgende navne på vilde former af arter (der foretrækkes frem for navnene på de domesticerede former): <i>Bos gaurus</i> , <i>Bos mutus</i> , <i>Bubalus arnee</i> , <i>Equus africanus</i> , <i>Equus przewalskii</i> og  — med undtagelse af de taksa, der er anført under de forskellige Mammalia- ordner i det følgende	WILSON, D. E. & REEDER, D. M. (ed.) (2005): <i>Mammal Species of the World. A Taxonomic and Geographic Reference</i> . Third edition, Vol. 1-2, xxxv + 2142 pp. Baltimore (John Hopkins University Press).
ARTIODACTYLA	Bovidae	<i>Ovis</i> spp.	VALDEZ, R. & WEINBERG, P.J. (2011): Species accounts 188-207 for <i>Ovis</i> spp., pp. 727-739 in WILSON, D.E., & MITTERMEIER, R.A. (eds.), <i>Handbook of the Mammals of the World. Vol.2. Hoofed Mammals</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-77-4.
	Camelidae	<i>Lama guanicoe</i>	WILSON, D. E. & REEDER, D. M. (1993): <i>Mammal Species of the World: a Taxonomic and Geographic Reference</i> . Second edition. xviii + 1207 pp., Washington (Smithsonian Institution Press).

		Berørt takson	Taksonomisk referenceværk
CARNIVORA	Felidae	Felidae spp.	KITCHENER A. C., BREITENMOSE WÜRSTEN CH., EIZIRIK E., GENTRY A., WERDELIN L., WILTING A., YAMAGUCHI N., ABRAMOV A. V., CHRISTIANSEN P., DRISCOLL C., DUCKWORTH J. W., JOHNSON W., LUO S.-J., MEIJAARD E., O'DONOGHUE P., SANDERSON J., SEYMOUR K., BRUFORD M., GROVES C., HOFFMANN M., NOWELL K., TIMMONS Z. & TOBE S. (2017). A revised taxonomy of the Felidae. The final report of the Cat Classification Task Force of the IUCN/SSC Cat Specialist Group. <i>Cat News Special Issue 11</i> , 80 pp.
CETACEA	Balaenopteridae	<i>Balaenoptera omurai</i>	WADA, S., OISHI, M. & YAMADA, T. K. (2003): A newly discovered species of living baleen whales. – <i>Nature</i> , <b>426</b> : 278-281.
	Delphinidae	<i>Orcaella heinsohni</i>	BEASLY, I., ROBERTSON, K. M. & ARNOLD, P. W. (2005): Description of a new dolphin, the Australian Snubfin Dolphin, <i>Orcaella heinsohni</i> sp. n. (Cetacea, Delphinidae). — <i>Marine Mammal Science</i> , <b>21</b> (3): 365-400.
	Delphinidae	<i>Sotalia fluviatilis</i> <i>Sotalia guianensis</i>	CABALLERO, S., TRUJILLO, F., VIANNA, J. A., BARRIOS-GARRIDO, H., MONTIEL, M. G., BELTRÁN-PEDREROS, S., MARMONTEL, M., SANTOS, M. C., ROSSI-SANTOS, M. R. & BAKER, C. S. (2007): Taxonomic status of the genus <i>Sotalia</i> : species level ranking for "tucuxi" ( <i>Sotalia fluviatilis</i> ) and "costero" ( <i>Sotalia guianensis</i> ) dolphins. — <i>Marine Mammal Science</i> , <b>23</b> : 358-386.
	Delphinidae	<i>Sousa plumbea</i> <i>Sousa sahalensis</i>	JEFFERSON, T. A. & ROSENBAUM, H. C. (2014): Taxonomic revision of the humpback dolphins ( <i>Sousa</i> spp.), and description of a new species from Australia. <i>Marine Mammal Science</i> , <b>30</b> (4): 1494-1541.
	Delphinidae	<i>Tursiops australis</i>	CHARLTON-ROBB, K., GERSHWIN, L.-A., THOMPSON, R., AUSTIN, J., OWEN, K. & McKECHNIE, S. (2011): A new dolphin species, the Burrunan Dolphin <i>Tursiops australis</i> sp. nov., endemic to southern Australian coastal waters. <i>PLoS ONE</i> , <b>6</b> (9): e24047.
	Iniidae	<i>Inia araguaiaensis</i>	HRBEK, T., DA SILVA, V. M. F., DUTRA, N., GRAVENA, W., MARTIN, A. R. & FARIAS, I. P. (2014): A new species of river dolphin from Brazil or: How little do we know our biodiversity. <i>PLoS ONE</i> <b>83623</b> : 1-12.
	Phocoenidae	<i>Neophocaena asiaorientalis</i>	JEFFERSON, T. A. & WANG, J. Y. (2011): Revision of the taxonomy of finless porpoises (genus <i>Neophocaena</i> ): The existence of two species. <i>Journal of Marine Animals and their Ecology</i> , <b>4</b> (1): 3-16.
	Physeteridae	<i>Physeter macrocephalus</i>	RICE, D. W. (1998): Marine Mammals of the World: Systematics and Distribution - <i>Society of Marine Mammalogy Special Publication Number 4</i> , The Society for Marine Mammalogy, Lawrence, Kansas.

		Berørt takson	Taksonomisk referenceværk
	Platanistidae	<i>Platanista gangetica</i>	RICE, D. W., (1998): Marine Mammals of the World: Systematics and Distribution - <i>Society of Marine Mammalogy</i> Special Publication Number 4, The Society for Marine Mammalogy, Lawrence, Kansas.
	Ziphiidae	<i>Mesoplodon hotaula</i>	DALEBOUT, M. L., SCOTT BAKER, C., STEEL, D., THOMPSON, K., ROBERTSON, K. M., CHIVERS, S. J., PERRIN, W. F., GOONATILAKE, M., ANDERSON, C. R., MEAD, J. G., POTTER, C. W., THOMPSON, L., JUPITER, D. & YAMADA, T. K. (2014): Resurrection of <i>Mesoplodon hotaula</i> Deraniyagala 1963: A new species of beaked whale in the tropical Indo-Pacific. <i>Marine Mammal Science</i> , <b>30</b> (3): 1081-1108.
PRIMATES	Atelidae	<i>Ateles geoffroyi</i>	RYLANDS, A. B., GROVES, C. P., MITTERMEIER, R. A., CORTES-ORTIZ, L. & HINES, J. J. (2006): Taxonomy and distributions of Mesoamerican primates. In: A. ESTRADA, P. GARBER, M. PAVELKA and L. LUECKE (eds), <i>New Perspectives in the Study of Mesoamerican Primates: Distribution, Ecology, Behavior and Conservation</i> , pp. 29-79. Springer, New York, USA.
	Aotidae	<i>Aotus jorgehernandezi</i>	DEFLER, T. R. & BUENO, M. L. (2007): <i>Aotus</i> diversity and the species problem. — <i>Primate Conservation</i> , <b>22</b> : 55-70.
	Cebidae	<i>Callithrix manicorensis</i>	GARBINO, T. & SINICIATO, G. (2014): The taxonomic status of <i>Mico marcai</i> (Alperin 1993) and <i>Mico manicorensis</i> (van Roosmalen <i>et al.</i> 2000) (Cebidae, Callitrichinae) from Southwestern Brazilian Amazonia. <i>International Journal of Primatology</i> , <b>35</b> (2): 529-546. (for <i>Mico marcai</i> slået sammen med <i>Mico manicorensis</i> behandlet som <i>Callithrix manicorensis</i> under CITES)
	Cebidae	<i>Cebus flavius</i>	OLIVEIRA, M. M. DE & LANGGUTH, A. (2006): Rediscovery of Marcgrave's Capuchin Monkey and designation of a neotype for <i>Simia flava</i> Schreber, 1774 (Primates, Cebidae). — <i>Boletim do Museu Nacional do Rio de Janeiro, N.S., Zoologia</i> , <b>523</b> : 1-16.
	Cebidae	<i>Mico rondoni</i>	FERRARI, S. F., SENA, L., SCHNEIDER, M. P. C. & JÚNIOR, J. S. S. (2010): Rondon's Marmoset, <i>Mico rondoni</i> sp. n., from southwestern Brazilian Amazonia. <i>International Journal of Primatology</i> , <b>31</b> : 693-714.
	Cebidae	<i>Saguinus ursulus</i>	GREGORIN, R. & DE VIVO, M. (2013): Revalidation of <i>Saguinus ursula</i> Hoffmannsegg (Primates: Cebidae: Callitrichinae). <i>Zootaxa</i> , <b>3721</b> (2): 172-182.
	Cebidae	<i>Saimiri collinsi</i>	MERCES, M. P., ALFARO, J. W. L., FERREIRA, W. A. S., HARADA, M. L. & JÚNIOR, J. S. S. (2015): Morphology and mitochondrial phylogenetics reveal that the Amazon River separates two eastern squirrel monkey species: <i>Saimiri sciureus</i> and <i>S. collinsi</i> . <i>Molecular Phylogenetics and Evolution</i> , <b>82</b> : 426-435.

		Berørt takson	Taksonomisk referenceværk
	Cercopithecidae	<i>Cercopithecus lomamiensis</i>	HART, J.A., DETWILER, K.M., GILBERT, C.C., BURRELL, A.S., FULLER, J.L., EMETSHU, M., HART, T.B., VOSPER, A., SARGIS, E.J. & TOSI, A.J. (2012): <i>Lesula</i> : A new species of <i>Cercopithecus</i> monkey endemic to the Democratic Republic of Congo and implications for conservation of Congo's Central Basin. <i>PLoS ONE</i> , <b>7</b> (9): e44271.
	Cercopithecidae	<i>Macaca munzala</i>	SINHA, A., DATTA, A., MADHUSUDAN, M. D. & MISHRA, C. (2005): <i>Macaca munzala</i> : A new species from western Arunachal Pradesh, northeastern India. <i>International Journal of Primatology</i> , <b>26</b> (4): 977-989: doi:10.1007/s10764-005-5333-3.
	Cercopithecidae	<i>Rhinopithecus strykeri</i>	GEISMANN, T., LWIN, N., AUNG, S. S., AUNG, T. N., AUNG, Z. M., HLA, T. H., GRINDLEY, M. & MOMBERG, F. (2011): A new species of snub-nosed monkey, genus <i>Rhinopithecus</i> Milne-Edwards, 1872 (Primates, Colobinae), from Northern Kachin State, Northeastern Myanmar. — <i>American Journal of Primatology</i> , <b>73</b> : 96-107.
	Cercopithecidae	<i>Rungwecebus kipunji</i>	DAVENPORT, T. R. B., STANLEY, W. T., SARGIS, E. J., DE LUCA, D. W., MPUNGA, N. E., MACHAGA, S. J. & OLSON, L. E. (2006): A new genus of African monkey, <i>Rungwecebus</i> : Morphology, ecology, and molecular phylogenetics. <i>Science</i> , <b>312</b> : 1378-1381.
	Cercopithecidae	<i>Trachypithecus villosus</i>	BRANDON-JONES, D., EUDEY, A. A., GEISSMANN, T., GROVES, C. P., MELNICK, D. J., MORALES J. C., SHEKELLE, M. & STEWARD, C.-B. (2004): Asian primate classification. <i>International Journal of Primatology</i> , <b>25</b> : 97-163.
	Cercopithecidae	<i>Cheirogaleus lavasoensis</i>	THIELE, D., RAZAFIMAHATRATRA, E. & HAPKE, A. (2013): Discrepant partitioning of genetic diversity in mouse lemurs and dwarf lemurs — biological reality or taxonomic bias? <i>Molecular Phylogenetics and Evolution</i> , <b>69</b> : 593-609.
	Cercopithecidae	<i>Microcebus gerpi</i>	RADESPIEL, U., RATSIMBAZAFY, J. H., RASOLOHARIJAONA, S., RAVELOSON, H., ANDRIAHOLINIRINA, N., RAKOTONDRAVONY, R., RANDRIANARISON, R. M. & RANDRIANAMBININA, B. (2012): First indications of a highland specialist among mouse lemurs ( <i>Microcebus</i> spp.) and evidence for a new mouse lemur species from eastern Madagascar. <i>Primates</i> , <b>53</b> : 157-170.
	Cercopithecidae	<i>Microcebus marohita</i> <i>Microcebus tanosi</i>	RASOLOARISON, R. M., WEISROCK, D. W., YODER, A. D., RAKOTONDRAVONY, D. & KAPPELER, P. M. [2013]: Two new species of mouse lemurs (Cheirogaleidae: <i>Microcebus</i> ) from Eastern Madagascar. — <i>International Journal of Primatology</i> , <b>34</b> : 455-469.
	Hylobatidae	<i>Nomascus annamensis</i>	VAN NGOC THINH, MOOTNICK, A. R., VU NGOC THANH, NADLER, T. & ROOS, C. (2010): A new species of crested gibbon from the central Annamite mountain range. <i>Vietnamese Journal of Primatology</i> , <b>4</b> : 1-12.

		Berørt takson	Taksonomisk referenceværk
	Lorisidae	<i>Nycticebus kayan</i>	MUNDS, R.A., NEKARIS, K.A.I. & FORD, S.M. (2013): Taxonomy of the bornean slow loris, with new species <i>Nycticebus kayan</i> (Primates, Lorisidae). <i>American Journal of Primatology</i> , <b>75</b> : 46-56.
	Pitheciidae	<i>Cacajao melanocephalus</i> <i>Cacajao oukary</i>	FERRARI, S. F., GUEDES, P. G., FIGUEIREDO-READY, W. M. B. & BARNETT, A. A. (2014): Reconsidering the taxonomy of the Black-faced Uacaris, <i>Cacajao melanocephalus</i> group (Mammalia: Pitheciidae), from the northern Amazon Basin. <i>Zootaxa</i> , <b>3866</b> (3): 353-370.
	Pitheciidae	<i>Callicebus aureipalatii</i>	WALLACE, R. B., GÓMEZ, H., FELTON, A. & FELTON, A. (2006): On a new species of titi monkey, genus <i>Callicebus</i> Thomas (Primates, Pitheciidae), from western Bolivia with preliminary notes on distribution and abundance. <i>Primate Conservation</i> , <b>20</b> : 29-39.
	Pitheciidae	<i>Callicebus caquetensis</i>	DEFLER, T. R., BUENO, M. L. & GARCÍA, J. (2010): <i>Callicebus caquetensis</i> : a new and Critically Endangered titi monkey from southern Caquetá, Colombia. <i>Primate Conservation</i> , <b>25</b> : 1-9.
	Pitheciidae	<i>Callicebus vieira</i>	GUALDA-BARROS, J., NASCIMENTO, F. O. & AMARAL, M. K. (2012): A new species of <i>Callicebus</i> Thomas, 1903 (Primates, Pitheciidae) from the states of Mato Grosso and Pará, Brazil. <i>Papéis Avulsos de Zoologia (São Paulo)</i> , <b>52</b> : 261-279.
	Pitheciidae	<i>Callicebus miltoni</i>	DALPONTE, J. C., SILVA, F. E. & SILVA JÚNIOR, J. S. (2014): New species of titi monkey, genus <i>Callicebus</i> Thomas, 1903 (Primates, Pitheciidae), from Southern Amazonia, Brazil. <i>Papéis Avulsos de Zoologia, São Paulo</i> , <b>54</b> : 457-472.

		Berørt takson	Taksonomisk referenceværk
	Pitheciidae	<i>Pithecia cazuzai</i> <i>Pithecia chrysocephala</i> <i>Pithecia hirsuta</i> <i>Pithecia inusta</i> <i>Pithecia isabela</i> <i>Pithecia milleri</i> <i>Pithecia mittermeieri</i> <i>Pithecia napensis</i> <i>Pithecia pissinattii</i> <i>Pithecia rylandsi</i> <i>Pithecia vanzolinii</i>	MARSH, L.K. (2014): A taxonomic revision of the saki monkeys, <i>Pithecia</i> Desmarest, 1804. <i>Neotropical Primates</i> , <b>21</b> : 1-163.
	Tarsiidae	<i>Tarsius lariang</i>	MERKER, S. & GROVES, C.P. (2006): <i>Tarsius lariang</i> : A new primate species from Western Central Sulawesi. <i>International Journal of Primatology</i> , <b>27</b> (2): 465-485.
	Tarsiidae	<i>Tarsius tumpara</i>	SHEKELLE, M., GROVES, C., MERKER, S. & SUPRIATNA, J. (2010): <i>Tarsius tumpara</i> : A new tarsier species from Siau Island, North Sulawesi. <i>Primate Conservation</i> , <b>23</b> : 55-64.
PROBOSCIDEA	Elephantidae	<i>Loxodonta africana</i>	WILSON, D. E. & REEDER, D. M. (1993): <i>Mammal Species of the World: a Taxonomic and Geographic Reference</i> . Second edition. xviii + 1207 pp., Washington (Smithsonian Institution Press).
SCANDENTIA	Tupaiaidae	<i>Tupaia everetti</i>	ROBERTS, T. E., LANIER, H. C., SARGIS, E. J. & OLSON, L. E. (2011): Molecular phylogeny of treeshrews (Mammalia: Scandentia) and the timescale of diversification in Southeast Asia. <i>Molecular Phylogenetics and Evolution</i> , <b>60</b> (3): 358-372.
	Tupaiaidae	<i>Tupaia palawanensis</i>	SARGIS, E. J., CAMPBELL, K. K. & OLSON, L. E. (2014): Taxonomic boundaries and craniometric variation in the treeshrews (Scandentia, Tupaiaidae) from the Palawan faunal region. <i>Journal of Mammalian Evolution</i> , <b>21</b> (1): 111-123.
<b>AVES</b>			

		Berørt takson	Taksonomisk referenceværk
		Fuglenavne på ordens- og familieniveau	MORONY, J. J., BOCK, W. J. & FARRAND, J., Jr. (1975): <i>Reference List of the Birds of the World</i> . American Museum of Natural History. 207 pp.
		Alle fuglearter — undtagen nedennævnte taksa <b>og for <i>Lophura imperialis</i> og <i>Lophura hatinhensis</i>, der bør behandles som enheder af <i>L. edwardsi</i></b>	DICKINSON, E.C. (ed.) (2003): The Howard and Moore Complete Checklist of the Birds of the World. Revised and enlarged 3rd Edition. 1039 pp. London (Christopher Helm). in combination with DICKINSON, E.C. (2005): Corrigenda 4 (02.06.2005) to Howard & Moore Edition 3 (2003).
APODIFORMES	Trochilidae	<i>Chlorostilbon lucidus</i>	PACHECO, J. F. & WHITNEY, B. M. (2006): Mandatory changes to the scientific names of three Neotropical birds <i>Bull. Brit. Orn. Club</i> , <b>126</b> : 242-244.
	Trochilidae	<i>Eriocnemis isabellae</i>	CORTÉS-DIAGO, A., ORTEGA, L. A., MAZARIEGOS-HURTADO, L. & WELLER, A.-A. (2007): A new species of <i>Eriocnemis</i> (Trochilidae) from southwest Colombia. <i>Ornitologia Neotropical</i> , <b>18</b> : 161-170.
	Trochilidae	<i>Phaethornis aethopyga</i>	PIACENTINI, V. Q., ALEIXO, A. & SILVEIRA, L. F. (2009): Hybrid, subspecies or species? The validity and taxonomic status of <i>Phaethornis longuemareus aethopyga</i> Zimmer, 1950 (Trochilidae). <i>Auk</i> , <b>126</b> : 604-612.
FALCONIFORMES	Accipitridae	<i>Aquila hastata</i>	PARRY, S. J., CLARK, W. S. & PRAKASH, V. (2002): On the taxonomic status of the Indian Spotted Eagle <i>Aquila hastata</i> . <i>Ibis</i> , <b>144</b> : 665-675.
	Accipitridae	<i>Buteo socotraensis</i>	PORTER, R. F. & KIRWAN, G. M. (2010): Studies of Socotran birds VI. The taxonomic status of the Socotra Buzzard. <i>Bulletin of the British Ornithologists' Club</i> , <b>130</b> (2): 116-131.
	Falconidae	<i>Micrastur mintoni</i>	WHITTAKER, A. (2002): A new species of forest-falcon (Falconidae: <i>Micrastur</i> ) from southeastern Amazonia and the Atlantic rainforests of Brazil. <i>Wilson Bulletin</i> , <b>114</b> : 421-445.
PASSERIFORMES	Muscicapidae	<i>Garrulax taewanus</i>	COLLAR, N. J. (2006): A partial revision of the Asian babblers (Timaliidae). <i>Forktail</i> , <b>22</b> : 85-112.
PSITTACIFORMES	Cacatuidae	<i>Cacatua goffiniana</i>	ROSELAAR, C. S. & MICHELS, J. P. (2004): Nomenclatural chaos untangled, resulting in the naming of the formally undescribed <i>Cacatua</i> species from the Tanimbar Islands, Indonesia (Psittaciformes: Cacatuidae). <i>Zoologische Verhandelingen</i> , <b>350</b> : 183-196.
	Loriidae	<i>Trichoglossus haematodus</i>	COLLAR, N. J. (1997): Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (eds.), <i>Handbook of the Birds of the World</i> , <b>4</b> (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).

		Berørt takson	Taksonomisk referenceværk
	Psittacidae	<i>Aratinga maculata</i>	NEMESIO, A. & RASMUSSEN, C. (2009): The rediscovery of Buffon's "Guarouba" or "Perriche jaune": two senior synonyms of <i>Aratinga pinto</i> SILVEIRA, LIMA & HÖFLING, 2005 (Aves: Psittaciformes). <i>Zootaxa</i> , <b>2013</b> : 1-16.
	Psittacidae	<i>Forpus modestus</i>	PACHECO, J. F. & WHITNEY, B. M. (2006): Mandatory changes to the scientific names of three Neotropical birds. <i>Bulletin of the British Ornithologists' Club</i> , <b>126</b> : 242-244.
	Psittacidae	<i>Pionopsitta aurantiocephala</i>	GABAN-LIMA, R., RAPOSO, M. A. & HÖFLING, E. (2002): Description of a new species of <i>Pionopsitta</i> (Aves: Psittacidae) endemic to Brazil. <i>Auk</i> , <b>119</b> : 815-819.
	Psittacidae	<i>Poicephalus robustus</i> <i>Poicephalus fuscicollis</i>	COETZER, W.G., DOWNS, C.T., PERRIN, M.R. & WILLOWS-MUNRO, S. (2015): Molecular Systematics of the Cape Parrot ( <i>Poicephalus robustus</i> ). Implications for Taxonomy and Conservation. <i>PLoS ONE</i> , 10(8): e0133376. doi: 10.1371/journal.pone.0133376.
	Psittacidae	<i>Psittacula intermedia</i>	COLLAR, N. J. (1997) Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (eds.), <i>Handbook of the Birds of the World</i> , <b>4</b> (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).
	Psittacidae	<i>Pyrrhura griseipectus</i>	OLMOS, F., SILVA, W. A. G. & ALBANO, C. (2005): Grey-breasted Conure <i>Pyrrhura griseipectus</i> , an overlooked endangered species. <i>Cotinga</i> , <b>24</b> : 77-83.
	Psittacidae	<i>Pyrrhura parvifrons</i>	ARNDT, T. (2008): Anmerkungen zu einigen <i>Pyrrhura</i> -Formen mit der Beschreibung einer neuen Art und zweier neuer Unterarten. <i>Papageien</i> , <b>8</b> : 278-286.
STRIGIFORMES	Strigidae	<i>Glaucidium mooreorum</i>	DA SILVA, J. M. C., COELHO, G. & GONZAGA, P. (2002): Discovered on the brink of extinction: a new species of pygmy owl (Strigidae: Glaucidium) from Atlantic forest of northeastern Brazil. <i>Ararajuba</i> , <b>10</b> (2): 123-130.
	Strigidae	<i>Ninox burhani</i>	INDRAWAN, M. & SOMADIKARTA, S. (2004): A new hawk-owl from the Togian Islands, Gulf of Tomini, central Sulawesi, Indonesia. <i>Bulletin of the British Ornithologists' Club</i> , <b>124</b> : 160-171.
	Strigidae	<i>Otus thilohoffmanni</i>	WARAKAGODA, D. H. & RASMUSSEN, P. C. (2004): A new species of scops-owl from Sri Lanka. <i>Bulletin of the British Ornithologists' Club</i> , <b>124</b> (2): 85-105.
<b>REPTILIA</b>			
CROCODYLIA & RHYNCHOCEPHALIA		Crocodylia & Rhynchocephalia undtagen nedennævnte taksa	WERMUTH, H. & MERTENS, R. (1996) (reprint): <i>Schildkröte, Krokodile, Brückenechsen</i> . xvii + 506 pp. Jena (Gustav Fischer Verlag).

		Berørt takson	Taksonomisk referenceværk
	Crocodylidae	<i>Crocodylus johnstoni</i>	TUCKER, A. D. (2010): The correct name to be applied to the Australian freshwater crocodile, <i>Crocodylus johnstoni</i> [Krefft, 1873]. <i>Australian Zoologist</i> , <b>35</b> (2): 432-434.
	Sphenodontidae	<i>Sphenodon</i> spp.	HAY, J. M., SARRE, S. D., LAMBERT, D. M., ALLENDORF, F. W. & DAUGHERTY, C. H. (2010): Genetic diversity and taxonomy: a reassessment of species designation in tuatara ( <i>Sphenodon</i> : Reptilia). <i>Conservation Genetics</i> , <b>11</b> (93): 1063-1081.
SAURIA		Til afgrænsning af Sauria-familier	POUGH, F. H., ANDREWS, R. M., CADLE, J. E., CRUMP, M. L., SAVITZKY, A. H. & WELLS, K. D. (1998): <i>Herpetology</i> . Upper Saddle River/New Jersey (Prentice Hall).
	Agamidae	<i>Saara</i> spp. <i>Uromastyx</i> spp.	WILMS, T. M., BÖHME, W., WAGNER, P., LUTZMANN, N. & SCHMITZ, A. (2009): On the phylogeny and taxonomy of the genus <i>Uromastyx</i> Merrem, 1820 (Reptilia: Squamata: Agamidae: Uromastycinae) — resurrection of the genus <i>Saara</i> Gray, 1845. <i>Bonner zool. Beiträge</i> , <b>56</b> (1-2): 55-99.
	Anguidae	<i>Abronia</i> spp.	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): Taxonomic checklist of the species of the genus <i>Abronia</i> . Species information extracted from <i>The Reptile Database</i> , version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35. at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf</a> .
	Chamaeleonidae	Chamaeleonidae spp.	GLAW, F. (2015): Taxonomic checklist of chamaeleons (Squamata: Chamaeleonidae). <i>Vertebrate Zoology</i> , <b>65</b> (2): 167-246.
	Cordylidae	Cordylidae spp. undtagen den nedennævnte takson	STANLEY, E. L., BAUER, A. M., JACKMAN, T. R., BRANCH, W. R. & P. LE F. N. (2011): Between a rock and a hard polytomy: rapid radiation in the rupicolous girdled lizards (Squamata: Cordylidae). <i>Molecular Phylogenetics and Evolution</i> , <b>58</b> (1): 53-70.
	Cordylidae	<i>Cordylus marunguensis</i>	GREENBAUM, E., STANLEY, E. L., KUSAMBA, C., MONINGA, W. M., GOLDBERG, S. R. & CHA (2012): A new species of <i>Cordylus</i> (Squamata: Cordylidae) from the Marungu Plateau of south-eastern Democratic Republic of the Congo. <i>African Journal of Herpetology</i> , <b>61</b> (1): 14-39.
	Gekkonidae	<i>Cnemaspis psychedelica</i>	GRISMER, L. L., NGO, V. T. & GRISMER, J. L. (2010): A colorful new species of insular rock gecko ( <i>Cnemaspis</i> Strauch 1887) from southern Vietnam. <i>Zootaxa</i> , <b>58</b> : 46-58.

		Berørt takson	Taksonomisk referenceværk
	Gekkonidae	<i>Dactylonemis</i> spp. <i>Hoplodactylus</i> spp. <i>Mokopirirakau</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> , <b>59</b> (1): 1-22.
	Gekkonidae	<i>Lygodactylus williamsi</i>	Species information extracted from UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): <i>The Reptile Database</i> , version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf</a> .
	Gekkonidae	<i>Nactus serpensinsula</i>	KLUGE, A.G. (1983): Cladistic relationships among gekkonid lizards. <i>Copeia</i> , <b>2</b> : 465-475.
	Gekkonidae	<i>Naultinus</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> , <b>59</b> (1): 1-22.
	Gekkonidae	<i>Paroedura masobe</i>	NUSSBAUM, R.A. & RAXWORTHY, C.J. (1994): A new rainforest gecko of the genus <i>Paroedura</i> GÜNTHER from Madagascar. <i>Herpetological Natural History</i> , <b>2</b> (1): 43-49.
	Gekkonidae	<i>Phelsuma</i> spp. <i>Rhoptropella</i> spp.	GLAW, F. & RÖSLER, H. (2015): Taxonomic checklist of the day geckos of the genera <i>Phelsuma</i> Gray, 1825 and <i>Rhoptropella</i> Hewitt, 1937 (Squamata: Gekkonidae). <i>Vertebrate Zoology</i> , <b>65</b> (2): 167-246.
	Gekkonidae	<i>Toropuku</i> spp. <i>Tukutuku</i> spp. <i>Woodworthia</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> , <b>59</b> (1): 1-22.
	Gekkonidae	<i>Uroplatus</i> spp. undtagen nedennævnte taksa	RAXWORTHY, C.J. (2003): Introduction to the reptiles. In: Goodman, S.M. & Bernstead, J.P. (eds.), <i>The natural history of Madagascar</i> : 934-949. Chicago.
	Gekkonidae	<i>Uroplatus finiavana</i>	RATSOAVINA, F. M., LOUIS JR., E. E., CROTTINI, A., RANDRIANIAINA, R. -D., GLAW, F. & VENCES, M. (2011): A new leaf tailed gecko species from northern Madagascar with a preliminary assessment of molecular and morphological variability in the <i>Uroplatus ebenau</i> group. <i>Zootaxa</i> , <b>3022</b> : 39-57.
	Gekkonidae	<i>Uroplatus giganteus</i>	GLAW, F., KOSUCH, J., HENKEL, W. F., SOUND, P. & BÖHME, W. (2006): Genetic and morphological variation of the leaf-tailed gecko <i>Uroplatus fimbriatus</i> from Madagascar, with description of a new giant species. <i>Salamandra</i> , <b>42</b> : 129-144.

		Berørt takson	Taksonomisk referenceværk
	Gekkonidae	<i>Uroplatus pietschmanni</i>	BÖHLE, A. & SCHÖNECKER, P. (2003): Eine neue Art der Gattung <i>Uroplatus</i> Duméril, 1805 aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). <i>Salamandra</i> , <b>39</b> (3/4): 129-138.
	Gekkonidae	<i>Uroplatus sameiti</i>	RAXWORTHY, C. J., PEARSON, R. G., ZIMKUS, B. M., REDDY, S., DEO, A. J., NUSSBAUM, R. A. & INGRAM, C. M. (2008): Continental speciation in the tropics: contrasting biogeographic patterns of divergence in the <i>Uroplatus</i> leaf-tailed gecko radiation of Madagascar. <i>Journal of Zoology</i> , <b>275</b> : 423-440.
	Iguanidae	Iguanidae spp. undtagen nedennævnte taksa	HOLLINGSWORTH, B. D. (2004): The Evolution of Iguanas: An Overview of Relationships and a Checklist of Species. In: <i>Iguanas: Biology and Conservation</i> (Alberts, A. C., Carter, R. L., Hayes, W. K. & Martins, E. P., Eds): 19-44. Berkeley (University of California Press).
	Iguanidae	<i>Brachylophus bulabula</i>	KEOGH, J. S., EDWARDS, D. L., FISHER, R. N. & HARLOW, P. S. (2008): Molecular and morphological analysis of the critically endangered Fijian iguanas reveals cryptic diversity and a complex biogeographic history. <i>Philosophical Transactions of the Royal Society B</i> , <b>363</b> (1508): 3413-3426.
	Iguanidae	<i>Conolophus marthae</i>	GENTILE, G. & SNELL, H. (2009): <i>Conolophus marthae</i> sp. nov. (Squamata, Iguanidae), a new species of land iguana from the Galápagos archipelago. <i>Zootaxa</i> , <b>2201</b> : 1-10.
	Iguanidae	<i>Ctenosaura</i> spp.	Iguana Taxonomy Working Group (2016): A checklist of the iguanas of the world (Iguanidae; Iguaninae). In: <i>Iguanas: Biology, Systematics, and Conservation</i> (J. B. IVERSON, T.D. GRANT, C .R. KNAPP, and S. A. PASACHNIK, Eds.): 4-46. Herpetological Conservation and Biology 11 (Monograph 6).
	Iguanidae	<i>Cyclura lewisi</i>	BURTON, F. J. (2004): Revision to Species <i>Cyclura nubila lewisi</i> , the Grand Cayman Blue Iguana. <i>Caribbean Journal of Science</i> , <b>40</b> (2): 198-203.
	Iguanidae	<i>Phrynosoma blainvillii</i> <i>Phrynosoma cerroense</i> <i>Phrynosoma wigginsi</i>	MONTANUCCI, R.R. (2004): Geographic variation in <i>Phrynosoma coronatum</i> (Lacertilia, Phrynosomatidae): further evidence for a peninsular archipelago. <i>Herpetologica</i> , <b>60</b> : 117.
	Lanthanotidae	Lanthanotidae spp.	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): Family, genus and species information extracted from the Integrated Taxonomic Information Service (ITIS), an online reference; and species information extracted from <i>The Reptile Database</i> , version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf</a> .
	Teiidae	Teiidae spp.	HARVEY, M. B., UGUETO, G. N. & GUTBERLET, R. L. JR. (2012): Review of teiid morphology with a revised taxonomy and phylogeny of the Teiidae (Lepidosauria: Squamata). <i>Zootaxa</i> , <b>3459</b> : 1-156.

		Berørt takson	Taksonomisk referenceværk
	Varanidae	Varanidae spp. undtagen nedennævnte taksa	BÖHME, W. (2003): Checklist of the living monitor lizards of the world (family Varanidae) <i>Zoologische Verhandelingen, Leiden</i> , <b>341</b> : 1-43.  in combination with  KOCH, A., AULIYA, M. & ZIEGLER, T. (2010): Updated Checklist of the living monitor lizards of the world (Squamata: Varanidae). — <i>Bonn zoological Bulletin</i> , <b>57</b> (2): 127-136.
	Varanidae	<i>Varanus bangonorum</i> <i>Varanus dalubhasa</i>	WELTON, L. J., TRAVERS, S. L., SILER, C. D. & BROWN, R. M. (2014): Integrative taxonomy and phylogeny-based species delimitation of Philippine water monitor lizards ( <i>Varanus salvator</i> complex) with descriptions of two new cryptic species. <i>Zootaxa</i> , <b>3881</b> (3): 201-227.
	Varanidae	<i>Varanus hamersleyensis</i>	MARYAN, B., OLIVER, P. M., FITCH, A. J. & O'CONNELL, M. (2014): Molecular and morphological assessment of <i>Varanus pilbarensis</i> (Squamata: Varanidae), with a description of a new species from the southern Pilbara, Western Australia. <i>Zootaxa</i> , <b>3768</b> (2): 139-158.
	Varanidae	<i>Varanus nesterovi</i>	BÖHME, W., EHRLICH, K., MILTO, K. D., ORLOV, N. & SCHOLZ, S. (2015): A new species of desert monitor lizard (Varanidae: <i>Varanus: Psammosaurus</i> ) from the western Zagros region (Iraq, Iran). <i>Russian Journal of Herpetology</i> , <b>22</b> (1): 41-52.
	Varanidae	<i>Varanus samarensis</i>	KOCH, A., GAULKE, M. & BÖHME, W. (2010): Unravelling the underestimated diversity of Philippine water monitor lizards (Squamata: <i>Varanus salvator</i> complex), with the description of two new species and a new subspecies. <i>Zootaxa</i> , <b>2446</b> : 1-54.
	Varanidae	<i>Varanus sparnus</i>	DOUGHTY, P., KEALLEY, L., FITCH, A. & DONNELLAN, S. C. (2014): A new diminutive species of <i>Varanus</i> from the Dampier Peninsula, western Kimberley region, Western Australia. <i>Records of the Western Australian Museum</i> , <b>29</b> : 128-140.

		Berørt takson	Taksonomisk referenceværk
SERPENTES		<p>Loxocemidae spp. Pythonidae spp.</p> <p>Boidae spp.</p> <p>Bolyeriidae spp.</p> <p>Tropidophiidae spp.</p> <p>Viperidae spp.</p> <p>undtagen bevarelsen af slægterne <i>Acrantophis</i>, <i>Sanzinia</i>, <i>Calabaria</i>, <i>Lichanura</i>,</p> <p>anerkendelsen af <i>Epicrates maurus</i> som gyldige arter</p> <p>og med undtagelse af nedennævnte arter</p>	<p>MCDIARMID, R. W., CAMPBELL, J. A. &amp; TOURÉ, T. A. (1999): <i>Snake Species of the World. A Taxonomic and Geographic Reference. Volume 1</i>, Washington, D.C. (The Herpetologists' League).</p>
	Boidae	<p><i>Candoia paulsoni</i></p> <p><i>Candoia superciliosa</i></p>	<p>SMITH, H. M., CHISZAR, D., TEPEDELEN, K. &amp; VAN BREUKELLEN, F. (2001): A revision of the bevelnosed boas (<i>Candoia carinata</i> complex) (Reptilia: Serpentes). <i>Hamadryad</i>, <b>26</b> (2): 283-315.</p>
	Boidae	<p><i>Corallus batesii</i></p>	<p>HENDERSON, R. W., PASSOS, P. &amp; FEITOSA, D. (2009): Geographic variation in the Emerald Treeboa, <i>Corallus caninus</i> (Squamata: Boidae). <i>Copeia</i>, <b>2009</b> (3): 572-582.</p>
	Boidae	<p><i>Epicrates crassus</i></p> <p><i>Epicrates assisi</i></p> <p><i>Epicrates alvarezi</i></p>	<p>PASSOS, P. &amp; FERNANDES, R. (2008): Revision of the <i>Epicrates cenchria</i> complex (Serpentes: Boidae). <i>Herpetological Monographs</i>, <b>22</b>: 1-30.</p>
	Boidae	<p><i>Eryx borrii</i></p>	<p>LANZA, B. &amp; NISTRÌ, A. (2005): Somali Boidae (genus <i>Eryx</i> Daudin 1803) and Pythonidae (genus <i>Python</i> Daudin 1803) (Reptilia Serpentes). <i>Tropical Zoology</i>, <b>18</b> (1): 67-136.</p>
	Boidae	<p><i>Eunectes beniensis</i></p>	<p>DIRKSEN, L. (2002): <i>Anakondas</i>. NTV Wissenschaft.</p>

		Berørt takson	Taksonomisk referenceværk
	Colubridae	<i>Xenochrophis piscator</i> <i>Xenochrophis schnurrenbergeri</i> <i>Xenochrophis tyleri</i>	VOGEL, G. & DAVID, P. (2012): A revision of the species group of <i>Xenochrophis piscator</i> (Schneider, 1799) (Squamata: Natricidae). <i>Zootaxa</i> , <b>3473</b> : 1-60.
	Elapidae	<i>Micrurus ruatanus</i>	MCCRANIE, J. R. (2015): A checklist of the amphibians and reptiles of Honduras, with additions, comments on taxonomy, some recent taxonomic decisions, and areas of further studies needed. <i>Zootaxa</i> , <b>3931</b> (3): 352-386.
	Elapidae	<i>Naja atra</i> <i>Naja kaouthia</i>	WÜSTER, W. (1996): Taxonomic change and toxinology: systematic revisions of the Asiatic cobras ( <i>Naja naja</i> species complex). <i>Toxicon</i> , <b>34</b> : 339-406.
	Elapidae	<i>Naja mandalayensis</i>	SLOWINSKI, J. B. & WÜSTER, W. (2000): A new cobra (Elapidae: <i>Naja</i> ) from Myanmar (Burma). <i>Herpetologica</i> , <b>56</b> : 257-270.
	Elapidae	<i>Naja oxiana</i> <i>Naja philippinensis</i> <i>Naja sagittifera</i> <i>Naja samarensis</i> <i>Naja siamensis</i> <i>Naja sputatrix</i> <i>Naja sumatrana</i>	WÜSTER, W. (1996): Taxonomic change and toxinology: systematic revisions of the Asiatic cobras ( <i>Naja naja</i> species complex). <i>Toxicon</i> , <b>34</b> : 339-406.
	Pythonidae	<i>Leiopython bennettorum</i> <i>Leiopython biakensis</i> <i>Leiopython fredparkeri</i> <i>Leiopython huonensis</i> <i>Leiopython hoseae</i>	SCHLEIP, W. D. (2008): Revision of the genus <i>Leiopython</i> Hubrecht 1879 (Serpentes: Pythonidae) with the redescription of taxa recently described by Hoser (2000) and the description of new species. <i>Journal of Herpetology</i> , <b>42</b> (4): 645-667.

		Berørt takson	Taksonomisk referenceværk
	Pythonidae	<i>Morelia clastolepis</i> <i>Morelia kinghorni</i> <i>Morelia nauta</i> <i>Morelia tracyae</i>	HARVEY, M. B., BARKER, D. B., AMMERMAN, L. K. & CHIPPINDALE, P. T. (2000): Systematics of pythons of the <i>Morelia amethystina</i> complex (Serpentes: Boidae) with the description of three new species. <i>Herpetological Monographs</i> , <b>14</b> : 139-185.
	Pythonidae	<i>Python bivittatus</i>	JACOBS, H. J., AULIYA, M. & BÖHME, W. (2009): Zur Taxonomie des Dunklen Tigerpythons, <i>Python molurus bivittatus</i> KUHL, 1820, speziell der Population von Sulawesi. <i>Sauria</i> , <b>31</b> : 5-16.
	Pythonidae	<i>Python breitensteini</i> <i>Python brongersmai</i>	KEOGH, J. S., BARKER, D. G. & SHINE, R. (2001): Heavily exploited but poorly known: systematics and biogeography of commercially harvested pythons ( <i>Python curtus</i> group) in Southeast Asia. <i>Biological Journal of the Linnean Society</i> , <b>73</b> : 113-129.
	Pythonidae	<i>Python kyaiktiyo</i>	ZUG, G.R., GROTTÉ, S. W. & JACOBS, J. F. (2011): Pythons in Burma: Short-tailed python (Reptilia: Squamata). <i>Proceedings of the biological Society of Washington</i> , <b>124</b> (2): 112-136.
	Pythonidae	<i>Python natalensis</i>	BROADLEY, D. G. (1999): The southern African python, <i>Python natalensis</i> A. Smith 1840, is a valid species. <i>African Herp News</i> , <b>29</b> : 31-32.
	Tropidophiidae	<i>Tropidophis</i> spp. undtagen nedennævnte taksa	HEDGES, S.B. (2002): Morphological variation and the definition of species in the snake genus <i>Tropidophis</i> (Serpentes, Tropidophiidae). <i>Bulletin of the Natural History Museum, London (Zoology)</i> , <b>68</b> (2): 83-90.
	Tropidophiidae	<i>Tropidophis celiae</i>	HEDGES, B. S., ESTRADA, A. R. & DIAZ, L. M. (1999): New snake ( <i>Tropidophis</i> ) from western Cuba. <i>Copeia</i> , <b>1999</b> (2): 376-381.
	Tropidophiidae	<i>Tropidophis grapiuna</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. & RODRIGUES, M. T. (2012): Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). <i>Herpetological Monographs</i> , <b>26</b> (1): 80-121.
	Tropidophiidae	<i>Tropidophis hendersoni</i>	HEDGES, B. S. & GARRIDO, O. (2002): A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from Eastern Cuba <i>Journal of Herpetology</i> , <b>36</b> :157-161.
	Tropidophiidae	<i>Tropidophis morenoi</i>	HEDGES, B. S., GARRIDO, O. & DIAZ, L. M. (2001): A new banded snake of the genus <i>Tropidophis</i> (Tropidophiidae) from north-central Cuba. <i>Journal of Herpetology</i> , <b>35</b> : 615-617.

		Berørt takson	Taksonomisk referenceværk
	Tropidophiidae	<i>Tropidophis preciosus</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. & RODRIGUES, M. T. (2012): Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). <i>Herpetological Monographs</i> , <b>26</b> (1): 80-121.
	Tropidophiidae	<i>Tropidophis spiritus</i>	HEDGES, B. S. & GARRIDO, O. (1999): A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from central Cuba. <i>Journal of Herpetology</i> , <b>33</b> : 436-441.
	Tropidophiidae	<i>Tropidophis xanthogaster</i>	DOMÍNGUEZ, M., MORENO, L. V. & HEDGES, S. B. (2006): A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from the Guanahacabibes Peninsula of Western Cuba. <i>mphibia-Reptilia</i> , <b>27</b> (3): 427-432.
	Viperidae	<i>Atheris desaixi</i> <i>Bitis worthingtoni</i>	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): Species information extracted from <i>The Reptile Database</i> , version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf</a> .
TESTUDINES		Testudines-navne på ordensniveau	WERMUTH, H. & MERTENS, R. (1996) (reprint): <i>Schildkröte, Krokodile, Brückenechsen</i> . xvii + 506 pp. Jena (Gustav Fischer Verlag).
		For Testudines med hensyn til arts- og familienavne — dog ikke hvad angår bevarelse af følgende navne: <i>Mauremys iversoni</i> , <i>Mauremys pritchardi</i> , <i>Ocadia glyphistoma</i> , <i>Ocadia philippeni</i> og <i>Sacalia pseudocellata</i> og undtagen nedennævnte taksa	FRITZ, U. & HAVAŠ, P. (2007): Checklist of Chelonians of the World. <i>Vertebrate Zoology</i> , <b>57</b> (2): 149-368. Dresden. ISSN 1864-5755 [uden appendix]
	Emydidae	<i>Graptemys pearlensis</i>	ENNEN, J. R., LOVICH, J. E., KREISER, B. R., SELMAN, W. & QUALLS, C. P. (2010): Genetic and morphological variation between populations of the Pascagoula Map Turtle ( <i>Graptemys gibbonsi</i> ) in the Pearl and Pascagoula Rivers with description of a new species. <i>Chelonian Conservation and Biology</i> , <b>9</b> (1): 98-113.
	Geoemydidae	<i>Batagur affinis</i>	PRASCHAG, P., SOMMER, R. S., MCCARTHY, C., GEMEL, R. & FRITZ, U. (2008): Naming one of the world's rarest chelonians, the southern Batagur. <i>Zootaxa</i> , <b>1758</b> : 61-68.

		Berørt takson	Taksonomisk referenceværk
	Geoemydidae	<i>Batagur borneoensis</i> <i>Batagur dhongoka</i> <i>Batagur kachuga</i> <i>Batagur trivittata</i>	PRASCHAG, P., HUNSDÖRFER, A. K. & FRITZ, U. (2007): Phylogeny and taxonomy of endangered South and South-east Asian freshwater turtles elucidated by mtDNA sequence variation (Testudines: Geoemydidae: <i>Batagur</i> , <i>Callagur</i> , <i>Hardella</i> , <i>Kachuga</i> , <i>Pangshura</i> ). <i>Zoologica Scripta</i> , <b>36</b> : 429-442.
	Geoemydidae	<i>Cuora bourreti</i> <i>Cuora picturata</i>	SPINKS, P. Q., THOMSON, R. C., ZHANG, Y.P., CHE, J., WU, Y. & SHAFFER, H. B. (2012): Species boundaries and phylogenetic relationships in the critically endangered Asian box turtle genus <i>Cuora</i> . <i>Molecular Phylogenetics and Evolution</i> , <b>63</b> : 656–667. doi:10.1016/j.ympev.2012.02.014.
	Geoemydidae	<i>Cyclemys enigmatica</i> <i>Cyclemys fusca</i> <i>Cyclemys gemeli</i> <i>Cyclemys oldhamii</i>	FRITZ, U., GUICKING, D., AUER, M., SOMMER, R. S., WINK, M. & HUNSDÖRFER, A. K. (2008): Diversity of the Southeast Asian leaf turtle genus <i>Cyclemys</i> : how many leaves on its tree of life? <i>Zoologica Scripta</i> , <b>37</b> : 367-390.
	Geoemydidae	<i>Mauremys reevesii</i>	BARTH, D., BERNHARD, D., FRITZSCH, G. & U. FRITZ (2004): The freshwater turtle genus <i>Mauremys</i> (Testudines, Geoemydidae) – a textbook example of an east-west disjunction or a taxonomic misconception? <i>Zoologica Scripta</i> , <b>33</b> : 213-221.
	Testudinidae	<i>Centrochelys sulcata</i>	Turtle Taxonomy Working Group [van DIJK, P. P., IVERSON, J. B., RHODIN, A. G. J., SHAFFER, H. B. & BOUR, R. ]. (2014): Turtles of the world, 7 <sup>TH</sup> edition: Annotated checklist of taxonomy, synonymy, distribution with maps, and conservation status. 000.v7. <i>Chelonian Research Monographs</i> , <b>5</b> doi: 10.3854/crm.5.000.checklist.v7.2014.
	Testudinidae	<i>Chelonoidis carbonarius</i> <i>Chelonoidis denticulatus</i> <i>Chelonoidis niger</i>	OLSON, S .L. & DAVID, N. (2014): The gender of the tortoise genus <i>Chelonoidis</i> Fitzinger, 1835 (Testudines: Testudinidae). — Proceedings of the Biological Society of Washington, <b>126</b> (4): 393-394.
	Testudinidae	<i>Gopherus morafkai</i>	MURPHY, R. W., BERRY, K. H., EDWARDS, T., LEVITON, A. E., LATHROP, A. & RIEDLE, J. D. (2011): The dazed and confused identity of Agassiz's land tortoise, <i>Gopherus agassizii</i> (Testudines, Testudinidae) with the description of a new species, and its consequences for conservation. <i>Zookeys</i> , <b>113</b> : 39-71.
	Testudinidae	<i>Homopus solus</i>	BRANCH, W. R. (2007): A new species of tortoise of the genus <i>Homopus</i> (Chelonia: Testudinidae) from southern Namibia. <i>African Journal of Herpetology</i> , <b>56</b> (1): 1-21.

		Berørt takson	Taksonomisk referenceværk
	Testudinidae	<i>Kinixys nogueyi</i> <i>Kinixys zombensis</i>	KINDLER, C., BRANCH, W. R., HOFMEYR, M. D., MARAN, J., ŠIROKÝ, P., VENCES, M., HARVEY, J., HAUSWALDT, J. S., SCHLEICHER, A., STUCKAS, H. & FRITZ, U. (2012): Molecular phylogeny of African hinge-back tortoises ( <i>Kinixys</i> ): implications for phylogeography and taxonomy (Testudines: Testudinidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , <b>50</b> : 192-201.
	Trionychidae	<i>Lissemys ceylonensis</i>	PRASCHAG, P., STUCKAS, H., PÄCKERT, M., MARAN, J. & FRITZ, U. (2011): Mitochondrial DNA sequences suggest a revised taxonomy of Asian flapshell turtles ( <i>Lissemys</i> Smith, 1931) and the validity of previously unrecognized taxa (Testudines: Trionychidae). <i>Vertebrate Zoology</i> , <b>61</b> (1): 147-160.
	Trionychidae	<i>Nilssonia gangeticus</i> <i>Nilssonia hurum</i> <i>Nilssonia leithii</i> <i>Nilssonia nigricans</i>	PRASCHAG, P., HUNSDÖRFER, A.K., REZA, A.H.M.A. & FRITZ, U. (2007): Genetic evidence for wild-living <i>Aspideretes nigricans</i> and a molecular phylogeny of South Asian softshell turtles (Reptilia: Trionychidae: <i>Aspideretes</i> , <i>Nilssonia</i> ). <i>Zoologica Scripta</i> , <b>36</b> : 301-310.
<b>AMPHIBIA</b>			
		Amphibia spp. undtagen nedennævnte taksa	FROST, D. R. (ed.) (2015): Taxonomic Checklist of Amphibian Species listed in the CITES Appendices and the Annexes of EC Regulation 338/97. Species information extracted from <i>Amphibian Species of the World: a taxonomic and geographic reference</i> , an online reference, version 6.0 as of May 2015 with additional comments by the Nomenclature Specialist of the CITES Animals Committee. See Annex 5 of CoP17 Doc. 81.1 at <a href="https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A5.pdf">https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A5.pdf</a> .
		Anura: Microhylidae: <i>Dyscophus</i> spp og <i>Scaphiophryne</i> spp.; Telmatobiidae: <i>Telmatobius culeus</i> ; og Caudata: Salamandridae: <i>Paramesotriton hongkongensis</i>	FROST, D. R. (ed.) (2017): Species information extracted from <i>Amphibian Species of the World: a taxonomic and geographic reference</i> , an online reference, version 6.0, accessed 12 May 2017. See Annex 3 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A3.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A3.pdf</a> .

		Berørt takson	Taksonomisk referenceværk
<b>ELASMOBRANCHII, ACTINOPTERI, COELACANTHI, and DIPNEUSTI</b>			
		Alle fiskearter undtagen nedennævnte taksa	ESCHMEYER, W.N. & FRICKE, R. (eds.) (2015): Taxonomic Checklist of Fish species listed in the CITES Appendices and the Annexes of EC Regulation 338/97 (Elasmobranchii, Actinopteri, Coelacanthi, and Dipneusti, except the genus <i>Hippocampus</i> ). Information extracted from <i>Catalog of Fishes</i> , an online reference, version update from 3 February 2015. See Annex 6 of CoP17 Doc. 81.1 at <a href="https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A6.pdf">https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A6.pdf</a>
		Elasmobranchii: Carcharhiniformes: Carcharhinidae: <i>Carcharhinus falciformis</i> ; Lamniformes: <i>Alopiidae</i> : <i>Alopias</i> spp.;  Myliobatiformes: Myliobatidae: <i>Mobula</i> spp.;  Potamotrygonidae: <i>Potamotrygon</i> spp.;  Actinopteri: Perciformes: Pomacanthidae: <i>Holacanthus clarionensis</i>	ESCHMEYER, W. N., FRICKE, R., & VAN DER LAAN, R. (eds.) (2017): Information extracted from <i>Catalog of Fishes: Genera, Species, References</i> , an online reference, version of 28 April 2017, accessed 12 May 2017. See Annex 4 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A4.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A4.pdf</a>
SYNGNATHIFORMES	Syngnathidae	<i>Hippocampus</i> spp.	LOURIE, S. A., POLLOM, R. A. and FOSTER, S. J. (2016): A global revision of the Seahorses <i>Hippocampus</i> Rafinesque 1810 (Actinopterygii: Syngnathiformes): Taxonomy and biogeography with recommendations for further research. <i>Zootaxa</i> , 4146 (1): 1-066.
<b>ARACHNIDA</b>			
ARANEAE	Theraphosidae	<i>Aphonopelma albiceps</i> <i>Aphonopelma pallidum</i> <i>Brachypelma</i> spp. undtagen nedennævnte taksa	PLATNICK, N. (2006): Taxonomic Checklist of CITES listed Spider Species. Information extracted from <i>The World Spider Catalog</i> , an online reference, Version 6.5 as of 7 April 2006. [tilgængelig på <a href="http://www.cites.org/common/docs/Res/12_11/spider_checklist.pdf">http://www.cites.org/common/docs/Res/12_11/spider_checklist.pdf</a> ].

		Berørt takson	Taksonomisk referenceværk
	Theraphosidae	<i>Brachypelma ruhnaui</i> slået sammen med <i>Brachypelma albiceps</i> behandlet som <i>Aphonopelma albiceps</i> under CITES	PLATNICK, N. I. (2014): <i>The World Spider Catalogue, V15</i> . <a href="http://platnick.sklipkani.cz/html/">http://platnick.sklipkani.cz/html/</a>
	Theraphosidae	<i>Brachypelma kahlenbergi</i>	RUDLOFF, J.-P. (2008): Eine neue <i>Brachypelma</i> -Art aus Mexiko (Araneae: Mygalomorphae: Theraphosidae: Theraphosinae). <i>Arthropoda</i> , <b>16</b> (2): 26-30.
SCORPIONES	Scorpionidae	<i>Pandinus</i> spp. undtagen nedennævnte taksa	LOURENÇO, W. R. & CLOUDSLEY-THOMPSON, J. C. (1996): Recognition and distribution of the scorpions of the genus <i>Pandinus</i> Thorell, 1876 accorded protection by the Washington Convention. <i>Biogeographica</i> , <b>72</b> (3): 133-143.
	Scorpionidae	<i>Pandinus camerounensis</i> <i>Pandinus roeseli</i>	LOURENÇO, W. R. (2014): Further considerations on the identity and distribution of <i>Pandinus imperator</i> (C. L. Koch, 1841) and description of a new species from Cameroon (Scorpiones: Scorpionidae). <i>Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg</i> , <b>17</b> (192): 139-151.
<b>INSECTA</b>			
COLEOPTERA	Lucanidae	<i>Colophon</i> spp.	BARTOLOZZI, L. (2005): Description of two new stag beetle species from South Africa (Coleoptera: Lucanidae). <i>African Entomology</i> , <b>13</b> (2): 347-352.
LEPIDOPTERA	Papilionidae	<i>Achillides</i> spp. [kun arterne i Filippinerne]	PAGE, M. G. P. & TREADAWAY, C. G. (2004): Papilionidae of the Philippine Island. In: E. BAUER, and T. FRANKENBACH, Eds.). <i>Butterflies of the world, Supplement 8</i> . Goecke & Evers, Keltern. 58 pp.
	Papilionidae	<i>Ornithoptera</i> spp. <i>Trogonoptera</i> spp. <i>Troides</i> spp.	MATSUKA, H. (2001): <i>Natural History of Birdwing Butterflies</i> . 367 pp. Tokyo (Matsuka Shuppan).(ISBN 4-9900697-0-6).
<b>HIRUDINOIDEA</b>			

		Berørt takson	Taksonomisk referenceværk
ARHYNCHOBDELLID A	Hirudinidae	<i>Hirudo medicinalis</i> <i>Hirudo verbana</i>	NESEMANN, H. & NEUBERT, E. (1999): Annelida: Clitellata: Branchiobdellida, Acanthobdellea, Hirudine. <i>Süßwasserfauna von Mitteleuropa</i> , <b>6</b> (2), 178 pp., Berlin (Spektrum Akad. Verlag). ISBN 3-8274-0927-6.
<b>BIVALVIA</b>			
VENEROIDA	Tridacnidae	<i>Tridacna ningaloo</i>	PENNY, S. & WILLAN, R. C. (2014): Description of a new species of giant clam (Bivalvia: Tridacnidae) from Ningaloo Reef, Western Australia. <i>Molluscan Research</i> , <b>34</b> (3): 201-211.
	Tridacnidae	<i>Tridacna noae</i>	SU, Y., HUNG, J.-H., KUBO, H. & LIU, L.-L. (2014): <i>Tridacna noae</i> (Röding, 1798) – a valid giant clam species separated from <i>T. maxima</i> (Röding, 1798) by morphological and genetic data. <i>Raffles Bulletin of Zoology</i> , <b>62</b> : 124-135.
<b>CEPHALOPODA</b>			
	Nautilidae	Nautilidae spp.	Family, genus and species information extracted from the Integrated Taxonomic Information Service (ITIS), an online reference. See Annex 5 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A5.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A5.pdf</a>
<b>ANTHOZOA &amp; HYDROZOA</b>		Alle CITES-listeførte arter	Taxonomic Checklist of all CITES listed Coral Species, based on information compiled by UNEP-WCMC 2012.

## FLORA

		Berørt takson	Taksonomisk referenceværk
<b>AMARYLLIDACEAE, PRIMULACEAE</b>		<i>Cyclamen, Galanthus</i> og <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999): <i>CITES Bulb Checklist</i> , udarbejdet af Royal Botanic Gardens, Kew, Det Forenede Kongerige Storbritannien og Nordirland) som retningslinje, når der henvises til artsnavne på <i>Cyclamen</i> and <i>Galanthus</i> og <i>Sternbergia</i> .
<b>APOCYNACEAE</b>		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Egli <i>et al.</i> , 2001, udarbejdet af Städtische Sukkulenten-Sammlung, Zürich, Schweiz, i samarbejde med Royal Botanic Gardens, Kew, Det Forenede Kongerige Storbritannien og Nordirland), og opdateringen heraf: <i>An Update and Supplement to the CITES Aloe &amp; Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] som retningslinje, når der henvises til artsnavne på <i>Aloe</i> og <i>Pachypodium</i> .
		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003): <i>Strelitzia</i> 14: 150-151. National Botanical Institute, Pretoria, South Africa, som retningslinje, når der henvises til artsnavne på <i>Hoodia</i> .
<b>CACTACEAE</b>		Alle <i>Cactaceae</i> .	<i>CITES Cactaceae Checklist</i> third edition (2016, udarbejdet af D. Hunt) som retningslinje, når der henvises til artsnavne på <i>Cactaceae</i> samt ændringer og ajourføringer i henhold til <i>A Supplement to the CITES Cactaceae Checklist</i> Third Edition 2016 (Hunt, D. 2018). Tjeklisten og dets tillæg kan findes på webstedet for Royal Botanic Gardens, Kew, UK på " <a href="http://goo.gl/M26yL8">goo.gl/M26yL8</a> ".
<b>CYCADACEAE, STANGERIACEAE and ZAMIACEAE</b>		Alle <i>Cycadaceae</i> , <i>Stangeriaceae</i> og <i>Zamiaceae</i> .	The World List of Cycads: <i>CITES and Cycads: Checklist 2013</i> (Roy Osborne, Michael A. Calonje, Ken D. Hill, Leonie Stanberg and Dennis Wm. Stevenson) in <i>CITES and Cycads a user's guide</i> (Rutherford, C. <i>et al.</i> , Royal Botanic Gardens, Kew. UK 2013), som retningslinje, når der henvises til artsnavne på <i>Cycadaceae</i> , <i>Stangeriaceae</i> og <i>Zamiaceae</i> .
<b>DICKSONIACEAE</b>		Amerikanske <i>Dicksonia</i> -arter	<i>Dicksonia species of the Americas</i> (2003, udarbejdet af Bonn Botanic Garden og Federal Agency for Nature Conservation, Bonn, Tyskland) som retningslinje, når der henvises til artsnavne på <i>Dicksonia</i> .
<b>DROSERACEAE, NEPENTHACEAE, SARRACENIACEAE</b>		<i>Dionaea, Nepenthes</i> og <i>Sarracenia</i> .	<i>CITES Carnivorous Plant Checklist</i> (B. von Arx <i>et al.</i> , 2001, Royal Botanic Gardens, Kew, Det Forenede Kongerige) om retningslinje, når der henvises til artsnavne på <i>Dionaea, Nepenthes</i> og <i>Sarracenia</i> .

		Berørt takson	Taksonomisk referenceværk
<b>EBENACEAE</b>		<i>Diospyros</i> spp. — populationer i Madagaskar.	<p><i>The genus Diospyros in Madagascar: a Preliminary Checklist for CITES Parties</i> (CVPM 2016) baseret på Catalogue of the Vascular Plants of Madagascar er tilgængelig på webstedet for kataloget. Dette referenceværk skal anvendes som retningslinje, når der henvises til navne på arter af <i>Diospyros</i> fra Madagaskar. Se <a href="http://www.tropicos.org/ProjectWebPortal.aspx?pagename=Diospyros&amp;projectid=17">http://www.tropicos.org/ProjectWebPortal.aspx?pagename=Diospyros&amp;projectid=17</a>. Der er et link til siden her: <a href="http://www.tropicos.org/Name/40031908?projectid=17">http://www.tropicos.org/Name/40031908?projectid=17</a> og pdf-filen kan downloades her: <a href="http://www.tropicos.org/docs/MadCat/Diospyros%20checklist%202028.03.2016.pdf">http://www.tropicos.org/docs/MadCat/Diospyros%20checklist%202028.03.2016.pdf</a>.</p> <p>Kun til orientering: Opdateringer af nye navne gøres regelmæssigt tilgængelige i onlinedatabasen "Catalogue of the Vascular Plants of Madagascar" (<a href="http://www.tropicos.org/Project/Madagascar">http://www.tropicos.org/Project/Madagascar</a>).</p>
<b>EUPHORBIACEAE</b>		Sukkulenterarter af <i>Euphorbia</i> .	<p><i>The CITES Checklist of Succulent Euphorbia Taxa (Euphorbiaceae)</i>, Second edition (S. Carter and U. Eggli, 2003, offentliggjort af Federal Agency for Nature Conservation, Bonn, Tyskland) som retningslinje, når der henvises til navne på arter af sukkulente <i>Euphorbia</i>.</p>
<b>LEGUMINOSAE</b>		<i>Dalbergia</i> spp. — populationer i Madagaskar.	<p><i>A Preliminary Dalbergia checklist for Madagascar for CITES</i> (CVPM 2014) baseret på Catalogue of the Vascular Plants of Madagascar er tilgængelig som pdf på CITES-webstedet under SC65 Inf. 21. Dette referenceværk skal anvendes som retningslinje, når der henvises til navne på arter af <i>Dalbergia</i> fra Madagaskar. Se: <a href="https://cites.org/sites/default/files/eng/com/sc/65/Inf/E-SC65-Inf-21.pdf">https://cites.org/sites/default/files/eng/com/sc/65/Inf/E-SC65-Inf-21.pdf</a>.</p> <p>Kun til orientering: Opdateringer af nye navne gøres regelmæssigt tilgængelige i onlinedatabasen "Catalogue of the Vascular Plants of Madagascar". (<a href="http://www.tropicos.org/Project/Madagascar">http://www.tropicos.org/Project/Madagascar</a>).</p>
<b>LEGUMINOSAE</b>		<i>Paubrasilia echinata</i>	<p>Gagnon, E., Bruneau, A., Hughes, C.E., de Queiroz, L. P. &amp; Lewis, G.P. (2016): <i>A new generic system for the pantropical Caesalpinia group (Leguminosae)</i> som retningslinje, der henviser til navnet på denne takson. Denne reference kan findes gratis på "https://phytokeys.pensoft.net/articles.php?id=9203", og supplerende oplysninger om denne takson kan findes på "<a href="http://floradobrasil.jbrj.gov.br/reflora/listaBrasil">http://floradobrasil.jbrj.gov.br/reflora/listaBrasil</a>"</p>
<b>LEGUMINOSAE</b>		<i>Platymiscium pleiostachyum</i>	<p>Bente B. Klitgaard (2005): <i>Platymiscium (Leguminosae: Dalbergieae)</i>; biogeography, systematics, morphology, taxonomy and uses. <i>Kew Bulletin</i>. Vol. 60, No. 3 (2005), pp. 321 – 400 anvendes som retningslinje, når der henvises til navnet på denne takson. Denne reference er tilgængelig på "<a href="https://www.jstor.org/stable/4111062?seq=1#page_scan_tab_contents">https://www.jstor.org/stable/4111062?seq=1#page_scan_tab_contents</a>". Det er muligt at gratis adgang til denne reference.</p>

		Berørt takson	Taksonomisk referenceværk
<b>LILIACEAE</b>		<i>Aloe</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Egli <i>et al.</i> , 2001, udarbejdet af Städtische Sukkulenten-Sammlung, Zürich, Schweiz, i samarbejde med Royal Botanic Gardens, Kew, Det Forenede Kongerige Storbritannien og Nordirland), og opdateringen heraf: <i>An Update and Supplement to the CITES Aloe &amp; Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] som retningslinje, når der henvises til artsnavne på <i>Aloe</i> og <i>Pachypodium</i> .
<b>ORCHIDACEAE</b>		<i>Laelia</i> , <i>Phalaenopsis</i> , <i>Pleione</i> og <i>Sophranitis</i> (Volume 1, 1995) og <i>Cymbidium</i> , <i>Dendrobium</i> , <i>Disa</i> , <i>Dracula</i> og <i>Encyclia</i> (Volume 2, 1997), og <i>Aerangis</i> , <i>Angraecum</i> , <i>Ascocentrum</i> , <i>Bletilla</i> , <i>Brassavola</i> , <i>Calanthe</i> , <i>Catasetum</i> , <i>Miltonia</i> , <i>Miltonioides</i> og <i>Miltoniopsis</i> , <i>Renanthera</i> , <i>Renantherella</i> , <i>Rhynchostylis</i> , <i>Rossioglossum</i> , <i>Vanda</i> og <i>Vandopsis</i> (Volume 3, 2001); og <i>Aerides</i> , <i>Coelogyne</i> , <i>Comparettia</i> og <i>Masdevallia</i> (Volume 4, 2006).	<i>CITES Orchid Checklist</i> , (udarbejdet af Royal Botanic Gardens, Kew, Det Forenede Kongerige) som retningslinje, når der henvises til artsnavne på <i>Cattleya</i> (ikke <i>C. jongheana</i> ), <i>Cypripedium</i> , <i>Laelia</i> (ikke <i>Laelia jongheana/Cattleya jongheana</i> ), <i>Phalaenopsis</i> , <i>Pleione</i> og <i>Sophranitis</i> (Volume 1, 1995) og <i>Cymbidium</i> , <i>Dendrobium</i> (ikke <i>D. cruentum</i> ), <i>Disa</i> , <i>Dracula</i> og <i>Encyclia</i> (Volume 2, 1997), og <i>Aerangis</i> (ikke <i>A. ellisii</i> ), <i>Angraecum</i> , <i>Ascocentrum</i> , <i>Bletilla</i> , <i>Brassavola</i> , <i>Calanthe</i> , <i>Catasetum</i> , <i>Miltonia</i> , <i>Miltonioides</i> og <i>Miltoniopsis</i> , <i>Renanthera</i> , <i>Renantherella</i> , <i>Rhynchostylis</i> , <i>Rossioglossum</i> , <i>Vanda</i> og <i>Vandopsis</i> (Volume 3, 2001); og <i>Aerides</i> , <i>Coelogyne</i> , <i>Comparettia</i> og <i>Masdevallia</i> (Volume 4, 2006).
<b>ORCHIDACEAE</b>		<i>Paphiopedilum</i> spp., <i>Phragmipedium</i> spp., <i>Aerangis ellisii</i> , <i>Cattleya jongheana</i> , <i>Cattleya lobata</i> , <i>Dendrobium cruentum</i> , <i>Mexipedium xerophyticum</i> , <i>Peristeria elata</i> og <i>Renanthera imschootiana</i>	Govaerts, R., Caromel, A., Dhanda, S., Davis, F., Pavitt, A., Sinovas, P., & Vaglica, V. (2019): <i>CITES Appendix I Orchid Checklist</i> . Second Version, Royal Botanic Gardens, Kew, Surrey, og UNEP-WCMC, Cambridge. Dette referenceværk bør anvendes som retningslinje, når der henvises til navne på arter af <i>Paphiopedilum</i> spp., <i>Phragmipedium</i> spp., <i>Aerangis ellisii</i> , <i>Cattleya jongheana</i> , <i>Cattleya lobata</i> , <i>Dendrobium cruentum</i> , <i>Mexipedium xerophyticum</i> , <i>Peristeria elata</i> and <i>Renanthera imschootiana</i> .  Denne reference kan findes på Royal Botanic Gardens, Kew, Det Forenede Kongerige, på " <a href="https://goo.gl/M26yL8">goo.gl/M26yL8</a> ".

		Berørt takson	Taksonomisk referenceværk
<b>ORCHIDACEAE</b>		<i>Bulbophyllum</i> spp.	<i>CITES checklist for Bulbophyllum and allied taxa (Orchidaceae)</i> . Sieder, A., Rainer, H., Kiehn, M. (2007): Forfatternes adresse: Department of Biogeography and Botanical Garden of the University of Vienna; Rennweg 14, A-1030 Vienna (Østrig) som retningslinje, når der henvises til artsnavne på <i>Bulbophyllum</i> .
<b>PALMAE</b>		<i>Dypsis decipiens</i> og <i>Dypsis decaryi</i> .	Forslag til standardreferenceværk for to CITES-listeførte palmer hjemmehørende i Madagaskar (CVPM 2016) baseret på <i>Vascular Plants of Madagascar</i> , der kan finde som en pdf-fil på webstedet for USA's Fish & Wildlife Service. Det skal anvendes som retningslinje, når der henvises til <i>Dypsis decipiens</i> og <i>Dypsis decaryi</i> . Se: <a href="http://www.fws.gov/international/">http://www.fws.gov/international/</a>
<b>TAXACEAE</b>		<i>Taxus</i> spp.	<i>World Checklist and Bibliography of Conifers</i> (A. Farjon, 2001) som retningslinje, når der henvises til artsnavne på <i>Taxus</i> .
<b>ZYGOPHYLLACEAE</b>		<i>Guaiacum</i> spp.	<i>Lista de especies, nomenclatura y distribución en el genero Guaiacum</i> . Davila Aranda. P. & Schippmann, U. (2006): <i>Medicinal Plant Conservation</i> 12:50 som retningslinje, når der henvises til artsnavne på <i>Guaiacum</i> .

### **BILAG 3**

#### "BILAG XI

Typer af biologiske prøver, der omhandles i artikel 18, og anvendelsen heraf

<b>Prøvetype</b>	<b>Typisk prøvestørrelse</b>	<b>Anvendelse af prøven</b>
blod og afledte produkter heraf	maksimalt 5 ml for væskeprøver og tørre blodprøver på mikroskopobjektglas, filterpapir eller svaber	biomedicinsk forskning; identifikation af arter; fastslåelse af geografiske oprindelse; kønsbestemmelse; individuel identifikation; forældreskabstest; toksikologisk analyse; sygdomstest/-diagnose, herunder serologi
indre væv (botanisk eller zoologisk), fast	vævsstykker (5 mm <sup>3</sup> -25 mm <sup>3</sup> ) i fikseringsvæske eller på histologisk objektglas indeholdende en +/-5um tværsnit af fast væv	histologi og elektronmikroskopi til påvisning af organismer og gifte; taksonomisk forskning; biomedicinsk forskning; identifikation af arter; fastslåelse af geografiske oprindelse; kønsbestemmelse; individuel identifikation; forældreskabstest; toksikologisk analyse; sygdomstest/-diagnose
indre væv (botanisk eller zoologisk), frosset	vævsstykker (5 mm <sup>3</sup> -25 mm <sup>3</sup> )	biomedicinsk forskning; identifikation af arter; fastslåelse af geografiske oprindelse; kønsbestemmelse; individuel identifikation; forældreskabstest; toksikologisk analyse; sygdomstest/-diagnose
indre væv (botanisk eller zoologisk), frisk (undtagen æg, sæd og embryoner)	vævsstykker (5 mm <sup>3</sup> -25 mm <sup>3</sup> )	biomedicinsk forskning; identifikation af arter; fastslåelse af geografiske oprindelse; kønsbestemmelse; individuel identifikation; forældreskabstest; toksikologisk analyse; sygdomstest/-diagnose
ydre væv, herunder hår, hud, fjer, skæl, ben æggeskal, tænder, elfenben, horn, blade, bark, frø, frugt eller blomster	individuelle prøver med eller uden fikseringsvæske til elfenben: stykker af elfenben, ca. 3 cm x 3 cm og 1 cm tyk eller mindre afhængig af analysemetoden, jf. <i>ICCWC Guidelines on methods and procedures for ivory and laboratory</i>	identifikation af arter; fastslåelse af geografiske oprindelse; kønsbestemmelse; individuel identifikation; forældreskabstest; toksikologisk analyse; sygdomstest/-diagnose; aldersanalyse; biomedicinsk forskning

Prøvetype	Typisk prøvestørrelse	Anvendelse af prøven
	<i>analysis</i> <sup>1</sup> for næsehornshorn: små mængder pulver/spåner forseglers i en ubrydelig prøveflaske, jf. <i>Procedure for Rhino horn DNA Sampling</i> <sup>2</sup>	
mund-/kloak-/slim-/næse-/urinvejs-/endetarmssvabeprove	små mængder væv eller celler på en svaber i et reagensglas	identifikation af arter; fastslåelse af geografiske oprindelse; kønsbestemmelse; individuel identifikation; forældreskabstest; toksikologisk analyse; sygdomstest/-diagnose, herunder serologi; biomedicinsk forskning
cellelinjer og vævskulturer	ingen begrænsning for prøvens størrelse	biomedicinsk forskning; identifikation af arter; fastslåelse af geografiske oprindelse; kønsbestemmelse; individuel identifikation; forældreskabstest; toksikologisk analyse; sygdomstest/-diagnose; aldersanalyse
DNA eller RNA (oprenset)	op til 0,5 ml pr. individuel enhed af oprenset DNA eller RNA	biomedicinsk forskning; identifikation af arter; fastslåelse af geografiske oprindelse; kønsbestemmelse; individuel identifikation; forældreskabstest; toksikologisk analyse; sygdomstest/-diagnose; aldersanalyse
sekreter (spyt, gift, mælk og plantesekreter)	1-5 ml i glas	produktion af modgifte; biomedicinsk forskning; identifikation af arter; fastslåelse af geografiske oprindelse; kønsbestemmelse; individuel identifikation; forældreskabstest; toksikologisk analyse; sygdomstest/-diagnose, herunder serologi; aldersanalyse

<sup>1</sup> [https://www.unodc.org/documents/Wildlife/Guidelines\\_Ivory.pdf](https://www.unodc.org/documents/Wildlife/Guidelines_Ivory.pdf).

<sup>2</sup> Republic of South Africa, Department of Environmental Affairs, Procedures for Rhino horn DNA Sampling.