

Bruselj, 28. julij 2021
(OR. en)

11099/21
ADD 2

ENV 557
WTO 188

SPREMNI DOPIS

Pošiljatelj:	Evropska komisija
Datum prejema:	27. julij 2021
Prejemnik:	Generalni sekretariat Sveta
Št. dok. Kom.:	D074372/02 - Annexes 2 to 3
Zadeva:	PRILOGI k UREDBI KOMISIJE (EU) .../... z dne XXX o spremembi Uredbe Komisije (ES) št. 865/2006 o določitvi podrobnih pravil za izvajanje Uredbe Sveta (ES) št. 338/97 o varstvu prosto živečih živalskih in rastlinskih vrst z zakonsko ureditvijo trgovine z njimi

Delegacije prejmejo priloženi dokument D074372/02 - Annexes 2 to 3.

Priloga: D074372/02 - Annexes 2 to 3



Bruselj, XXX
D074372/02
[...] (2021) XXX draft

ANNEXES 2 to 3

PRILOGI

k

UREDBI KOMISIJE (EU) .../... z dne XXX

o spremembi Uredbe Komisije (ES) št. 865/2006 o določitvi podrobnih pravil za izvajanje Uredbe Sveta (ES) št. 338/97 o varstvu prosto živečih živalskih in rastlinskih vrst z zakonsko ureditvijo trgovine z njimi

PRILOGA 2

„PRILOGA VIII

Standardni viri nomenklature, ki se na podlagi člena 5(4) uporabljajo za navajanje znanstvenih imen vrst v dovoljenjih in potrdilih

ŽIVALSTVO

		Zadevni takson	Taksonomsko sklicevanje
MAMMALIA			
		Vsi taksoni za MAMMALIA – razen naslednjih imen za prosto živeče oblike vrst, ki se priznajo (imajo prednost pred imeni domačih oblik): <i>Bos gaurus, Bos mutus, Bubalus arnee, Equus africanus, Equus przewalskii</i> in – razen taksonov, ki so navedeni pod različnimi redovi iz razreda Mammalia (sesalci) spodaj	Wilson, D. E. in Reeder, D. M. (ur.) (2005): <i>Mammal Species of the World. A Taxonomic and Geographic Reference</i> . Tretja izdaja, 1. in 2. knjiga, xxxv + 2 142 str., Baltimore (John Hopkins University Press).
ARTIODACTYLA	Bovidae	<i>Ovis</i> spp.	VALDEZ, R. in WEINBERG, P.J. (2011). Species accounts 188–207 for <i>Ovis</i> spp., str. 727–739 v WILSON, D.E., in MITTERMEIER, R.A. (ur.), <i>Handbook of the Mammals of the World. Vol. 2. Hoofed Mammals</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-77-4.
	Camelidae	<i>Lama guanicoe</i>	WILSON, D. E. IN REEDER, D. M. (1993): <i>Mammal Species of the World: A Taxonomic and Geographic Reference</i> . Druga izdaja. xviii + 1 207 str., Washington (Smithsonian Institution Press).

		Zadevni takson	Taksonomsko sklicevanje
CARNIVORA	Felidae	Felidae spp.	KITCHENER A. C., BREITENMOSE WÜRSTEN CH., EIZIRIK E., GENTRY A., WERDELIN L., WILTING A., YAMAGUCHI N., ABRAMOV A. V., CHRISTIANSEN P., DRISCOLL C., DUCKWORTH J. W., JOHNSON W., LUO S.-J., MEIJAARD E., O'DONOGHUE P., SANDERSON J., SEYMOUR K., BRUFORD M., GROVES C., HOFFMANN M., NOWELL K., TIMMONS Z. in TOBE S. (2017). A revised taxonomy of the Felidae. The final report of the Cat Classification Task Force of the IUCN/SSC Cat Specialist Group. <i>Cat News</i> Posebna izdaja 11, 80 str.
CETACEA	Balaenopteridae	<i>Balaenoptera omurai</i>	WADA, S., OISHI, M. IN YAMADA, T. K. (2003). A newly discovered species of living baleen whales. – <i>Nature</i> , 426 : 278–281.
	Delphinidae	<i>Orcaella heinsohni</i>	Beasley, I., Robertson, K. M. in Arnold, P. W. (2005): Description of a new dolphin, the Australian Snubfin Dolphin, <i>Orcaella heinsohni</i> sp. n. (Cetacea, Delphinidae). – <i>Marine Mammal Science</i> , 21 (3): 365–400.
	Delphinidae	<i>Sotalia fluviatilis</i> <i>Sotalia guianensis</i>	CABALLERO, S., TRUJILLO, F., VIANNA, J. A., BARRIOS-GARRIDO, H., MONTIEL, M. G., BELTRÁN-PEDREROS, S., MARMONTEL, M., SANTOS, M. C., ROSSI-SANTOS, M. R. IN BAKER, C. S. (2007). Taxonomic status of the genus <i>Sotalia</i> : species level ranking for „tucuxi“ (<i>Sotalia fluviatilis</i>) and „costero“ (<i>Sotalia guianensis</i>) dolphins. – <i>Marine Mammal Science</i> , 23 : 358–386.
	Delphinidae	<i>Sousa plumbea</i> <i>Sousa sahalensis</i>	JEFFERSON, T. A IN ROSENBAUM, H. C. (2014). Taxonomic revision of the humpback dolphins (<i>Sousa</i> spp.), and description of a new species from Australia. <i>Marine Mammal Science</i> , 30 (4): 1494–1541.
	Delphinidae	<i>Tursiops australis</i>	CHARLTON-ROBB, K., GERSHWIN, L.-A., THOMPSON, R., AUSTIN, J., OWEN, K. IN MCKECHNIE, S. (2011). A new dolphin species, the Burrunan Dolphin <i>Tursiops australis</i> sp. nov., endemic to southern Australian coastal waters. <i>PLoS ONE</i> , 6 (9): e24047.
	Iniidae	<i>Inia araguaiaensis</i>	HRBEK, T., DA SILVA, V. M. F., DUTRA, N., GRAVENA, W., MARTIN, A. R. IN FARIAS, I. P. (2014): A new species of river dolphin from Brazil or: How little do we know our biodiversity. <i>PLoS ONE</i> 83623 : 1–12.
	Phocoenidae	<i>Neophocaena asiaorientalis</i>	JEFFERSON, T. A. IN WANG, J. Y. (2011). Revision of the taxonomy of finless porpoises (genus <i>Neophocaena</i>): The existence of two species. <i>Journal of Marine Animals and their Ecology</i> , 4 (1): 3–16.
	Physeteridae	<i>Physeter macrocephalus</i>	RICE, D. W. (1998). Marine Mammals of the World: Systematics and Distribution – <i>Society of Marine Mammalogy</i> Special Publication Number 4 , The Society for Marine Mammalogy, Lawrence, Kansas.

		Zadevni takson	Taksonomsko sklicevanje
	Platanistidae	<i>Platanista gangetica</i>	RICE, D. W., (1998). Marine Mammals of the World: Systematics and Distribution – <i>Society of Marine Mammalogy</i> Special Publication Number 4, The Society for Marine Mammalogy, Lawrence, Kansas.
	Ziphiidae	<i>Mesoplodon hotaula</i>	DALEBOUT, M. L., SCOTT BAKER, C., STEEL, D., THOMPSON, K., ROBERTSON, K. M., CHIVERS, S. J., PERRIN, W. F., GOONATILAKE, M., ANDERSON, C. R., MEAD, J. G., POTTER, C. W., THOMPSON, L., JUPITER, D. in YAMADA, T. K. (2014). Resurrection of <i>Mesoplodon hotaula</i> Deraniyagala 1963: A new species of beaked whale in the tropical Indo-Pacific. <i>Marine Mammal Science</i> , 30 (3): 1081-1108.
PRIMATI	Atelidae	<i>Ateles geoffroyi</i>	RYLANDS, A. B., GROVES, C. P., MITTERMEIER, R. A., CORTES-ORTIZ, L. in HINES, J. J. (2006). Taxonomy and distributions of Mesoamerican primates. V: A. ESTRADA, P. GARBER, M. PAVELKA and L. LUECKE (ur.), <i>New Perspectives in the Study of Mesoamerican Primates: Distribution, Ecology, Behavior and Conservation</i> , str. 29–79. Springer, New York, ZDA.
	Aotidae	<i>Aotus jorgehernandezi</i>	DEFLER, T. R. IN BUENO, M. L. (2007). <i>Aotus</i> diversity and the species problem. – <i>Primate Conservation</i> , 22 : 55–70.
	Cebidae	<i>Callithrix manicorensis</i>	GARBINO, T. IN SINICIATO, G. (2014). The taxonomic status of <i>Mico marcai</i> (Alperin 1993) and <i>Mico manicorensis</i> (van Roosmalen <i>et al.</i> 2000) (Cebidae, Callitrichinae) from Southwestern Brazilian Amazonia. <i>International Journal of Primatology</i> , 35 (2): 529–546. [za <i>Mico marcai</i> skupaj z <i>Mico manicorensis</i> , ki se v okviru CITES obravnava kot <i>Callithrix manicorensis</i>]
	Cebidae	<i>Cebus flavius</i>	OLIVEIRA, M. M. DE IN LANGGUTH, A. (2006). Rediscovery of Marcgrave's Capuchin Monkey and designation of a neotype for <i>Simia flava</i> Schreber, 1774 (Primates, Cebidae). – <i>Boletim do Museu Nacional do Rio de Janeiro, N.S., Zoologia</i> , 523 : 1-16.
	Cebidae	<i>Mico rondoni</i>	FERRARI, S. F., SENA, L., SCHNEIDER, M. P. C. IN JÚNIOR, J. S. S. (2010). Rondon's Marmoset, <i>Mico rondoni</i> sp. n., from southwestern Brazilian Amazonia. <i>International Journal of Primatology</i> , 31 : 693–714.
	Cebidae	<i>Saguinus ursulus</i>	GREGORIN, R. IN DE VIVO, M. (2013). Revalidation of <i>Saguinus ursula</i> Hoffmannsegg (Primates: Cebidae: Callitrichinae). <i>Zootaxa</i> , 3721 (2): 172–182.
	Cebidae	<i>Saimiri collinsi</i>	MERCES, M. P., ALFARO, J. W. L., FERREIRA, W. A. S., HARADA, M. L. IN JÚNIOR, J. S. S. (2015). Morphology and mitochondrial phylogenetics reveal that the Amazon River separates two eastern squirrel monkey species: <i>Saimiri sciureus</i> and <i>S. collinsi</i> . <i>Molecular Phylogenetics and Evolution</i> , 82 : 426–435.

		Zadevni takson	Taksonomsko sklicevanje
	Cercopithecoidea	<i>Cercopithecus lomamiensis</i>	HART, J.A., DETWILER, K.M., GILBERT, C.C., BURRELL, A.S., FULLER, J.L., EMETSHU, M., HART, T.B., VOSPER, A., SARGIS, E.J. IN TOSI, A.J. (2012). Lesula: A new species of <i>Cercopithecus</i> monkey endemic to the Democratic Republic of Congo and implications for conservation of Congo's Central Basin. <i>PLoS ONE</i> , 7 (9): e44271.
	Cercopithecoidea	<i>Macaca munzala</i>	SINHA, A., DATTA, A., MADHUSUDAN, M. D. IN MISHRA, C. (2005). <i>Macaca munzala</i> : A new species from western Arunachal Pradesh, northeastern India. <i>International Journal of Primatology</i> , 26 (4): 977–989: doi:10.1007/s10764-005-5333-3.
	Cercopithecoidea	<i>Rhinopithecus strykeri</i>	GEISMANN, T., LWIN, N., AUNG, S. S., AUNG, T. N., AUNG, Z. M., HLA, T. H., GRINDLEY, M. IN MOMBERG, F. (2011). A new species of snub-nosed monkey, genus <i>Rhinopithecus</i> Milne-Edwards, 1872 (Primates, Colobinae), from Northern Kachin State, Northeastern Myanmar. – <i>American Journal of Primatology</i> , 73 : 96–107.
	Cercopithecoidea	<i>Rungwecebus kipunji</i>	DAVENPORT, T. R. B., STANLEY, W. T., SARGIS, E. J., DE LUCA, D. W., MPUNGA, N. E., MACHAGA, S. J. IN OLSON, L. E. (2006). A new genus of African monkey, <i>Rungwecebus</i> : Morphology, ecology, and molecular phylogenetics. <i>Science</i> , 312 : 1378–1381.
	Cercopithecoidea	<i>Trachypithecus villosus</i>	BRANDON-JONES, D., EUDEY, A. A., GEISSMANN, T., GROVES, C. P., MELNICK, D. J., MORALES J. C., SHEKELLE, M. IN STEWARD, C.-B. (2004). Asian primate classification. <i>International Journal of Primatology</i> , 25 : 97–163.
	Cercopithecoidea	<i>Cheirogaleus lavasoensis</i>	THIELE, D., RAZAFIMAHATRATRA, E. IN HAPKE, A. (2013). Discrepant partitioning of genetic diversity in mouse lemurs and dwarf lemurs – biological reality or taxonomic bias? <i>Molecular Phylogenetics and Evolution</i> , 69 : 593–609.
	Cercopithecoidea	<i>Microcebus gerpi</i>	RADESPIEL, U., RATSIMBAZAFY, J. H., RASOLOHARIJAONA, S., RAVELOSON, H., ANDRIAHOLINIRINA, N., RAKOTONDRAVONY, R., RANDRIANARISON, R. M. IN RANDRIANAMBININA, B. (2012). First indications of a highland specialist among mouse lemurs (<i>Microcebus</i> spp.) and evidence for a new mouse lemur species from eastern Madagascar. <i>Primates</i> , 53 : 157–170.
	Cercopithecoidea	<i>Microcebus marohita</i> <i>Microcebus tanosi</i>	RASOLOARISON, R. M., WEISROCK, D. W., YODER, A. D., RAKOTONDRAVONY, D. IN KAPPELER, P. M. [2013]. Two new species of mouse lemurs (Cheirogaleidae: <i>Microcebus</i>) from Eastern Madagascar. – <i>International Journal of Primatology</i> , 34 : 455–469.
	Hylobatoidea	<i>Nomascus annamensis</i>	VAN NGOC THINH, MOOTNICK, A. R., VU NGOC THANH, NADLER, T. IN ROOS, C. (2010). A new species of crested gibbon from the central Annamite mountain range. <i>Vietnamese Journal of Primatology</i> , 4 : 1–12.

		Zadevni takson	Taksonomsko sklicevanje
	Lorisidae	<i>Nycticebus kayan</i>	MUNDS, R.A., NEKARIS, K.A.I. IN FORD, S.M. (2013). Taxonomy of the bornean slow loris, with new species <i>Nycticebus kayan</i> (Primates, Lorisidae). <i>American Journal of Primatology</i> , 75 : 46–56.
	Pitheciidae	<i>Cacajao melanocephalus</i> <i>Cacajao oukary</i>	FERRARI, S. F., GUEDES, P. G., FIGUEIREDO-READY, W. M. B. IN BARNETT, A. A. (2014). Reconsidering the taxonomy of the Black-faced Uacaris, <i>Cacajao melanocephalus</i> group (Mammalia: Pitheciidae), from the northern Amazon Basin. <i>Zootaxa</i> , 3866 (3): 353–370.
	Pitheciidae	<i>Callicebus aureipalatii</i>	WALLACE, R. B., GÓMEZ, H., FELTON, A. IN FELTON, A. (2006). On a new species of titi monkey, genus <i>Callicebus</i> Thomas (Primates, Pitheciidae), from western Bolivia with preliminary notes on distribution and abundance. <i>Primate Conservation</i> , 20 : 29–39.
	Pitheciidae	<i>Callicebus caquetensis</i>	DEFLER, T. R., BUENO, M. L. IN GARCÍA, J. (2010). <i>Callicebus caquetensis</i> : a new and Critically Endangered titi monkey from southern Caquetá, Colombia. <i>Primate Conservation</i> , 25 : 1–9.
	Pitheciidae	<i>Callicebus vieira</i>	GUALDA-BARROS, J., NASCIMENTO, F. O. IN AMARAL, M. K. (2012). A new species of <i>Callicebus</i> Thomas, 1903 (Primates, Pitheciidae) from the states of Mato Grosso and Pará, Brazil. <i>Papéis Avulsos de Zoologia (São Paulo)</i> , 52 : 261–279.
	Pitheciidae	<i>Callicebus miltoni</i>	DALPONTE, J. C., SILVA, F. E. IN SILVA JÚNIOR, J. S. (2014). New species of titi monkey, genus <i>Callicebus</i> Thomas, 1903 (Primates, Pitheciidae), from Southern Amazonia, Brazil. <i>Papéis Avulsos de Zoologia, São Paulo</i> , 54 : 457–472.

		Zadevni takson	Taksonomsko sklicevanje
	Pitheciidae	<i>Pithecia cazuzai</i> <i>Pithecia chrysocephala</i> <i>Pithecia hirsuta</i> <i>Pithecia inusta</i> <i>Pithecia isabela</i> <i>Pithecia milleri</i> <i>Pithecia mittermeieri</i> <i>Pithecia napensis</i> <i>Pithecia pissinattii</i> <i>Pithecia rylandsi</i> <i>Pithecia vanzolinii</i>	MARSH, L.K. (2014). A taxonomic revision of the saki monkeys, <i>Pithecia</i> Desmarest, 1804. <i>Neotropical Primates</i> , 21 : 1–163.
	Tarsiidae	<i>Tarsius lariang</i>	MERKER, S. IN GROVES, C.P. (2006). <i>Tarsius lariang</i> : A new primate species from Western Central Sulawesi. <i>International Journal of Primatology</i> , 27 (2): 465–485.
	Tarsiidae	<i>Tarsius tumpara</i>	SHEKELLE, M., GROVES, C., MERKER, S. IN SUPRIATNA, J. (2010). <i>Tarsius tumpara</i> : A new tarsier species from Siau Island, North Sulawesi. <i>Primate Conservation</i> , 23 : 55–64.
PROBOSCIDEA	Elephantidae	<i>Loxodonta africana</i>	WILSON, D. E. IN REEDER, D. M. (1993). <i>Mammal Species of the World: A Taxonomic and Geographic Reference</i> . Druga izdaja. xviii + 1 207 str., Washington (Smithsonian Institution Press).
SCANDENTIA	Tupaiaidae	<i>Tupaia everetti</i>	ROBERTS, T. E., LANIER, H. C., SARGIS, E. J. IN OLSON, L. E. (2011). Molecular phylogeny of treeshrews (Mammalia: Scandentia) and the timescale of diversification in Southeast Asia. <i>Molecular Phylogenetics and Evolution</i> , 60 (3): 358–372.
	Tupaiaidae	<i>Tupaia palawanensis</i>	SARGIS, E. J., CAMPBELL, K. K. IN OLSON, L. E. (2014). Taxonomic boundaries and craniometric variation in the treeshrews (Scandentia, Tupaiaidae) from the Palawan faunal region. <i>Journal of Mammalian Evolution</i> , 21 (1): 111–123.
AVES			

		Zadevni takson	Taksonomsko sklicevanje
		Imena redov in družin ptic	MORONY, J. J., BOCK, W. J. IN FARRAND, J., Jr. (1975). <i>Reference List of the Birds of the World</i> . American Museum of Natural History. 207 str.
		Vse vrste ptic, razen spodaj navedenih taksonov ter <i>Lophura imperialis</i> in <i>Lophura hatinhensis</i>, katerih osebki bi se morali obravnavati kot osebki <i>L. edwardsi</i>	DICKINSON, E.C. (ur.)(2003). The Howard and Moore Complete Checklist of the Birds of the World. Popravljen in razširjen tretja izdaja. 1039 str. London (Christopher Helm). V kombinaciji z DICKINSON, E.C. (2005). Popravek 4 (2.6.2005) tretje izdaje Howard & Moore (2003).
APODIFORMES	Trochilidae	<i>Chlorostilbon lucidus</i>	PACHECO, J. F. IN WHITNEY, B. M. (2006). Mandatory changes to the scientific names of three Neotropical birds <i>Bull. Brit. Orn. Club</i> , 126 : 242-244.
	Trochilidae	<i>Eriocnemis isabellae</i>	CORTÉS-DIAGO, A., ORTEGA, L. A., MAZARIEGOS-HURTADO, L. IN WELLER, A.-A. (2007) A new species of <i>Eriocnemis</i> (Trochilidae) from southwest Colombia. <i>Ornitologia Neotropical</i> , 18 :161-170.
	Trochilidae	<i>Phaethornis aethopyga</i>	PIACENTINI, V. Q., ALEIXO, A. IN SILVEIRA, L. F. (2009). Hybrid, subspecies or species? The validity and taxonomic status of <i>Phaethornis longuemareus aethopyga</i> Zimmer, 1950 (Trochilidae). <i>Auk</i> , 126 : 604–612.
FALCONIFORMES	Accipitridae	<i>Aquila hastata</i>	PARRY, S. J., CLARK, W. S. IN PRAKASH, V. (2002). On the taxonomic status of the Indian Spotted Eagle <i>Aquila hastata</i> . <i>Ibis</i> , 144 : 665–675.
	Accipitridae	<i>Buteo socotraensis</i>	PORTER, R. F. IN KIRWAN, G. M. (2010). Studies of Socotran birds VI. The taxonomic status of the Socotra Buzzard. <i>Bulletin of the British Ornithologists' Club</i> , 130 (2): 116-131.
	Falconidae	<i>Micrastur mintoni</i>	WHITTAKER, A. (2002). A new species of forest-falcon (Falconidae: <i>Micrastur</i>) from southeastern Amazonia and the Atlantic rainforests of Brazil. <i>Wilson Bulletin</i> , 114 : 421–445.
PASSERIFORMES	Muscicapidae	<i>Garrulax taewanus</i>	COLLAR, N. J. (2006). A partial revision of the Asian babblers (Timaliidae). <i>Forktail</i> , 22 : 85–112.
PSITTACIFORMES	Cacatuidae	<i>Cacatua goffiniana</i>	ROSELAAR, C. S. IN MICHELS, J. P. (2004). Nomenclatural chaos untangled, resulting in the naming of the formally undescribed <i>Cacatua</i> species from the Tanimbar Islands, Indonesia (Psittaciformes: Cacatuidae). <i>Zoologische Verhandelingen</i> , 350 : 183–196.
	Loriidae	<i>Trichoglossus haematodus</i>	COLLAR, N. J. (1997). Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (ur.), <i>Handbook of the Birds of the World</i> , 4 (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).

		Zadevni takson	Taksonomsko sklicevanje
	Psittacidae	<i>Aratinga maculata</i>	NEMESIO, A. IN RASMUSSEN, C. (2009). The rediscovery of Buffon's „Guarouba“ or „Perriche jaune“: two senior synonyms of <i>Aratinga pintoii</i> SILVEIRA, LIMA IN HÖFLING, 2005 (Aves: Psittaciformes). <i>Zootaxa</i> , 2013 : 1-16.
	Psittacidae	<i>Forpus modestus</i>	PACHECO, J. F. IN WHITNEY, B. M. (2006). Mandatory changes to the scientific names of three Neotropical birds. <i>Bulletin of the British Ornithologists' Club</i> , 126 : 242-244.
	Psittacidae	<i>Pionopsitta aurantiocephala</i>	GABAN-LIMA, R., RAPOSO, M. A. IN HÖFLING, E. (2002). Description of a new species of <i>Pionopsitta</i> (Aves: Psittacidae) endemic to Brazil. <i>Auk</i> , 119 : 815-819.
	Psittacidae	<i>Poicephalus robustus</i> <i>Poicephalus fuscicollis</i>	COETZER, W.G., DOWNS, C.T., PERRIN, M.R. IN WILLOWS-MUNRO, S. (2015). Molecular Systematics of the Cape Parrot (<i>Poicephalus robustus</i>). Implications for Taxonomy and Conservation. <i>PLoS ONE</i> , 10(8): e0133376. doi: 10.1371/journal.pone.0133376.
	Psittacidae	<i>Psittacula intermedia</i>	COLLAR, N. J. (1997) Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (ur.), <i>Handbook of the Birds of the World</i> , 4 (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).
	Psittacidae	<i>Pyrrhura griseipectus</i>	OLMOS, F., SILVA, W. A. G. IN ALBANO, C. (2005). Grey-breasted Conure <i>Pyrrhura griseipectus</i> , an overlooked endangered species. <i>Cotinga</i> , 24 : 77-83.
	Psittacidae	<i>Pyrrhura parvifrons</i>	ARNDT, T. (2008). Anmerkungen zu einigen <i>Pyrrhura</i> -Formen mit der Beschreibung einer neuen Art und zweier neuer Unterarten. <i>Papageien</i> , 8 : 278-286.
STRIGIFORMES	Strigidae	<i>Glaucidium mooreorum</i>	DA SILVA, J. M. C., COELHO, G. IN GONZAGA, P. (2002). Discovered on the brink of extinction: a new species of pygmy owl (Strigidae: Glaucidium) from Atlantic forest of northeastern Brazil. <i>Ararajuba</i> , 10 (2): 123-130.
	Strigidae	<i>Ninox burhani</i>	INDRAWAN, M. IN SOMADIKARTA, S. (2004). A new hawk-owl from the Togian Islands, Gulf of Tomini, central Sulawesi, Indonesia. <i>Bulletin of the British Ornithologists' Club</i> , 124 : 160-171.
	Strigidae	<i>Otus thilohoffmanni</i>	WARAKAGODA, D. H. IN RASMUSSEN, P. C. (2004). A new species of scops-owl from Sri Lanka. <i>Bulletin of the British Ornithologists' Club</i> , 124 (2): 85-105.
REPTILIA			
CROCODYLIA in RHYNCHOCEPHALIA		Crocodylia in Rhynchocephalia razen spodaj navedenih taksonov	WERMUTH, H. IN MERTENS, R. (1996) (reprint). <i>Schildkröte, Krokodile, Brückenechsen</i> . xvii + 506 str. Jena (Gustav Fischer Verlag).

		Zadevni takson	Taksonomsko sklicevanje
	Crocodylidae	<i>Crocodylus johnstoni</i>	TUCKER, A. D. (2010). The correct name to be applied to the Australian freshwater crocodile, <i>Crocodylus johnstoni</i> [Krefft, 1873]. <i>Australian Zoologist</i> , 35 (2): 432–434.
	Sphenodontidae	<i>Sphenodon</i> spp.	HAY, J. M., SARRE, S. D., LAMBERT, D. M., ALLENDORF, F. W. IN DAUGHERTY, C. H. (2010). Genetic diversity and taxonomy: a reassessment of species designation in tuatara (<i>Sphenodon</i> : Reptilia). <i>Conservation Genetics</i> , 11 (93): 1063–1081.
SAURIA		Za razmejitev družin znotraj podreda Sauria	POUGH, F. H., ANDREWS, R. M., CADLE, J. E., CRUMP, M. L., SAVITZKY, A. H. IN WELLS, K. D. (1998). <i>Herpetology</i> . Upper Saddle River/New Jersey (Prentice Hall).
	Agamidae	<i>Saara</i> spp. <i>Uromastix</i> spp.	WILMS, T. M., BÖHME, W., WAGNER, P., LUTZMANN, N. IN SCHMITZ, A. (2009). On the phylogeny and taxonomy of the genus <i>Uromastix</i> Merrem, 1820 (Reptilia: Squamata: Agamidae: Uromastycinae) – resurrection of the genus <i>Saara</i> Gray, 1845. <i>Bonner zool. Beiträge</i> , 56 (1–2): 55–99.
	Anguidae	<i>Abronia</i> spp.	UETZ, P., FREED, P. in HÖSEK, J. (ur.) (2016). Taxonomic checklist of the species of the genus <i>Abronia</i> . Informacije o vrsti iz „The Reptile Database“, različica z dne 15. avgusta 2016, dostop 11. maja 2017. Glej Prilogo 2 dokumenta AC29 Doc.35. na naslovu https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Chamaeleonidae	Chamaeleonidae spp.	GLAW, F. (2015). Taxonomic checklist of chamaeleons (Squamata: Chamaeleonidae). <i>Vertebrate Zoology</i> , 65 (2): 167-246.
	Cordylidae	Cordylidae spp., razen spodaj omenjenega taksona	STANLEY, E. L., BAUER, A. M., JACKMAN, T. R., BRANCH, W. R. IN P. LE F. N. (2011). Between a rock and a hard polytomy: rapid radiation in the rupicolous girdled lizards (Squamata: Cordylidae). <i>Molecular Phylogenetics and Evolution</i> , 58 (1): 53–70.
	Cordylidae	<i>Cordylus marunguensis</i>	GREENBAUM, E., STANLEY, E. L., KUSAMBA, C., MONINGA, W. M., GOLDBERG, S. R. IN CHA (2012). A new species of <i>Cordylus</i> (Squamata: Cordylidae) from the Marungu Plateau of south-eastern Democratic Republic of the Congo. <i>African Journal of Herpetology</i> , 61 (1): 14–39.
	Gekkonidae	<i>Cnemaspis psychedelica</i>	GRISMER, L. L., NGO, V. T. IN GRISMER, J. L. (2010). A colorful new species of insular rock gecko (<i>Cnemaspis</i> Strauch 1887) from southern Vietnam. <i>Zootaxa</i> , 58 : 46-58.

		Zadevni takson	Taksonomsko sklicevanje
	Gekkonidae	<i>Dactylonemis</i> spp. <i>Hoplodactylus</i> spp. <i>Mokopirirakau</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. IN DAUGHERTY, C. H. (2011). New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.
	Gekkonidae	<i>Lygodactylus williamsi</i>	Podatki o vrsti iz UETZ, P., FREED, P. in HÖSEK, J. (ur.) (2016). The Reptile Database, različica z dne 15. avgusta 2016, dostop 11. maja 2017. Glej Prilogo 2 dokumenta AC29 Doc.35. na naslovu https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Gekkonidae	<i>Nactus serpensinsula</i>	KLUGE, A.G. (1983). Cladistic relationships among gekkonid lizards. <i>Copeia</i> , 2 : 465–475.
	Gekkonidae	<i>Naultinus</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. IN DAUGHERTY, C. H. (2011). New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.
	Gekkonidae	<i>Paroedura masobe</i>	NUSSBAUM, R.A. in RAXWORTHY, C.J. (1994). A new rainforest gecko of the genus <i>Paroedura</i> GÜNTHER from Madagascar. <i>Herpetological Natural History</i> , 2 (1): 43-49.
	Gekkonidae	<i>Phelsuma</i> spp. <i>Rhoptropella</i> spp.	GLAW, F. in RÖSLER, H. (2015). Taxonomic checklist of the day geckos of the genera <i>Phelsuma</i> Gray, 1825 and <i>Rhoptropella</i> Hewitt, 1937 (Squamata: Gekkonidae). <i>Vertebrate Zoology</i> , 65 (2): 167-246.
	Gekkonidae	<i>Toropuku</i> spp. <i>Tukutuku</i> spp. <i>Woodworthia</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. IN DAUGHERTY, C. H. (2011). New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.
	Gekkonidae	<i>Uroplatus</i> spp., razen spodaj navedenih taksonov	RAXWORTHY, C.J. (2003). Introduction to the reptiles. V: Goodman, S.M. in Bernstead, J.P. (ur.), <i>The natural history of Madagascar</i> : 934–949. Chicago.
	Gekkonidae	<i>Uroplatus finiavana</i>	RATSOAVINA, F. M., LOUIS JR., E. E., CROTTINI, A., RANDRIANIAINA, R. -D., GLAW, F. IN VENCES, M. (2011). A new leaf tailed gecko species from northern Madagascar with a preliminary assessment of molecular and morphological variability in the <i>Uroplatus ebenaui</i> group. <i>Zootaxa</i> , 3022 : 39–57.
	Gekkonidae	<i>Uroplatus giganteus</i>	GLAW, F., KOSUCH, J., HENKEL, W. F., SOUND, P. IN BÖHME, W. (2006). Genetic and morphological variation of the leaf-tailed gecko <i>Uroplatus fimbriatus</i> from Madagascar, with description of a new giant species. <i>Salamandra</i> , 42 : 129–144.

		Zadevni takson	Taksonomsko sklicevanje
	Gekkonidae	<i>Uroplatus pietschmanni</i>	BÖHLE, A. IN SCHÖNECKER, P. (2003). Eine neue Art der Gattung <i>Uroplatus</i> Duméril, 1805 aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). <i>Salamandra</i> , 39 (3/4): 129–138.
	Gekkonidae	<i>Uroplatus sameiti</i>	RAXWORTHY, C. J., PEARSON, R. G., ZIMKUS, B. M., REDDY, S., DEO, A. J., NUSSBAUM, R. A. IN INGRAM, C. M. (2008). Continental speciation in the tropics: contrasting biogeographic patterns of divergence in the <i>Uroplatus</i> leaf-tailed gecko radiation of Madagascar. <i>Journal of Zoology</i> , 275 : 423–440.
	Iguanidae	Iguanidae spp., razen spodaj navedenih taksonov	HOLLINGSWORTH, B. D. (2004). The Evolution of Iguanas: An Overview of Relationships and a Checklist of Species. V: <i>Iguanas: Biology and Conservation</i> (Alberts, A. C., Carter, R. L., Hayes, W. K. in Martins, E. P. (ur.): 19–44. Berkeley (University of California Press).
	Iguanidae	<i>Brachylophus bulabula</i>	KEOGH, J. S., EDWARDS, D. L., FISHER, R. N. IN HARLOW, P. S. (2008). Molecular and morphological analysis of the critically endangered Fijian iguanas reveals cryptic diversity and a complex biogeographic history. <i>Philosophical Transactions of the Royal Society B</i> , 363 (1508): 3413–3426.
	Iguanidae	<i>Conolophus marthae</i>	GENTILE, G. IN SNELL, H. (2009). <i>Conolophus marthae</i> sp. nov. (Squamata, Iguanidae), a new species of land iguana from the Galápagos archipelago. <i>Zootaxa</i> , 2201 : 1–10.
	Iguanidae	<i>Ctenosaura</i> spp.	Iguana Taxonomy Working Group (2016). A checklist of the iguanas of the world (Iguanidae; Iguaninae). V: <i>Iguanas: Biology, Systematics, and Conservation</i> (J. B. IVERSON, T.D. GRANT, C .R. KNAPP, and S. A. PASACHNIK, ur.): 4–46. Herpetological Conservation and Biology 11(Monograph 6).
	Iguanidae	<i>Cyclura lewisi</i>	BURTON, F. J. (2004). Revision to Species <i>Cyclura nubila lewisi</i> , the Grand Cayman Blue Iguana. <i>Caribbean Journal of Science</i> , 40 (2): 198–203.
	Iguanidae	<i>Phrynosoma blainvillii</i> <i>Phrynosoma cerroense</i> <i>Phrynosoma wigginsi</i>	MONTANUCCI, R.R. (2004). Geographic variation in <i>Phrynosoma coronatum</i> (Lacertilia, Phrynosomatidae): further evidence for a peninsular archipelago. <i>Herpetologica</i> , 60 : 117.
	Lanthanotidae	Lanthanotidae spp.	UETZ, P., FREED, P. in HÖSEK, J. (ur.) (2016). Informacije o družini, rodu in vrsti iz Integrated Taxonomic Information Service (ITIS), spletni dokument; in informacije o vrsti iz <i>The Reptile Database</i> , različica z dne 15. augusta 2016, dostop 11. maja 2017. Glej Prilogo 2 dokumenta AC29 Doc.35. na naslovu https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Teiidae	Teiidae spp.	HARVEY, M. B., UGUETO, G. N. IN GUTBERLET, R. L. JR. (2012). Review of teiid morphology with a revised taxonomy and phylogeny of the Teiidae (Lepidosauria: Squamata). <i>Zootaxa</i> , 3459 : 1-156.

		Zadevni takson	Taksonomsko sklicevanje
	Varanidae	Varanidae spp., razen spodaj navedenih taksonov	BÖHME, W. (2003). Checklist of the living monitor lizards of the world (family Varanidae) <i>Zoologische Verhandelingen, Leiden</i> , 341 : 1–43. V kombinaciji z KOCH, A., AULIYA, M. IN ZIEGLER, T. (2010.): Updated Checklist of the living monitor lizards of the world (Squamata: Varanidae). – Bonn zoological Bulletin, 57 (2): 127–136.
	Varanidae	<i>Varanus bangonorum</i> <i>Varanus dalubhasa</i>	WELTON, L. J., TRAVERS, S. L., SILER, C. D. IN BROWN, R. M. (2014). Integrative taxonomy and phylogeny-based species delimitation of Philippine water monitor lizards (<i>Varanus salvator</i> complex) with descriptions of two new cryptic species. <i>Zootaxa</i> , 3881 (3): 201-227.
	Varanidae	<i>Varanus hamersleyensis</i>	MARYAN, B., OLIVER, P. M., FITCH, A. J. IN O'CONNELL, M. (2014). Molecular and morphological assessment of <i>Varanus pilbarensis</i> (Squamata: Varanidae), with a description of a new species from the southern Pilbara, Western Australia. <i>Zootaxa</i> , 3768 (2): 139–158.
	Varanidae	<i>Varanus nesterovi</i>	BÖHME, W., EHRLICH, K., MILTO, K. D., ORLOV, N. IN SCHOLZ, S. (2015). A new species of desert monitor lizard (Varanidae: <i>Varanus: Psammosaurus</i>) from the western Zagros region (Iraq, Iran). <i>Russian Journal of Herpetology</i> , 22 (1): 41–52.
	Varanidae	<i>Varanus samarensis</i>	KOCH, A., GAULKE, M. IN BÖHME, W. (2010). Unravelling the underestimated diversity of Philippine water monitor lizards (Squamata: <i>Varanus salvator</i> complex), with the description of two new species and a new subspecies. <i>Zootaxa</i> , 2446 : 1-54.
	Varanidae	<i>Varanus sparnus</i>	DOUGHTY, P., KEALLEY, L., FITCH, A. IN DONNELLAN, S. C. (2014). A new diminutive species of <i>Varanus</i> from the Dampier Peninsula, western Kimberley region, Western Australia. <i>Records of the Western Australian Museum</i> , 29 : 128–140.

		Zadevni takson	Taksonomsko sklicevanje
SERPENTES		Loxocemidae spp. Pythonidae spp. Boidae spp. Bolyeriidae spp. Tropidophiidae spp. Viperidae spp. razen rodov <i>Acrantophis</i> , <i>Sanzinia</i> , <i>Calabaria</i> , <i>Lichanura</i> , priznanje <i>Epicrates maurus</i> kot veljavne vrste in razen spodaj navedenih vrst	MCDIARMID, R. W., CAMPBELL, J. A. IN TOURÉ, T. A. (1999). <i>Snake Species of the World. A Taxonomic and Geographic Reference. Volume 1</i> , Washington, D.C. (The Herpetologists' League).
	Boidae	<i>Candoia paulsoni</i> <i>Candoia superciliosa</i>	SMITH, H. M., CHISZAR, D., TEPEDELEN, K. IN VAN BREUKELN, F. (2001). A revision of the bevelnosed boas (<i>Candoia carinata</i> complex) (Reptilia: Serpentes). <i>Hamadryad</i> , 26 (2): 283–315.
	Boidae	<i>Corallus batesii</i>	HENDERSON, R. W., PASSOS, P. IN FEITOSA, D. (2009). Geographic variation in the Emerald Treeboa, <i>Corallus caninus</i> (Squamata: Boidae). <i>Copeia</i> , 2009 (3): 572–582.
	Boidae	<i>Epicrates crassus</i> <i>Epicrates assisi</i> <i>Epicrates alvarezi</i>	PASSOS, P. IN FERNANDES, R. (2008). Revision of the <i>Epicrates cenchria</i> complex (Serpentes: Boidae). <i>Herpetological Monographs</i> , 22 : 1–30.
	Boidae	<i>Eryx borrii</i>	LANZA, B. IN NISTRÍ, A. (2005). Somali Boidae (genus <i>Eryx</i> Daudin 1803) and Pythonidae (genus <i>Python</i> Daudin 1803) (Reptilia Serpentes). <i>Tropical Zoology</i> , 18 (1): 67–136.
	Boidae	<i>Eunectes beniensis</i>	DIRKSEN, L. (2002). <i>Anakondas</i> . NTV Wissenschaft.
	Colubridae	<i>Xenochrophis piscator</i> <i>Xenochrophis schnurrenbergeri</i> <i>Xenochrophis tyleri</i>	VOGEL, G. IN DAVID, P. (2012). A revision of the species group of <i>Xenochrophis piscator</i> (Schneider, 1799) (Squamata: Natricidae). <i>Zootaxa</i> , 3473 : 1–60.

		Zadevni takson	Taksonomsko sklicevanje
	Elapidae	<i>Micrurus ruatanus</i>	MCCRANIE, J. R. (2015). A checklist of the amphibians and reptiles of Honduras, with additions, comments on taxonomy, some recent taxonomic decisions, and areas of further studies needed. <i>Zootaxa</i> , 3931 (3): 352-386.
	Elapidae	<i>Naja atra</i> <i>Naja kaouthia</i>	WÜSTER, W. (1996). Taxonomic change and toxinology: systematic revisions of the Asiatic cobras (<i>Naja naja</i> species complex). <i>Toxicon</i> , 34 : 339-406.
	Elapidae	<i>Naja mandalayensis</i>	SLOWINSKI, J. B. IN WÜSTER, W. (2000). A new cobra (Elapidae: <i>Naja</i>) from Myanmar (Burma). <i>Herpetologica</i> , 56 : 257-270.
	Elapidae	<i>Naja oxiana</i> <i>Naja philippinensis</i> <i>Naja sagittifera</i> <i>Naja samarensis</i> <i>Naja siamensis</i> <i>Naja sputatrix</i> <i>Naja sumatrana</i>	WÜSTER, W. (1996). Taxonomic change and toxinology: systematic revisions of the Asiatic cobras (<i>Naja naja</i> species complex). <i>Toxicon</i> , 34 : 339-406.
	Pythonidae	<i>Leiopython bennettorum</i> <i>Leiopython biakensis</i> <i>Leiopython fredparkeri</i> <i>Leiopython huonensis</i> <i>Leiopython hosei</i>	SCHLEIP, W. D. (2008). Revision of the genus <i>Leiopython</i> Hubrecht 1879 (Serpentes: Pythonidae) with the redescription of taxa recently described by Hoser (2000) and the description of new species. <i>Journal of Herpetology</i> , 42 (4): 645-667.
	Pythonidae	<i>Morelia clastolepis</i> <i>Morelia kinghorni</i> <i>Morelia nauta</i> <i>Morelia tracyae</i>	HARVEY, M. B., BARKER, D. B., AMMERMAN, L. K. IN CHIPPINDALE, P. T. (2000). Systematics of pythons of the <i>Morelia amethystina</i> complex (Serpentes: Boidae) with the description of three new species. <i>Herpetological Monographs</i> , 14 : 139-185.

		Zadevni takson	Taksonomsko sklicevanje
	Pythonidae	<i>Python bivittatus</i>	JACOBS, H. J., AULIYA, M. IN BÖHME, W. (2009). Zur Taxonomie des Dunklen Tigerpythons, <i>Python molurus bivittatus</i> KUHL, 1820, speziell der Population von Sulawesi. <i>Sauria</i> , 31 : 5–16.
	Pythonidae	<i>Python breitensteini</i> <i>Python brongersmai</i>	KEOGH, J. S., BARKER, D. G. IN SHINE, R. (2001). Heavily exploited but poorly known: systematics and biogeography of commercially harvested pythons (<i>Python curtus</i> group) in Southeast Asia. <i>Biological Journal of the Linnean Society</i> , 73 : 113–129.
	Pythonidae	<i>Python kyaiktiyo</i>	ZUG, G.R., GROTT, S. W. IN JACOBS, J. F. (2011). Pythons in Burma: Short-tailed python (Reptilia: Squamata). <i>Proceedings of the biological Society of Washington</i> , 124 (2): 112–136.
	Pythonidae	<i>Python natalensis</i>	BROADLEY, D. G. (1999). The southern African python, <i>Python natalensis</i> A. Smith 1840, is a valid species. <i>African Herp News</i> , 29 : 31–32.
	Tropidophiidae	<i>Tropidophis</i> spp., razen spodaj navedenih taksonov	HEDGES, S.B. (2002). Morphological variation and the definition of species in the snake genus <i>Tropidophis</i> (Serpentes, Tropidophiidae). <i>Bulletin of the Natural History Museum, London (Zoology)</i> , 68 (2): 83–90.
	Tropidophiidae	<i>Tropidophis celiae</i>	HEDGES, B. S., ESTRADA, A. R. IN DIAZ, L. M. (1999): New snake (<i>Tropidophis</i>) from western Cuba. <i>Copeia</i> , 1999 (2): 376–381.
	Tropidophiidae	<i>Tropidophis grapiuna</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. IN RODRIGUES, M. T. (2012). Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). <i>Herpetological Monographs</i> , 26 (1): 80-121.
	Tropidophiidae	<i>Tropidophis hendersoni</i>	HEDGES, B. S. IN GARRIDO, O. (2002). A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from Eastern Cuba <i>Journal of Herpetology</i> , 36 :157-161.
	Tropidophiidae	<i>Tropidophis morenoi</i>	HEDGES, B. S., GARRIDO, O. IN DIAZ, L. M. (2001). A new banded snake of the genus <i>Tropidophis</i> (Tropidophiidae) from north-central Cuba. <i>Journal of Herpetology</i> , 35 : 615–617.
	Tropidophiidae	<i>Tropidophis preciosus</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. IN RODRIGUES, M. T. (2012). Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). <i>Herpetological Monographs</i> , 26 (1): 80-121.
	Tropidophiidae	<i>Tropidophis spiritus</i>	HEDGES, B. S. IN GARRIDO, O. (1999). A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from central Cuba. <i>Journal of Herpetology</i> , 33 : 436–441.

		Zadevni takson	Taksonomsko sklicevanje
	Tropidophiidae	<i>Tropidophis xanthogaster</i>	DOMÍNGUEZ, M., MORENO, L. V. IN HEDGES, S. B. (2006). A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from the Guanahacabibes Peninsula of Western Cuba. <i>mphibia-Reptilia</i> , 27 (3): 427–432.
	Viperidae	<i>Atheris desaixi</i> <i>Bitis worthingtoni</i>	UETZ, P., FREED, P. in HÖSEK, J. (ur.) (2016). Informacije o vrsti iz <i>The Reptile Database</i> , različica z dne 15. avgusta 2016, dostop 11. maja 2017. Glej Prilogo 2 dokumenta AC29 Doc.35. na naslovu https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
TESTUDINES		imena iz rodu Testudines	WERMUTH, H. IN MERTENS, R. (1996) (reprint). <i>Schildkröte, Krokodile, Brückenechsen</i> . xvii + 506 str. Jena (Gustav Fischer Verlag).
		Imena vrst in družin – razen naslednjih imen, ki se obdržijo: <i>Mauremys iversoni</i> , <i>Mauremys pritchardi</i> , <i>Ocadia glyphistoma</i> , <i>Ocadia philippeni</i> , <i>Sacalia pseudocellata</i> , in razen spodaj navedenih taksonov	FRITZ, U. IN HAVAŠ, P. (2007): Checklist of Chelonians of the World. <i>Vertebrate Zoology</i> , 57 (2): 149–368. Dresden. ISSN 1864-5755 [brez dodatka]
	Emydidae	<i>Graptemys pearlensis</i>	ENNEN, J. R., LOVICH, J. E., KREISER, B. R., SELMAN, W. IN QUALLS, C. P. (2010). Genetic and morphological variation between populations of the Pascagoula Map Turtle (<i>Graptemys gibbonsi</i>) in the Pearl and Pascagoula Rivers with description of a new species. <i>Chelonian Conservation and Biology</i> , 9 (1): 98–113.
	Geoemydidae	<i>Batagur affinis</i>	PRASCHAG, P., SOMMER, R. S., MCCARTHY, C., GEMEL, R. IN FRITZ, U. (2008). Naming one of the world's rarest chelonians, the southern Batagur. <i>Zootaxa</i> , 1758 : 61-68.
	Geoemydidae	<i>Batagur borneoensis</i> <i>Batagur dhongoka</i> <i>Batagur kachuga</i> <i>Batagur trivittata</i>	PRASCHAG, P., HUNSDÖRFER, A. K. IN FRITZ, U. (2007). Phylogeny and taxonomy of endangered South and South-east Asian freshwater turtles elucidated by mtDNA sequence variation (Testudines: Geoemydidae: <i>Batagur</i> , <i>Callagur</i> , <i>Hardella</i> , <i>Kachuga</i> , <i>Pangshura</i>). <i>Zoologica Scripta</i> , 36 : 429–442.
	Geoemydidae	<i>Cuora bourreti</i> <i>Cuora picturata</i>	SPINKS, P. Q., THOMSON, R. C., ZHANG, Y.P., CHE, J., WU, Y. in SHAFFER, H. B. (2012). Species boundaries and phylogenetic relationships in the critically endangered Asian box turtle genus <i>Cuora</i> . <i>Molecular Phylogenetics and Evolution</i> , 63 : 656–667. doi:10.1016/j.ympev.2012.02.014.

		Zadevni takson	Taksonomsko sklicevanje
	Geoemydidae	<i>Cyclemys enigmatica</i> <i>Cyclemys fusca</i> <i>Cyclemys gemeli</i> <i>Cyclemys oldhamii</i>	FRITZ, U., GUICKING, D., AUER, M., SOMMER, R. S., WINK, M. IN HUNSDÖRFER, A. K. (2008). Diversity of the Southeast Asian leaf turtle genus <i>Cyclemys</i> : how many leaves on its tree of life? <i>Zoologica Scripta</i> , 37 : 367–390.
	Geoemydidae	<i>Mauremys reevesii</i>	BARTH, D., BERNHARD, D., FRITZSCH, G. IN U. FRITZ (2004). The freshwater turtle genus <i>Mauremys</i> (Testudines, Geoemydidae) – a textbook example of an east-west disjunction or a taxonomic misconception? <i>Zoologica Scripta</i> , 33 : 213–221.
	Testudinidae	<i>Centrochelys sulcata</i>	Turtle Taxonomy Working Group [van DIJK, P. P., IVERSON, J. B., RHODIN, A. G. J., SHAFFER, H. B. IN BOUR, R. J. (2014): Turtles of the world, 7. izdaja: Annotated checklist of taxonomy, synonymy, distribution with maps, and conservation status. 000.v7. <i>Chelonian Research Monographs</i> , 5 doi: 10.3854/crm.5.000.checklist.v7.2014.
	Testudinidae	<i>Chelonoidis carbonarius</i> <i>Chelonoidis denticulatus</i> <i>Chelonoidis niger</i>	OLSON, S .L. IN DAVID, N. (2014). The gender of the tortoise genus <i>Chelonoidis</i> Fitzinger, 1835 (Testudines: Testudinidae). - Proceedings of the Biological Society of Washington, 126 (4): 393–394.
	Testudinidae	<i>Gopherus morafkai</i>	MURPHY, R. W., BERRY, K. H., EDWARDS, T., LEVITON, A. E., LATHROP, A. IN RIEDLE, J. D. (2011). The dazed and confused identity of Agassiz's land tortoise, <i>Gopherus agassizii</i> (Testudines, Testudinidae) with the description of a new species, and its consequences for conservation. <i>Zookeys</i> , 113 : 39–71.
	Testudinidae	<i>Homopus solus</i>	BRANCH, W. R. (2007). A new species of tortoise of the genus <i>Homopus</i> (Chelonia: Testudinidae) from southern Namibia. <i>African Journal of Herpetology</i> , 56 (1): 1–21.
	Testudinidae	<i>Kinixys nogueyi</i> <i>Kinixys zombensis</i>	KINDLER, C., BRANCH, W. R., HOFMEYR, M. D., MARAN, J., ŠIROKÝ, P., VENCES, M., HARVEY, J., HAUSWALDT, J. S., SCHLEICHER, A., STUCKAS, H. IN FRITZ, U. (2012). Molecular phylogeny of African hinge-back tortoises (<i>Kinixys</i>): implications for phylogeography and taxonomy (Testudines: Testudinidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 50 : 192-201.
	Trionychidae	<i>Lissemys ceylonensis</i>	PRASCHAG, P., STUCKAS, H., PÄCKERT, M., MARAN, J. IN FRITZ, U. (2011). Mitochondrial DNA sequences suggest a revised taxonomy of Asian flapshell turtles (<i>Lissemys</i> Smith, 1931) and the validity of previously unrecognized taxa (Testudines: Trionychidae). <i>Vertebrate Zoology</i> , 61 (1): 147–160.

		Zadevni takson	Taksonomsko sklicevanje
	Trionychidae	<i>Nilssonina gangeticus</i> <i>Nilssonina hurum</i> <i>Nilssonina leithii</i> <i>Nilssonina nigricans</i>	PRASCHAG, P., HUNSDÖRFER, A.K., REZA, A.H.M.A. IN FRITZ, U. (2007). Genetic evidence for wild-living <i>Aspideretes nigricans</i> and a molecular phylogeny of South Asian softshell turtles (Reptilia: Trionychidae: <i>Aspideretes</i> , <i>Nilssonina</i>). <i>Zoologica Scripta</i> , 36 : 301–310.
AMPHIBIA			
		Amphibia spp., razen spodaj navedenih taksonov	FROST, D. R. (ur.) (2015). Taxonomic Checklist of Amphibian Species listed in the CITES Appendices and the Annexes of EC Regulation 338/97. Informacije o vrsti iz <i>Amphibian Species of the World: a taxonomic and geographic reference</i> , spletni dokument, različica 6.0 iz maja 2015, z dodatnimi komentarji strokovnjaka za nomenklaturu Odbora za živali CITES. Glej Prilogo 5 dokumenta CoP17 Doc.81.1. na https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A5.pdf
		Anura: Microhylidae: <i>Dyscophus</i> spp. in <i>Scaphiophryne</i> spp.; Telmatobiidae: <i>Telmatobius culeus</i> ; in Caudata: Salamandridae: <i>Paramesotriton hongkongensis</i>	FROST, D. R. (ur.) (2017). Informacije o vrsti iz <i>Amphibian Species of the World: a taxonomic and geographic reference</i> , spletni dokument, različica 6.0, dostop 12. maja 2017. Glej Prilogo 3 dokumenta AC29 Doc.35. na naslovu https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A3.pdf
ELASMOBRANCHII, ACTINOPTERI, COELACANTHI in DIPNEUSTI			
		Vse vrste rib, razen spodaj navedenih taksonov	ESCHMEYER, W.N. IN FRICKE, R. (ur.) (2015). Taxonomic Checklist of Fish species listed in the CITES Appendices and the Annexes of EC Regulation 338/97 (Elasmobranchii, Actinopteri, Coelacanthi, and Dipneusti, except the genus <i>Hippocampus</i>). Informacije iz <i>Catalog of Fishes</i> na spletu, posodobljena različica z dne 3. februarja 2015. Glej Prilogo 6 dokumenta CoP17 Doc.81.1. na https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A6.pdf .

		Zadevni takson	Taksonomsko sklicevanje
		Elasmobranchii: Carcharhiniformes: Carcharhinidae: <i>Carcharhinus falciformis</i> ; Lamniformes: <i>Alopiidae</i> : <i>Alopias</i> spp.; Myliobatiformes: Myliobatidae: <i>Mobula</i> spp.; Potamotrygonidae: <i>Potamotrygon</i> spp.; Actinopteri: Perciformes: Pomacanthidae: <i>Holacanthus clarionensis</i>	ESCHMEYER, W. N., FRICKE, R., in VAN DER LAAN, R. (ur.) (2017). Informacije iz <i>Catalog of Fishes: Genera, Species, References</i> , spletni dokument, različica z dne 28. aprila 2017, dostop 12. maja 2017. Glej Prilogo 4 dokumenta AC29 Doc.35. na naslovu https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A4.pdf .
SYNGNATHIFORMES	Syngnathidae	<i>Hippocampus</i> spp.	LOURIE, S. A., POLLOM, R. A. and FOSTER, S. J. (2016). A global revision of the Seahorses <i>Hippocampus</i> Rafinesque 1810 (Actinopterygii: Syngnathiformes): Taxonomy and biogeography with recommendations for further research. <i>Zootaxa</i> , 4146 (1): 1–066.
ARACHNIDA			
ARANEAE	Theraphosidae	<i>Aphonopelma albiceps</i> <i>Aphonopelma pallidum</i> <i>Brachypelma</i> spp., razen spodaj navedenih taksonov	PLATNICK, N. (2006). Taxonomic Checklist of CITES listed Spider Species. Informacije iz <i>The World Spider Catalog</i> , spletni dokument, različica 6.5 z dne 7. aprila 2006. [na voljo na http://www.cites.org/common/docs/Res/12_11/spider_checklist.pdf]
	Theraphosidae	<i>Brachypelma ruhnaui</i> skupaj z <i>Brachypelma albiceps</i> ki se v okviru CITES obravnava kot <i>Aphonopelma albiceps</i>	PLATNICK, N. I. (2014). <i>The World Spider Catalogue, V15</i> . http://platnick.sklipkani.cz/html/
	Theraphosidae	<i>Brachypelma kahlenbergi</i>	RUDLOFF, J.-P. (2008). Eine neue <i>Brachypelma</i> -Art aus Mexiko (Araneae: Mygalomorphae: Theraphosidae: Theraphosinae). <i>Arthropoda</i> , 16 (2): 26–30.

		Zadevni takson	Taksonomsko sklicevanje
SCORPIONES	Scorpionidae	<i>Pandinus</i> spp., razen spodaj navedenih taksonov	LOURENÇO, W. R. IN CLOUDSLEY-THOMPSON, J. C. (1996). Recognition and distribution of the scorpions of the genus <i>Pandinus</i> Thorell, 1876 accorded protection by the Washington Convention. <i>Biogeographica</i> , 72 (3): 133–143.
	Scorpionidae	<i>Pandinus camerounensis</i> <i>Pandinus roeseli</i>	LOURENÇO, W. R. (2014). Further considerations on the identity and distribution of <i>Pandinus imperator</i> (C. L. Koch, 1841) and description of a new species from Cameroon (Scorpiones: Scorpionidae). <i>Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg</i> , 17 (192): 139–151.
INSECTA			
COLEOPTERA	Lucanidae	<i>Colophon</i> spp.	BARTOLOZZI, L. (2005). Description of two new stag beetle species from South Africa (Coleoptera: Lucanidae). <i>African Entomology</i> , 13 (2): 347–352.
LEPIDOPTERA	Papilionidae	<i>Achillides</i> spp. [samo vrste na Filipinih]	PAGE, M. G. P. in TREADAWAY, C. G. (2004). Papilionidae of the Philippine Island. V: E. BAUER, in T. FRANKENBACH, ur.). <i>Butterflies of the world, Supplement 8</i> . Goecke in Evers, Keltern. 58 str.
	Papilionidae	<i>Ornithoptera</i> spp. <i>Trogonoptera</i> spp. <i>Troides</i> spp.	MATSUKA, H. (2001). <i>Natural History of Birdwing Butterflies</i> . 367 str. Tokyo (Matsuka Shuppan). (ISBN 4-9900697-0-6).
HIRUDINOIDEA			
ARHYNCHOBDELLIDA	Hirudinidae	<i>Hirudo medicinalis</i> <i>Hirudo verbana</i>	NESEMANN, H. IN NEUBERT, E. (1999). Annelida: Clitellata: Branchiobdellida, Acanthobdellea, Hirudine. <i>Süßwasserfauna von Mitteleuropa</i> , 6 (2), 178 str., Berlin (Spektrum Akad. Verlag). ISBN 3-8274-0927-6.
BIVALVIA			

		Zadevni takson	Taksonomsko sklicevanje
VENEROIDA	Tridacnidae	<i>Tridacna ningaloo</i>	PENNY, S. in WILLAN, R. C. (2014). Description of a new species of giant clam (Bivalvia: Tridacnidae) from Ningaloo Reef, Western Australia. <i>Molluscan Research</i> , 34 (3): 201–211.
	Tridacnidae	<i>Tridacna noae</i>	SU, Y., HUNG, J.-H., KUBO, H. in LIU, L.-L. (2014). <i>Tridacna noae</i> (Röding, 1798) – a valid giant clam species separated from <i>T. maxima</i> (Röding, 1798) by morphological and genetic data. <i>Raffles Bulletin of Zoology</i> , 62 : 124–135.
CEPHALOPODA			
	Nautilidae	Nautilidae spp.	Informacije o družini, rodu in vrsti iz Integrated Taxonomic Information Service (ITIS) na spletu. Glej Prilogo 5 dokumenta AC29 Doc.35. na naslovu https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A5.pdf .
ANTHOZOA in HYDROZOA			
		Vse vrste s seznama CITES	Taksonomski seznam vseh vrst koral s seznama CITES na podlagi informacij UNEP- WCMC 2012.

RASTLINSTVO

		Zadevni takson	Taksonomsko sklicevanje
AMARYLLIDACEAE, PRIMULACEAE		<i>Cyclamen, Galanthus</i> in <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> (zbral Royal Botanic Gardens, Kew, Združeno kraljestvo Velika Britanija in Severna Irska) kot smernica za navajanje imen vrst <i>Cyclamen, Galanthus</i> in <i>Sternbergia</i> .
APOCYNACEAE		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Egli <i>et al.</i> , 2001, zbral Städtische Sukkulentensammlung, Zürich, Švica, v sodelovanju z Royal Botanic Gardens, Kew, Združeno kraljestvo Velika Britanija in Severna Irska) in posodobitev: <i>An Update and Supplement to the CITES Aloe & Pachypodium Checklist</i> [J. M. Lüthy (2007), Švicarski upravni organ CITES, Bern, Švica], kot smernica za navajanje imen vrst <i>Aloe</i> in <i>Pachypodium</i> .
		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. in Meyer N. L. (ur.) (2003): <i>Strelitzia</i> 14: 150–151. National Botanical Institute, Pretoria, Južna Afrika, kot smernica za navajanje imen vrst <i>Hoodia</i> .
CACTACEAE		Vse <i>Cactaceae</i> .	<i>CITES Cactaceae Checklist</i> , tretja izdaja (2016, zbral D. Hunt), kot smernica za navajanje imen vrst <i>Cactaceae</i> , ter spremembe in posodobitve na seznamu <i>A Supplement to the CITES Cactaceae Checklist</i> , tretja izdaja, 2016 (Hunt, D. 2018). Seznam in dodatek k seznamu sta na voljo na spletišču Botanic Gardens, Kew, Združeno kraljestvo, na naslovu „ goo.gl/M26yL8 “.
CYCADACEAE, STANGERIACEAE in ZAMIACEAE		Vse <i>Cycadaceae</i> , <i>Stangeriaceae</i> in <i>Zamiaceae</i> .	The World List of Cycads: CITES and Cycads: Checklist 2013 (Roy Osborne, Michael A. Calonje, Ken D. Hill, Leonie Stanberg in Dennis Wm. Stevenson) v <i>CITES and Cycads a user's guide</i> (Rutherford, C. <i>et al.</i> , Royal Botanic Gardens, Kew, Združeno kraljestvo 2013) kot smernica za navajanje imen vrst <i>Cycadaceae</i> , <i>Stangeriaceae</i> in <i>Zamiaceae</i> .
DICKSONIACEAE		Vrste <i>Dicksonia</i> obeh Amerik.	<i>Dicksonia species of the Americas</i> (2003, zbrala Bonn Botanic Garden in Zvezni urad za ohranjanje narave, Bonn, Nemčija) kot smernica za navajanje imen vrst <i>Dicksonia</i> .
DROSERACEAE, NEPENTHACEAE, SARRACENIACEAE		<i>Dionaea, Nepenthes</i> in <i>Sarracenia</i> .	<i>CITES Carnivorous Plant Checklist</i> (B. von Arx <i>et al.</i> , 2001, Royal Botanic Gardens, Kew, Združeno kraljestvo) kot smernica za navajanje imen vrst <i>Dionaea, Nepenthes</i> in <i>Sarracenia</i> .

		Zadevni takson	Taksonomsko sklicevanje
EBENACEAE		<i>Diospyros</i> spp. – populacije na Madagaskarju.	<p><i>The genus Diospyros in Madagascar: a Preliminary Checklist for CITES Parties</i> (CVPM 2016) na podlagi spletne baze podatkov Catalogue of the Vascular Plants of Madagascar je na voljo na spletni strani kataloga. Ta referenčni dokument se uporablja kot smernica za navajanje imen vrst <i>Diospyros</i> z Madagaskarja. Glej http://www.tropicos.org/ProjectWebPortal.aspx?pagename=Diospyros&projectid=17. Povezava na stran: http://www.tropicos.org/Name/40031908?projectid=17 in povezava za prenos v obliki pdf: http://www.tropicos.org/docs/MadCat/Diospyros%20checklist%202028.03.2016.pdf.</p> <p>Zgolj informativno: posodobitve novih imen bodo redno na voljo v spletni bazi podatkov "Catalogue of the Vascular Plants of Madagascar" (http://www.tropicos.org/Project/Madagascar).</p>
EUPHORBIACEAE		Sukulentne vrste <i>Euphorbia</i>	<p><i>The CITES Checklist of Succulent Euphorbia Taxa (Euphorbiaceae)</i>, druga izdaja (S. Carter in U. Eggli, 2003, objavil Zvezni urad za ohranjanje narave, Bonn, Nemčija), kot smernica za navajanje imen vrst sukulentnih mlečkovk.</p>
LEGUMINOSAE		<i>Dalbergia</i> spp. – populacije na Madagaskarju.	<p><i>A Preliminary Dalbergia checklist for Madagascar for CITES</i> (CVPM 2014) na podlagi spletne baze podatkov Catalogue of the Vascular Plants of Madagascar je na voljo v obliki pdf na spletišču CITES kot dokument SC65 Inf. 21. Ta referenčni dokument se uporablja kot smernica za navajanje imen vrst <i>Dalbergia</i> z Madagaskarja. Glej: https://cites.org/sites/default/files/eng/com/sc/65/Inf/E-SC65-Inf-21.pdf.</p> <p>Zgolj informativno: posodobitve novih imen bodo redno na voljo v spletni bazi podatkov "Catalogue of the Vascular Plants of Madagascar". (http://www.tropicos.org/Project/Madagascar).</p>
LEGUMINOSAE		<i>Paubrasilia echinata</i>	<p>Gagnon, E., Bruneau, A., Hughes, C.E., de Queiroz, L. P. in Lewis, G.P. (2016). <i>A new generic system for the pantropical Caesalpinia group (Leguminosae)</i> kot smernica za navajanje imena tega taksona. Referenčni dokument je prosto dostopen na spletni strani „https://phytokeys.pensoft.net/articles.php?id=9203“, dodatne informacije pa so na voljo na spletni strani „http://floradobrasil.jbrj.gov.br/reflora/listaBrasil“.</p>
LEGUMINOSAE		<i>Platymiscium pleiostachyum</i>	<p>Bente B. Klitgaard (2005). <i>Platymiscium (Leguminosae: Dalbergieae)</i>; biogeography, systematics, morphology, taxonomy and uses. <i>Kew Bulletin</i>. Vol. 60, št. 3 (2005), str. 321–400, se uporabi kot smernica za navajanje imena tega taksona. Referenčni dokument je na voljo na spletu na naslovu https://www.jstor.org/stable/4111062?seq=1#page_scan_tab_contents. Dostop do referenčnega dokumenta je prost.</p>

		Zadevni takson	Taksonomsko sklicevanje
LILIACEAE		<i>Aloe</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Egli <i>et al.</i> , 2001, zbral Städtische Sukkulenten-Sammlung, Zürich, Švica, v sodelovanju z Royal Botanic Gardens, Kew, Združeno kraljestvo Velika Britanija in Severna Irska) in posodobitev: <i>An Update and Supplement to the CITES Aloe & Pachypodium Checklist</i> [J. M. Lüthy (2007), Švicarski upravni organ CITES, Bern, Švica], kot smernica za navajanje imen vrst <i>Aloe</i> in <i>Pachypodium</i> .
ORCHIDACEAE		<i>Laelia</i> , <i>Phalaenopsis</i> , <i>Pleione</i> in <i>Sophranitis</i> (Volume 1, 1995) and <i>Cymbidium</i> , <i>Dendrobium</i> , <i>Disa</i> , <i>Dracula</i> in <i>Encyclia</i> (Volume 2, 1997), and <i>Aerangis</i> , <i>Angraecum</i> , <i>Ascocentrum</i> , <i>Bletilla</i> , <i>Brassavola</i> , <i>Calanthe</i> , <i>Catasetum</i> , <i>Miltonia</i> , <i>Miltonioides</i> in <i>Miltoniopsis</i> , <i>Renanthera</i> , <i>Renantherella</i> , <i>Rhynchostylis</i> , <i>Rossioglossum</i> , <i>Vanda</i> and <i>Vandopsis</i> (Volume 3, 2001); in <i>Aerides</i> , <i>Coelogyne</i> , <i>Comparettia</i> in <i>Masdevallia</i> (Volume 4, 2006)	<i>CITES Orchid Checklist</i> , (zbral Royal Botanic Gardens, Kew, Združeno kraljestvo) kot smernica za navajanje imen vrst <i>Cattleya</i> (ne <i>C. jongheana</i>), <i>Cypripedium</i> , <i>Laelia</i> (ne <i>Laelia jongheana</i> / <i>Cattleya jongheana</i>), <i>Phalaenopsis</i> , <i>Pleione</i> in <i>Sophranitis</i> (Volume 1, 1995) in <i>Cymbidium</i> , <i>Dendrobium</i> (ne <i>D. cruentum</i>), <i>Disa</i> , <i>Dracula</i> in <i>Encyclia</i> (Volume 2, 1997), in <i>Aerangis</i> (ne <i>A. ellisii</i>), <i>Angraecum</i> , <i>Ascocentrum</i> , <i>Bletilla</i> , <i>Brassavola</i> , <i>Calanthe</i> , <i>Catasetum</i> , <i>Miltonia</i> , <i>Miltonioides</i> in <i>Miltoniopsis</i> , <i>Renanthera</i> , <i>Renantherella</i> , <i>Rhynchostylis</i> , <i>Rossioglossum</i> , <i>Vanda</i> in <i>Vandopsis</i> (Volume 3, 2001); <i>Aerides</i> , <i>Coelogyne</i> , <i>Comparettia</i> in <i>Masdevallia</i> (Volume 4, 2006).
ORCHIDACEAE		<i>Paphiopedilum</i> spp., <i>Phragmipedium</i> spp., <i>Aerangis ellisii</i> , <i>Cattleya jongheana</i> , <i>Cattleya lobata</i> , <i>Dendrobium cruentum</i> , <i>Mexipedium xerophyticum</i> , <i>Peristeria elata</i> in <i>Renanthera imschootiana</i>	Govaerts, R., Caramel, A., Dhanda, S., Davis, F., Pavitt, A., Sinovas, P., in Vaglica, V. (2019). <i>CITES Appendix I Orchid Checklist</i> . Druga različja, Royal Botanic Gardens, Kew, Surrey, in UNEP-WCMC, Cambridge. Ta referenčni dokument se uporabi kot smernica za navajanje imen <i>Paphiopedilum</i> spp., <i>Phragmipedium</i> spp., <i>Aerangis ellisii</i> , <i>Cattleya jongheana</i> , <i>Cattleya lobata</i> , <i>Dendrobium cruentum</i> , <i>Mexipedium xerophyticum</i> , <i>Peristeria elata</i> in <i>Renanthera imschootiana</i> . Referenčni dokument je na voljo na spletišču Royal Botanic Gardens, Kew, Združeno kraljestvo, na naslovu „ goo.gl/M26yL8 “.

		Zadevni takson	Taksonomsko sklicevanje
ORCHIDACEAE		<i>Bulbophyllum</i> spp.	<i>Kontrolni seznam CITES za Bulbophyllum in sorodne taksone (Orchidaceae)</i> . Sider, A., Rainer, H., Kiehn, M. (2007): naslov avtorjev: Department of Biogeography and Botanical Garden of the University of Vienna; Rennweg 14, 1030 Dunaj (Avstrija), kot smernica za navajanje imen vrst <i>Bulbophyllum</i> .
PALMAE		<i>Dypsis decipiens</i> in <i>Dypsis decaryi</i> .	Proposed Standard Reference for two CITES-listed palms endemic to Madagascar (CVPM 2016) na podlagi spletne baze podatkov Catalogue of the Vascular Plants of Madagascar je na voljo v obliki pdf na spletni strani ameriške službe U.S. Fish & Wildlife Service. Uporablja se kot smernica za navajanje vrst <i>Dypsis decipiens</i> in <i>Dypsis decaryi</i> . Glej: http://www.fws.gov/international/
TAXACEAE		<i>Taxus</i> spp.	<i>World Checklist and Bibliography of Conifers</i> (A. Farjon, 2001) kot smernica za navajanje imen vrst <i>Taxus</i> .
ZYGOPHYLLACEAE		<i>Guaiacum</i> spp.	<i>Lista de especies, nomenclatura y distribución en el genero Guaiacum</i> . Davila Aranda. P. in Schippmann, U. (2006): Medicinal Plant Conservation 12:50, kot smernica za navajanje imen vrst <i>Guaiacum</i> .

PRILOGA 3

„PRILOGA XI

Tipi bioloških vzorcev iz člena 18 in njihova uporaba

Tip vzorca	Tipična velikost vzorca	Uporaba vzorca
Kri in njene derivativne komponente	največ 5 ml za tekoče vzorce ali vzorce posušene krvi na objektnem stekelcu, filtrirnem papirju ali vatenki	biomedicinske raziskave; identifikacija vrst; določanje geografskega porekla; določanje spola; posamična identifikacija; preverjanje starševstva; toksikološke analize; testiranje/diagnoza bolezni, vključno s serologijo
Notranja tkiva (botanična ali zoološka), fiksirana	tkiva (5 mm^3 – 25 mm^3) na fiksativnem ali histološkem objektnem stekelcu, ki vsebuje +/-5um rezine fiksiranega tkiva	histologija in elektronska mikroskopija za odkrivanje organizmov in strupov; taksonomske raziskave; biomedicinske raziskave; identifikacija vrst; določanje geografskega porekla; določanje spola; posamična identifikacija; preverjanje starševstva; toksikološke analize; testiranje/diagnoza bolezni
Notranja tkiva (botanična ali zoološka), zamrznjena	koščki tkiv (5 mm^3 – 25 mm^3)	biomedicinske raziskave; identifikacija vrst; določanje geografskega porekla; določanje spola; posamična identifikacija; preverjanje starševstva; toksikološke analize; testiranje/diagnoza bolezni
Notranja tkiva (botanična ali zoološka), sveža (razen jajčnih celic, spermijev in zarodnih celic)	koščki tkiv (5 mm^3 – 25 mm^3)	biomedicinske raziskave; identifikacija vrst; določanje geografskega porekla; določanje spola; posamična identifikacija; preverjanje starševstva; toksikološke analize; testiranje/diagnoza bolezni
Zunanja tkiva, vključno z dlako, kožo, perjem, luskami, kostmi, jajčnimi lupinami, zobmi, slonovino, rogovi, listi, lubjem, semeni, plodovi ali cvetovi	posamični vzorci s fiksiranim sredstvom za slonovino ali brez njega: koščki slonovine približno 3 cm x 3 cm in debeline največ 1 cm, odvisno od analizne metode, v skladu s smernicami ICCWC <i>Guidelines on methods and procedures for ivory</i>	identifikacija vrst; določanje geografskega porekla; določanje spola; posamična identifikacija; preverjanje starševstva; toksikološke analize; testiranje/diagnoza bolezni; analiza starosti; biomedicinske raziskave

Tip vzorca	Tipična velikost vzorca	Uporaba vzorca
	<i>sampling and laboratory analysis</i> ¹ za rog nosoroga: majhne količine praška/ostružkov, zapečatenih v vzorčevalni steklenici z zaščito pred nedovoljenimi posegi, v skladu s postopkom v dokumentu <i>Procedure for Rhino horn DNA Sampling</i> ²	
Bris ustne votline / kloakalni bris / bris sluzi / nosni bris / bris urinalnega trakta / bris rektuma	majhne količine tkiva ali celic na vatenki v epruveti	identifikacija vrst; določanje geografskega porekla; določanje spola; posamična identifikacija; preverjanje starševstva; toksikološke analize; testiranje/diagnoza bolezni, vključno s serologijo; biomedicinske raziskave
Celične linije in tkivne kulture	velikost vzorca ni omejena	biomedicinske raziskave; identifikacija vrst; določanje geografskega porekla; določanje spola; posamična identifikacija; preverjanje starševstva; toksikološke analize; testiranje/diagnoza bolezni; analiza starosti
DNK ali RNK (prečiščena)	do 0,5 ml na posamični vzorec prečiščene DNK ali RNK	biomedicinske raziskave; identifikacija vrst; določanje geografskega porekla; določanje spola; posamična identifikacija; preverjanje starševstva; toksikološke analize; testiranje/diagnoza bolezni; analiza starosti
Izločki (slina, strup, mleko, rastlinski izločki)	1–5 ml v vialah	proizvajanje protistrupa; biomedicinske raziskave; identifikacija vrst; določanje geografskega porekla; določanje spola; posamična identifikacija; preverjanje starševstva; toksikološke analize; testiranje/diagnoza bolezni, vključno s serologijo; analiza starosti

¹ https://www.unodc.org/documents/Wildlife/Guidelines_Ivory.pdf

² Republika Južna Afrika, Oddelek za okoljske zadeve, Procedure for Rhino horn DNA Sampling

