



**COUNCIL OF
THE EUROPEAN UNION**

Brussels, 15 December 2004

16010/04

LIMITE

**MAR 218
ENV 683
CODEC 1332**

**Interinstitutional File:
2003/0291 (COD)**

NOTE

from: the General Secretariat of the Council
to: Delegations

No. Cion prop.: 16218/03 MAR 212 ENV 705 CODEC 1847
No. prev. doc. 14636/2/04 MAR 196 ENV 616 CODEC 1230 REV 2

Subject: **Proposal for a Regulation of the European Parliament and of the Council on the implementation of the International Safety Management Code (ISM Code) within the Community**
= Political agreement on a common position

At its session on 9 December 2004, the Council reached political agreement on a common position on the above proposal, as reflected in the Annex.

*N.B.: The preamble, apart from recital 8, does not form part of the political agreement. It is subject to further discussion in the Working Party. For practical purposes, all recitals have been included in this document and adapted to the text of the political agreement. Changes to the recitals compared to the recitals contained in the Commission proposal are highlighted in **bold** and [...].*

Draft

REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

on the implementation of the International Safety Management Code within the Community

(Text with EEA relevance)

THE EUROPEAN PARLIAMENT AND THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community, and in particular Article 80(2) thereof,

Having regard to the proposal from the Commission¹,

Having regard to the opinion of the European Economic and Social Committee²,

Having regard to the opinion of the Committee of the Regions³,

Acting in accordance with the procedure laid down in Article 251 of the Treaty⁴.

- (1) The International Safety Management Code providing for the safe operation of ships and for pollution prevention, hereinafter referred to as the “ISM Code”, was adopted by the International Maritime Organisation (IMO) through the Assembly Resolution A.741 (18) of 4 November 1993. This Code became gradually mandatory for most ships sailing on international voyages through the inclusion of Chapter IX “Management for the safe operation of ships” in the International Convention for the Safety of Life at Sea, 1974 (SOLAS), adopted on 24 May 1994.

¹ OJ C ..., ..., p. ...

² OJ C ..., ..., p. ...

³ OJ C ..., ..., p. ...

⁴ OJ C ..., ..., p. ...

- (2) The ISM Code has been amended by the IMO through Resolution MSC.104 (73), adopted on 5 December 2000.
- (3) Guidelines on the implementation of the International Safety Management (ISM) Code by Administrations were adopted by IMO Resolution A.788 (19) on 23 November 1995. These Guidelines were amended by Resolution A.913(22), adopted on 29 November 2001.
- (4) Council Regulation (EC) n°3051/95 of 8 December 1995 on the safety management of roll-on/roll-off passenger ferries (ro-ro ferries) ⁵ made the ISM Code mandatory at Community level with effect from 1 July 1996 for all ro-ro passenger ferries operating on a regular service to and from ports of the Member States of the Community on a regular service, both on domestic and international voyages and irrespective of their flag. This was a first step to ensure a uniform and coherent implementation of the ISM Code in all Member States.
- (5) On 1 July 1998 the ISM Code became mandatory under the provisions of Chapter IX of the SOLAS Convention for companies operating passenger ships, including high speed passenger craft, oil tankers, chemical tankers, gas carriers, bulk carriers and cargo high speed craft of 500 gross tonnage and upwards, on international voyages.
- (6) On 1 July 2002 the ISM Code became mandatory for companies operating other cargo ships and mobile offshore drilling units of 500 gross tonnage and upwards, on international voyages.
- (7) Safety of human life at sea and the protection of the environment may be effectively enhanced by applying the ISM Code strictly and on a mandatory basis.
- (8) The adoption of a new Regulation with direct applicability should ensure the enforcement of the ISM Code on the understanding that it is left to the Member States to decide whether to implement the Code for ships, regardless of their flag, operating exclusively in port areas; ⁶

⁵ OJ L 320, 30.12.1995, p. 14.

⁶ Recital agreed as part of the political agreement on a common position (see doc. 14636/2/04)

- (8a) If Member States consider it practicably difficult for companies to comply with specific provisions of Part A of the ISM Code for certain ships or categories of ships exclusively engaged on domestic voyages in that Member State, they may derogate wholly or partly from these provisions by imposing measures ensuring an equivalent achievement of the objectives of the Code. They may, for such ships and companies, establish alternative certification and verification procedures.**
- (9) Consequently Regulation (EC) No 3051/95 **should** be repealed.
- (10) It is necessary to take into account Council Directive 94/57/EC of 22 November 1994 on common rules and standards for ship inspection and survey organizations and for the relevant activities of maritime administrations ⁷, in order to define the recognized organisations for the purpose of this Regulation, and Council Directive 98/18/EC of 17 March 1998 on safety rules and standards for passenger ships ⁸, for the purpose of establishing the scope of application of this Regulation as regards passenger ships engaged on domestic voyages.
- (11) It is necessary to take into account Council Directive 95/21/EC **of 19 June 1995 concerning the enforcement, in respect of shipping using Community ports and sailing in the waters under the jurisdiction of the Member States, of international standards for ship safety, pollution prevention and shipboard living and working conditions (port State control)** ⁹, as amended [...].
- (12) **It should be possible to amend certain provisions of this Regulation so as to bring them into line with international instruments adopted, amended or entering into force after the entry into force of this Regulation without broadening its scope. Such amendments should** be adopted in accordance with Council Decision 1999/468/EC of 28 June 1999 laying down the procedures for the exercise of implementing powers conferred on the Commission ¹⁰;

HAVE ADOPTED THIS REGULATION:

⁷ OJ L 319, 12.12.1994, p 20.

⁸ OJ L 144, 15.5.1998, p;1.

⁹ OJ L 157, 7.7.1995, p 1.

¹⁰ OJ L 184, 17.07.1999, p 23.

Article 1

Objective

The purpose of this Regulation is to enhance the safety management, safe operation and pollution prevention of ships referred to in Article 3(1), by ensuring that companies operating those ships comply with the ISM Code through:

- the establishment, implementation and proper maintenance of the ship-board and shore based safety management systems by companies, and,
- the control thereof by flag and port State administrations.

Article 2

Definitions

For the purpose of this Regulation the following definitions shall apply:

- (1) ‘ISM Code’ means the International Management Code for the Safe Operation of Ships and for Pollution Prevention, adopted by the International Maritime Organisation (IMO) through Assembly Resolution A.741 (18) of 4 November 1993, as amended by Maritime Safety Committee Resolution MSC.104 (73) of 5 December 2000 and annexed to this Regulation (Annex I), in its up-to-date version;
- (2) ‘Recognised organisation’ means a body recognised in accordance with the provisions of Directive 94/57/EC, as amended;

- (3) 'Company' means the owner of the ship or any other organisation or a person such as the manager or the bareboat charterer, who has assumed the responsibility for the operation of the ship from the shipowner and who on assuming such responsibility has agreed to take over all the duties and responsibility imposed by the ISM Code;
- (4) 'Passenger ship' means a ship, including a high-speed-craft, carrying more than twelve passengers, or a passenger submersible craft;
- (5) 'Passenger' means every person other than:
 - (a) the master and the members of the crew or other persons employed or engaged in any capacity on board a ship on the business of that ship; and
 - (b) a child under one year of age;
- (5a) 'High speed craft' means a high speed craft as defined in Regulation X/1.2 of the 1974 SOLAS Convention, in its up-to-date version. For high speed passenger crafts, the limitations indicated in article 2(f) of Directive 98/18/EC, as amended, are applicable;
- (6) 'Cargo ship' means a ship, including a high-speed-craft, which is not a passenger ship;
- (7) 'International voyage' means a voyage by sea from a port of a Member State or any other State to a port outside that State, or vice versa;
- (8) 'Domestic voyage' means a voyage in sea areas from a port of a Member State to the same or another port within that Member State;

- (9) ‘Regular shipping service’ means a series of ship crossings operated so as to serve traffic between the same two or more points, either:
- (a) according to a published timetable; or
 - (b) with crossings so regular or frequent that they constitute a recognisable systematic series;
- (10) ‘Ro-ro passenger ferry’ means a seagoing passenger vessel as defined in Chapter II-2 of the 1974 SOLAS Convention in its up-to-date version;
- (11) ‘Passenger submersible craft’ means a passenger-carrying mobile vessel, which primarily operates under water and relies on surface support, e.g. a surface ship or shore-based facilities, for monitoring and for one or more of the following:
- recharging of power supply;
 - recharging high pressure air; and
 - recharging life-support;
- (12) ‘mobile offshore drilling unit’ means a vessel capable of engaging in drilling operations for the exploration for or exploitation of resources beneath the sea-bed such as liquid or gaseous hydrocarbons, sulphur or salt;
- (13) ‘gross tonnage’ means the gross tonnage of a ship determined in accordance with the provisions of the International Convention on Tonnage Measurement of Ships, 1969 or, in the case of ships engaged exclusively in domestic voyages and if the ship has not been measured in gross tonnage here above, the gross tonnage of a ship determined in accordance with the provisions of existing national tonnage measurement regulations.

Article 3
Application

1. The Regulation shall apply to the following types of ships and to companies operating them:
 - (a) cargo ships and passenger ships, flying the flag of a Member State, engaged on international voyages;
 - (b) cargo ships and passenger ships engaged exclusively on domestic voyages, regardless of their flag;
 - (c) cargo ships and passenger ships operating to or from ports of the Member States, on a regular shipping service, regardless of their flag;
 - (d) mobile offshore drilling units, operating under the authority of a Member State.

2. This Regulation does not apply to the following types of ships and to the companies operating them:
 - (a) ships of war and troop ships and other ships owned or operated by a Member State and used only on government non-commercial service;
 - (b) ships not propelled by mechanical means, wooden ships of primitive build, pleasure yachts and pleasure craft, unless they are or will be crewed and carrying more than 12 passengers for commercial purposes;
 - (c) fishing vessels;

- (d) cargo ships and mobile offshore drilling units of less than 500 gross tonnage;
- (e) passenger ships, other than ro-ro passenger ferries, in sea areas of Class C and D as defined in Article 4 of Directive 98/18/EC.

Article 4

Safety management requirements

1. The ships covered by Article 3(1) and the companies operating them shall comply with the requirements of Part A of the ISM Code.
2. The safety-management system shall be maintained in accordance with the provisions of Part A of the ISM Code.

Article 5

Certification and verification

Member States shall comply with the provisions of Part B of the ISM Code as well as with Article 6 and Annex II of this Regulation.

Article 5a
Derogation

1. Member States may, if they consider practicably difficult for companies to comply with paragraphs 6, 7, 9, 11 and 12 of Part A of the ISM Code for certain ships or categories of ships exclusively engaged on domestic voyages in that Member State, derogate wholly or partly from these provisions by imposing measures ensuring an equivalent achievement of the objectives of the Code.
2. Member States may, for ships and companies for which a derogation has been adopted by virtue of paragraph 1, if they consider it practicably difficult to apply the requirements laid down in Article 5, establish alternative certification and verification procedures.
3. In the circumstances set out in paragraph 1 and, if applicable, paragraph 2 the following procedure shall apply:
 - a) The Member State shall notify the Commission of the derogation and of the measures which it intends to adopt;
 - b) if, within a period of six months from the notification, it is decided, in accordance with the procedure laid down in Article 11(2), that the proposed derogation is not justified or that the proposed measures are not sufficient, the said Member State shall be required to amend or not to adopt the proposed provisions;
 - c) the Member State shall make the adopted measures public with a direct reference to paragraph 1 and, if applicable, paragraph 2.

4. As a result of a derogation under paragraph 1 and, if applicable, paragraph 2 the Member State shall issue a certificate in conformity with Annex II point 5 second subparagraph indicating the applicable operational limitations.

Article 6

Validity, acceptance and recognition of certificates

1. The Document of Compliance shall remain valid for up to five years from the date of its issue. The Safety Management Certificate shall remain valid for up to five years from the date of its issue.

In cases of renewal of the Document of Compliance and the Safety Management Certificate the relevant provisions of Part B of the ISM Code shall apply.

2.
 - a) Member States shall ensure that all companies operating ships falling within the scope of this Regulation comply with the provisions of this Regulation.
 - b) Member States shall accept a Document of Compliance, an Interim Document of Compliance, a Safety Management Certificate or an Interim Safety Management Certificate issued by the administration of any other Member State or on behalf of this administration by a Recognised Organisation.
 - c) Member States shall accept Documents of Compliance, Interim Documents of Compliance, Safety Management Certificates and Interim Safety Management Certificates issued by, or on behalf of, the administrations of third countries.

However, for ships engaged on a regular shipping service, compliance of the:

- Documents of Compliance,
- Interim Documents of Compliance,
- Safety Management Certificates and
- Interim Safety Management Certificates,

issued on behalf of administrations of third countries, with the provisions of this ISM Code shall be verified, by any appropriate means, by or on behalf of the Member State(s) concerned except if they have been issued by the administration of a Member State or by a Recognised Organisation.

[p.m. Article 7 deleted]

Article 8 Sanctions

Member States shall lay down the rules on sanctions applicable to infringements of the provisions of this Regulation and shall take all the measures necessary to ensure that they are implemented. The sanctions provided must be effective, proportionate and dissuasive.

Article 9 Reporting

Member States shall report every two years to the Commission on the implementation of this Regulation.

The Commission shall, in accordance with the procedure referred to in Article 11(2), establish a harmonised specimen form for such reports.

The Commission shall, with the assistance of European Maritime Safety Agency, within six months after having received reports from Member States prepare a consolidated report concerning the implementation of this Regulation with the proposed measures if appropriate. This report shall be addressed to the European Parliament and the Council.

Article 10
Amendments

1. The amendments of the ISM Code may be excluded from the scope of this Regulation pursuant to Article 5 of Regulation 2099/2002.
2. Annex II may be amended, in accordance with the procedure referred to in Article 11(2).

Article 11
Committee

1. The Commission shall be assisted by the Committee on Safe Seas and the Prevention of Pollution from Ships (COSS) created by Article 3 of Regulation (EC) No 2099/2002.
2. Where reference is made to this paragraph, Articles 5 and 7 of Council Decision 1999/468/EC of 28 June 1999 laying down the procedure for the exercise of implementing power conferred on the Commission ¹¹ shall apply, having regard to the provisions of Article 8 thereof.

The period laid down in Article 5(6) of Decision 1999/468/EC shall be set at two months.

¹¹ OJ L 184, 17.7.1999, p. 23.

Article 12

Repeal

Council Regulation (EC) No 3051/95 is repealed with effect [...] ¹².

Interim Documents of Compliance, Interim Safety Management Certificates, Documents of Compliance and Safety Management Certificates issued before that date shall remain valid until their expiry or until their next endorsement.

Article 13

Entry into force

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

As concerns cargo and passenger ships, which are not already required to comply with the ISM Code, this Regulation shall apply as from [...] ¹³.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the European Parliament

For the Council

The President

The President

¹² The date of entry into force of the Regulation.

¹³ Two years after the date of entry into force of the Regulation.

International Management Code for the safe operation of ships and for pollution prevention
(International Safety Management (ISM) Code)

PART A - IMPLEMENTATION

- 1. GENERAL**
 - 1.1. DEFINITIONS**
 - 1.2. OBJECTIVES**
 - 1.3. APPLICATION**
 - 1.4. FUNCTIONAL REQUIREMENTS FOR A SAFETY MANAGEMENT SYSTEM (SMS)**
- 2. SAFETY AND ENVIRONMENTAL PROTECTION POLICY**
- 3. COMPANY RESPONSIBILITIES AND AUTHORITY**
- 4. DESIGNATED PERSON(S)**
- 5. MASTER'S RESPONSIBILITY AND AUTHORITY**
- 6. RESOURCES AND PERSONNEL**
- 7. DEVELOPMENT OF PLANS FOR SHIPBOARD OPERATIONS**
- 8. EMERGENCY PREPAREDNESS**
- 9. REPORTS AND ANALYSIS OF NON-CONFORMITIES, ACCIDENTS AND HAZARDOUS OCCURRENCES**
- 10. MAINTENANCE OF THE SHIP AND EQUIPMENT**
- 11. DOCUMENTATION**
- 12. COMPANY VERIFICATION, REVIEW AND EVALUATION**

PART B- CERTIFICATION AND VERIFICATION

- 13. CERTIFICATION AND PERIODICAL VERIFICATION**
- 14. INTERIM CERTIFICATION**
- 15. VERIFICATION**
- 16. FORMS OF CERTIFICATES**

International Management code for the safe operation of ships and for pollution prevention
(International Safety Management (ISM) Code)

Part A –IMPLEMENTATION

1. GENERAL

1.1 DEFINITIONS

The following definitions apply to parts A and B of this Code.

- 1.1.1. ‘International Safety Management (ISM) Code’ means the International Management Code for the Safe Operation of Ships and for Pollution Prevention as adopted by the Assembly, as may be amended by the Organisation.
- 1.1.2. ‘Company’ means the owner of the ship or any other organisation or person such as the manager or the bareboat charterer, who has assumed the responsibility for the operation of the ship from the shipowner and who on assuming such responsibility has agreed to take over all the duties and responsibility imposed by the Code.
- 1.1.3. ‘Administration’ means the government of the State whose flag the ship is entitled to fly.
- 1.1.4. ‘Safety Management System’ means a structured and documented system enabling Company personnel to implement effectively the Company safety and environmental protection policy.
- 1.1.5. ‘Document of Compliance’ means a document issued to a Company which complies with the requirements of this Code.
- 1.1.6. ‘Safety Management Certificate’ means a document issued to a ship which signifies that the Company and its shipboard management operate in accordance with the approved safety management system.
- 1.1.7. ‘Objective evidence’ means quantitative or qualitative information, records or statements of fact pertaining to safety or to the existence and implementation of an safety management system element, which is based on observation, measurement or test and which can be verified.
- 1.1.8. ‘Observation’ means a statement of fact made during a safety management audit and substantiated by objective evidence.
- 1.1.9. ‘Non-conformity’ means an observed situation where objective evidence indicates the non-fulfillment of a specified requirement.

- 1.1.10 ‘Major non-conformity’ means an identifiable deviation that poses a serious threat to the safety of personnel or the ship or a serious risk to the environment that requires immediate corrective action and includes the lack of effective and systematic implementation of a requirement of this Code.
- 1.1.11 ‘Anniversary date’ means the day and month of each year that corresponds to the date of expiry of the relevant document or certificate.
- 1.1.12 ‘Convention’ means the International Convention for the Safety of Life at Sea, 1974 as amended.
- 1.2. Objectives
- 1.2.1 The objectives of the Code are to ensure safety at sea, prevention of human injury or loss of life, and avoidance of damage to the environment, in particular, to the marine environment, and to property.
- 1.2.2. Safety management objectives of the Company should, inter alia:
- 1.2.2.1. provide for safe practices in ship operation and a safe working environment;
- 1.2.2.2. establish safeguards against all identified risks; and
- 1.2.2.3. continuously improve safety management skills of personnel ashore and aboard ships, including preparing for emergencies related both to safety and environmental protection.
- 1.2.3. The safety management system should ensure:
- 1.2.3.1. compliance with mandatory rules and regulations; and
- 1.2.3.2. that applicable codes, guidelines and standards recommended by the Organization, administrations, classification societies and maritime industry organizations are taken into account.
- 1.3. Application
- The requirements of this Code may be applied to all ships.
- 1.4 Functional requirements for a safety management system (SMS)
- Every company should develop, implement and maintain a safety management system (SMS) which includes the following functional requirements:
- 1.4.1. a safety and environmental protection policy;

- 1.4.2. instructions and procedures to ensure safe operation of ships and protection of the environment in compliance with relevant international and flag State legislation;
- 1.4.3. defined levels of authority and lines of communication between, and amongst, shore and shipboard personnel;
- 1.4.4. procedures for reporting accidents and non-conformities with the provisions of this Code;
- 1.4.5. procedures to prepare for and respond to emergency situations; and
- 1.4.6. procedures for internal audits and management reviews.

2. SAFETY AND ENVIRONMENTAL PROTECTION POLICY

- 2.1. The company should establish a safety and environmental protection policy which describes how the objectives, given in paragraph 1.2, will be achieved.
- 2.2. The Company should ensure that the policy is implemented and maintained at all levels of the organization both ship-based as well as shore-based.

3. COMPANY RESPONSIBILITIES AND AUTHORITY

- 3.1. If the entity who is responsible for the operation of the ship is other than the owner, the owner must report the full name and details of such entity to the administration.
- 3.2. The company should define and document the responsibility, authority and interrelation of all personnel who manage, perform and verify work relating to and affecting safety and pollution prevention.
- 3.3. The company is responsible for ensuring that adequate resources and shore-based support are provided to enable the designated person or persons to carry out their functions.

4. DESIGNATED PERSON(S)

To ensure the safe operation of each ship and to provide a link between the company and those on board, every company, as appropriate, should designate a person or persons ashore having direct access to the highest level of management. The responsibility and authority of the designated person or persons should include monitoring the safety and pollution prevention aspects of the operation of each ship and to ensure that adequate resources and shore-based support are applied, as required.

5. MASTER'S RESPONSIBILITY AND AUTHORITY

- 5.1 The company should clearly define and document the master's responsibility with regard to:
 - 5.1.1. implementing the safety and environmental protection policy of the company;
 - 5.1.2. motivating the crew in the observance of that policy;
 - 5.1.3. issuing appropriate orders and instructions in a clear and simple manner;
 - 5.1.4. verifying that specified requirements are observed; and
 - 5.1.5. reviewing the SMS and reporting its deficiencies to the shore-based management.
- 5.2. The company should ensure that the SMS operating on board the ship contains a clear statement emphasizing the master's authority. The company should establish in the SMS that the master has the overriding authority and the responsibility to make decisions with respect to safety and pollution prevention and to request the company's assistance as may be necessary.

6. RESOURCES AND PERSONNEL

- 6.1. The company should ensure that the master is:
 - 6.1.1. properly qualified for command;
 - 6.1.2. fully conversant with the company's SMS; and
 - 6.1.3. given the necessary support so that the master's duties can be safely performed.
- 6.2. The company should ensure that each ship is manned with qualified, certificated and medically fit seafarers in accordance with national and international requirements.
- 6.3. The company should establish procedures to ensure that new personnel and personnel transferred to new assignments related to safety and protection of the environment are given proper familiarization with their duties.

Instructions, which are essential to be provided prior to sailing should be identified, documented and given.
- 6.4. The company should ensure that all personnel involved in the company's SMS have an adequate understanding of relevant rules, regulations, codes and guidelines.

- 6.5. The company should establish and maintain procedures for identifying any training which may be required in support of the SMS and ensure that such training is provided for all personnel concerned.
- 6.6. The company should establish procedures by which the ship's personnel receive relevant information on the SMS in a working language or languages understood by them.
- 6.7. The company should ensure that the ship's personnel are able to communicate effectively in the execution of their duties related to the SMS.

7. DEVELOPMENT OF PLANS FOR SHIPBOARD OPERATIONS

The Company should establish procedures for the preparation of plans and instructions, including checklists as appropriate, for key shipboard operations concerning the safety of the ship and the prevention of pollution. The various tasks involved should be defined and assigned to qualified personnel.

8. EMERGENCY PREPAREDNESS

- 8.1. The company should establish procedures to identify, describe and respond to potential emergency shipboard situations.
- 8.2. The company should establish programmes for drills and exercises to prepare for emergency actions.
- 8.3. The SMS should provide for measures ensuring that the company's organization can respond at any time to hazards, accidents and emergency situations involving its ships.

9. REPORTS AND ANALYSIS OF NON-CONFORMITIES, ACCIDENTS AND HAZARDOUS OCCURRENCES

- 9.1. The SMS should include procedures ensuring that non-conformities, accidents and hazardous situations are reported to the company, investigated and analysed with the objective of improving safety and pollution prevention.
- 9.2. The company should establish procedures for the implementation of corrective action.

10. MAINTENANCE OF THE SHIP AND EQUIPMENT

- 10.1. The company should establish procedures to ensure that the ship is maintained in conformity with the provisions of the relevant rules and regulations and with any additional requirements which may be established by the company.
- 10.2. In meeting these requirements the company should ensure that:
 - 10.2.1. inspections are held at appropriate intervals;
 - 10.2.2. any non-conformity is reported with its possible cause, if known;
 - 10.2.3. appropriate corrective action is taken; and
 - 10.2.4. records of these activities are maintained.
- 10.3. The company should establish procedures in the SMS to identify equipment and technical systems the sudden operational failure of which may result in hazardous situations. The SMS should provide for specific measures aimed at promoting the reliability of such equipment or systems. These measures should include the regular testing of stand-by arrangements and equipment or technical systems that are not in continuous use.
- 10.4. The inspections mentioned in 10.2 as well as the measures referred to in 10.3 should be integrated in the ship's operational maintenance/routine.

11. DOCUMENTATION

- 11.1. The company should establish and maintain procedures to control all documents and data, which are relevant to the SMS.
- 11.2. The company should ensure that:
 - 11.2.1. valid documents are available at all relevant locations;
 - 11.2.2. changes to documents are reviewed and approved by authorized personnel; and
 - 11.2.3. obsolete documents are promptly removed.
- 11.3. The documents used to describe and implement the SMS may be referred to as the 'safety management manual'. Documentation should be kept in a form that the company considers most effective. Each ship should carry on board all documentation relevant to that ship.

12. COMPANY VERIFICATION, REVIEW AND EVALUATION

- 12.1. The company should carry out internal safety audits to verify whether safety and pollution prevention activities comply with the SMS.
- 12.2. The company should periodically evaluate the efficiency and when needed review the SMS in accordance with procedures established by the company.
- 12.3. The audits and possible corrective actions should be carried out in accordance with documented procedures.
- 12.4. Personnel carrying out audits should be independent of the areas being audited unless this is impracticable due to the size and the nature of the company.
- 12.5. The results of the audits and reviews should be brought to the attention of all personnel having responsibility in the area involved.
- 12.6. The management personnel responsible for the area involved should take timely corrective action on deficiencies found.

PART B - CERTIFICATION AND VERIFICATION

13 CERTIFICATION AND PERIODICAL VERIFICATION

- 13.1 The ship should be operated by a Company which has been issued with a Document of Compliance or with an Interim Document of Compliance in accordance with paragraph 14.1, relevant to that ship.
- 13.2 The Document of Compliance should be issued by the Administration, by an organization recognized by the Administration or, at the request of the Administration, by another Contracting Government to the Convention to any Company complying with the requirements of this Code for a period specified by the Administration which should not exceed five years. Such a document should be accepted as evidence that the Company is capable of complying with the requirements of this Code.
- 13.3 The Document of Compliance is only valid for the ship types explicitly indicated in the document. Such indication should be based on the types of ships on which the initial verification was based. Other ship types should only be added after verification of the Company's capability to comply with the requirements of this Code applicable to such ship types. In this context, ship types are those referred to in regulation IX/1 of the Convention.

- 13.4 The validity of a Document of Compliance should be subject to annual verification by the Administration or by an organization recognized by the Administration or, at the request of the Administration by another Contracting Government within three months before or after the anniversary date.
- 13.5 The Document of Compliance should be withdrawn by the Administration or, at its request, by the Contracting Government which issued the document, when the annual verification required in paragraph 13.4 is not requested or if there is evidence of major non-conformities with this Code.
- 13.5.1 All associated Safety Management Certificates and/or Interim Safety Management Certificates should also be withdrawn if the Document of Compliance is withdrawn.
- 13.6 A copy of the Document of Compliance should be placed on board in order that the master of the ship, if so requested, may produce it for verification by the Administration or by an organization recognized by the Administration or for the purposes of the control referred to in regulation IX/6.2 of the Convention. The copy of the document is not required to be authenticated or certified.
- 13.7 The Safety Management Certificate should be issued to a ship for a period which should not exceed five years by the Administration or an organization recognized by the Administration or, at the request of the Administration, by another Contracting Government. The Safety Management Certificate should be issued after verifying that the Company and its shipboard management operate in accordance with the approved safety management system. Such a certificate should be accepted as evidence that the ship is complying with the requirements of this Code.
- 13.8 The validity of the Safety Management Certificate should be subject to at least one intermediate verification by the Administration or an organization recognized by the Administration or, at the request of the Administration, by another Contracting Government. If only one intermediate verification is to be carried out and the period of validity of the Safety Management Certificate is five years, it should take place between the second and third anniversary date of the Safety Management Certificate.
- 13.9 In addition to the requirements of paragraph 13.5.1, the Safety Management Certificate should be withdrawn by the Administration or, at the request of the Administration, by the Contracting Government which has issued it when the intermediate verification required in paragraph 13.8 is not requested or if there is evidence of major non-conformity with this Code.

- 13.10 Notwithstanding the requirements of paragraphs 13.2 and 13.7, when the renewal verification is completed within three months before the expiry date of the existing Document of Compliance or Safety Management Certificate, the new Document of Compliance or the new Safety Management Certificate should be valid from the date of completion of the renewal verification for a period not exceeding five years from the date of expiry of the existing Document of Compliance or Safety Management Certificate.
- 13.11 When the renewal verification is completed more than three months before the expiry date of the existing Document of Compliance or Safety Management Certificate, the new Document of Compliance or the new Safety Management Certificate should be valid from the date of completion of the renewal verification for a period not exceeding five years from the date of completion of the renewal verification.

14. INTERIM CERTIFICATION

- 14.1 An Interim Document of Compliance may be issued to facilitate initial implementation of this Code when:
- 1 a Company is newly established; or
 - 2 new ship types are to be added to an existing Document of Compliance, following verification that the Company has a safety management system that meets the objectives of paragraph 1.2.3 of this Code, provided the Company demonstrates plans to implement a safety management system meeting the full requirements of this Code within the period of validity of the Interim Document of Compliance. Such an Interim Document of Compliance should be issued for a period not exceeding 12 months by the Administration or by an organization recognized by the Administration or, at the request of the Administration, by another Contracting Government. A copy of the Interim Document of Compliance should be placed on board in order that the master of the ship, if so requested, may produce it for verification by the Administration or by an organization recognized by the Administration or for the purposes of the control referred to in regulation IX/6.2 of the Convention. The copy of the document is not required to be authenticated or certified.

14.2 An Interim Safety Management Certificate may be issued:

- 1 to new ships on delivery;
- 2 when a Company takes on responsibility for the operation of a ship which is new to the Company; or
- 3 when a ship changes flag.

Such an Interim Safety Management Certificate should be issued for a period not exceeding 6 months by the Administration or an organization recognized by the Administration or, at the request of the Administration, by another Contracting Government.

14.3 An Administration or, at the request of the Administration, another Contracting Government may, in special cases, extend the validity of an Interim Safety Management Certificate for a further period which should not exceed 6 months from the date of expiry.

14.4 An Interim Safety Management Certificate may be issued following verification that:

- 1 the Document of Compliance, or the Interim Document of Compliance, is relevant to the ship concerned;
- 2 the Safety management system provided by the Company for the ship concerned includes key elements of this Code and has been assessed during the audit for issuance of the Document of Compliance or demonstrated for issuance of the Interim Document of Compliance;
- 3 the Company has planned the audit of the ship within three months;
- 4 the master and officers are familiar with the safety management system and the planned arrangements for its implementation;
- 5 instructions, which have been identified as being essential, are provided prior to sailing; and
- 6 relevant information on the safety management system has been given in a working language or languages understood by the ship's personnel.

15 VERIFICATION

- 15.1 All verifications required by the provisions of this Code should be carried out in accordance with procedures acceptable to the Administration, taking into account the guidelines developed by the Organization¹.

16 FORMS OF CERTIFICATES

- 16.1 The Document of Compliance, the Safety Management Certificate, the Interim Document of Compliance and the Interim Safety Management Certificate should be drawn up in a form corresponding to the models given in the appendix to this Code. If the language used is neither English nor French, the text should include a translation into one of these languages.
- 16.2 In addition to the requirements of paragraph 13.3 the ship types indicated on the Document of Compliance and the Interim Document of Compliance may be endorsed to reflect any limitations in the operations of the ships described in the safety management system.

¹ Refer to the Guidelines on Implementation of the International Safety Management (ISM) Code by Administrations adopted by the Organization by resolution A. 913(22).

APPENDIX

Forms of the Document of Compliance, the Safety Management Certificate, the Interim Document of Compliance and the Interim Safety Management Certificate

DOCUMENT OF COMPLIANCE

(Official seal) (State)

Certificate No.

Issued under the provisions of the INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as amended

Under the authority of the Government of _____

(name of the State)

by _____

(person or organization authorized)

Name and address of the Company:

(see paragraph 1.1.2 of the ISM Code)

THIS IS TO CERTIFY THAT the safety management system of the Company has been audited and that it complies with the requirements of the International Management Code for the Safe Operation of Ships and for Pollution Prevention (ISM Code) for the types of ships listed below (delete as appropriate):

- Passenger ship
- Passenger high-speed craft
- Cargo high-speed craft
- Bulk carrier
- Oil tanker
- Chemical tanker
- Gas carrier
- Mobile offshore drilling unit
- Other cargo ship

This Document of Compliance is valid untilsubject to periodical verification.

Issued at.....
(place of issue of the document)

Date of issue.....

.....
(Signature of the duly authorized official issuing the document)

(Seal or stamp of issuing authority, as appropriate)

Certificate No.

ENDORSEMENT FOR ANNUAL VERIFICATION

THIS IS TO CERTIFY THAT, at the periodical verification in accordance with regulation IX/6.1 of the Convention and paragraph 13.4 of the ISM Code, the safety management system was found to comply with the requirements of the ISM Code.

**1st ANNUAL
VERIFICATION**

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

**2nd ANNUAL
VERIFICATION**

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

**3rd ANNUAL
VERIFICATION**

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

**4th ANNUAL
VERIFICATION**

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

SAFETY MANAGEMENT CERTIFICATE

(Official seal)

(State)

Certificate No.

Issued under the provisions of the

INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as amended

Under the authority of the Government of _____

(name of the State)

by _____

(person or organization authorized)

Name of ship:.....

Distinctive number or letters:

Port of registry:.....

Type of ship*

Gross tonnage:.....

IMO Number:.....

Name and address of Company:

(see paragraph 1.1.2 of the ISM Code)

THIS IS TO CERTIFY THAT the safety management system of the ship has been audited and that it complies with the requirements of the International Management Code for the Safe Operation of Ships and for Pollution Prevention (ISM Code), following verification that the Document of Compliance for the Company is applicable to this type of ship.

This Safety Management Certificate is valid until, subject to periodical verification and the Document of Compliance remaining valid.

Issued at.....
(place of issue of the document)

Date of issue

(Signature of the duly authorized official issuing the certificate)

(Seal or stamp of issuing authority, as appropriate)

* Insert the type of ship from among the following: passenger ship; passenger high-speed craft; cargo high-speed craft; bulk carrier; oil tanker; chemical tanker; gas carrier; mobile offshore drilling unit; other cargo ship.

Certificate No.

**ENDORSEMENT FOR INTERMEDIATE VERIFICATION
AND ADDITIONAL VERIFICATION (IF REQUIRED)**

THIS IS TO CERTIFY THAT, at the periodical verification in accordance with regulation IX/6.1 of the Convention and paragraph 13.8 of the ISM Code, the safety management system was found to comply with the requirements of the ISM Code.

INTERMEDIATE VERIFICATION

(to be completed between the second
and third anniversary date)

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

ADDITIONAL VERIFICATION*

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

ADDITIONAL VERIFICATION*

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

ADDITIONAL VERIFICATION*

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

* If applicable. Reference is made to paragraph 3.4.1 of the Guidelines on Implementation of the International Safety Management (ISM) Code by Administrations (resolution A.913 (22)).

INTERIM DOCUMENT OF COMPLIANCE

(Official seal)

(State)

Certificate No.

Issued under the provisions of the

INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as amended

Under the authority of the Government of _____

(name of the State)

by _____

(person or organization authorized)

Name and address of the Company: _____

(see paragraph 1.1.2 of the ISM Code)

THIS IS TO CERTIFY THAT the safety management system of the Company has been recognized as meeting the objectives of paragraph 1.2.3 of the International Management Code for the Safe Operation of Ships and for Pollution Prevention (ISM Code), for the type(s) of ships listed below (delete as appropriate):

- Passenger ship
- Passenger high-speed craft
- Cargo high-speed craft
- Bulk carrier
- Oil tanker
- Chemical tanker
- Gas carrier
- Mobile offshore drilling unit
- Other cargo ship

This Interim Document of Compliance is valid until:

Issued at: _____

(Place of issue of the document)

Date of issue: _____

(Signature of the duly authorized official issuing the document)

(Seal or stamp of issuing authority, as appropriate)

INTERIM SAFETY MANAGEMENT CERTIFICATE

(Official seal)

(State)

Certificate No.

Issued under the provisions of the

INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974,

as amended

Under the authority of the Government of

_____ (name of the State)

by _____ (person or organization authorized)

Name of ship:

Distinctive number or letters:

Port of registry:

Type of ship*:

Gross tonnage:

IMO Number:

Name and address of Company:.....

.....

(see paragraph 1.1.2 of the ISM Code)

THIS IS TO CERTIFY THAT the requirements of paragraph 14.4 of the ISM Code have been met and that the Document of Compliance / Interim Document of Compliance** of the Company is relevant to this ship.

This Interim Safety Management Certificate is valid until

subject to the Document of Compliance / Interim Document of Compliance** remaining valid.

Issued at.....

(place of issue of the document)

Date of issue:.....

(Signature of the duly authorized official issuing the certificate)

(Seal or stamp of issuing authority, as appropriate)

Certificate No.

The validity of this Interim Safety Management Certificate is extended to:

.....

Date of extension:

(Signature of the duly authorized official extending the validity)

(Seal or stamp of issuing authority, as appropriate)

* Insert the type of ship from among the following: passenger ship; passenger high-speed craft; cargo high-speed craft; bulk carrier; oil tanker; chemical tanker; gas carrier; mobile offshore drilling unit; other cargo ship.

** Delete as appropriate.

Provisions for the Administration concerning the implementation of the International Safety Management (ISM) Code

PART A GENERAL PROVISIONS

PART B CERTIFICATION AND STANDARDS

- 2. Certification process**
- 3. Standard of Management**
- 4. Standards of Competence**
- 5. Form of Document of Compliance and Safety Management Certificate**

PART A - GENERAL PROVISIONS

- 1.1 When carrying out verifications and certification tasks required by the provisions of the ISM Code for ships falling within the scope of this Regulation, Member States shall comply with the requirements and standards laid down in Part B of this Title.
- 1.2 In addition Member States shall take due account of the provisions of the Revised Guidelines on the Implementation of the International Safety Management (ISM) Code by Administrations, adopted by the IMO through Resolution A.913 (22) of 29 November 2001, as far as they are not covered under Part B of this Title.

PART B - CERTIFICATION AND STANDARDS

2. CERTIFICATION PROCESS

- 2.1. The certification process relevant for the issuance of a document of compliance for a company and a safety management certificate to each ship shall be performed taking account of the provisions set out below.

2.2. The certification process shall normally involve the following steps:

1. initial verification;
2. annual or intermediate verification;
3. renewal verification; and,
4. additional verification.

These verifications are carried out at the request of the company to the administration or to the recognised organisation when acting on behalf of the administration.

2.3. The verifications shall include a safety management audit.

2.4. A lead auditor and, if relevant, an audit team, shall be nominated to perform the audit.

2.5. The nominated lead auditor shall liaise with the company and produce an audit plan.

2.6. An audit report shall be prepared under the direction of the lead auditor, who is responsible for its accuracy and completeness.

2.7. The audit report shall include the audit plan, identification of audit team members, dates and identification of the company, records of any observations and non-conformities and observations on the effectiveness of the safety management system in meeting the specified objectives.

3. STANDARD OF MANAGEMENT

3.1. Auditors or the audit team managing verification of compliance with the ISM Code shall have competence in relation to:

1. ensuring compliance with the rules and regulations including certification of seafarers, for each type of ship operated by the company;
2. approval, survey and certification activities relevant for the maritime certificates;
3. the terms of reference that must be taken into account under the safety management system as required by the ISM Code; and
4. practical experience of ship operation.

3.2. In performing verification of compliance with the provisions of the ISM Code it shall be ensured that independence exists between the personnel providing consultancy services and those involved in the certification procedure.

4. STANDARDS OF COMPETENCE

4.1. Basic competence for performing verification

- 4.1.1. Personnel who are to participate in the verification of compliance with the requirements of the ISM Code shall fulfil the minimum criteria for inspectors as laid down in section 2 of Annex VII to Directive 95/21/EC¹.
- 4.1.2. They shall have undergone training to ensure adequate competence and skills for performing verification of compliance with the requirements of the ISM Code, particularly with regard to:
 1. knowledge and understanding of the ISM Code;
 2. mandatory rules and regulations;
 3. the terms of reference which the ISM Code requires that companies should take into account;
 4. assessment techniques of examining, questioning, evaluating and reporting;
 5. technical or operational aspects of safety management;
 6. basic knowledge of shipping and shipboard operations; and
 7. participation in at least one marine related management system audit.

4.2. Competence for initial verification and renewal verification

- 4.2.1 In order to assess fully whether the company or each type of ship complies with the requirements of the ISM Code, in addition to the basic competence stated above, personnel who are to perform initial verifications or renewal verifications for a document of compliance and a safety management certificate, must possess the competence to:
 1. determine whether the SMS elements conform or do not conform to the requirements of the ISM Code;
 2. determine the effectiveness of the company's SMS, or that of each type of ship, to ensure compliance with rules and regulations as evidenced by the statutory and classification survey records;

¹ OJ L 157, 7. 7. 1995, p. 1

3. assess the effectiveness of the SMS in ensuring compliance with other rules and regulations which are not covered by statutory and classification surveys and enabling verification of compliance with these rules and regulations; and
4. assess whether the safe practices recommended by the IMO, administrations, classification societies and maritime industry organizations have been taken into account.

4.2.2. This competence can be accomplished by teams, which together possess the total competence required.

5. FORM OF DOCUMENTS OF COMPLIANCE AND SAFETY MANAGEMENT CERTIFICATES

When ships operate only in a Member State, Member States shall either use the forms attached to the ISM Code or the Document of Compliance, the Safety Management Certificate, the Interim Document of Compliance and the Interim Safety Management Certificate drawn up in the form set out below.

In case of a derogation under Article 5a paragraph 1 and, if applicable, paragraph 2, the certificate issued shall be different from the one referred to above and clearly indicate that a derogation in accordance with Article 5a paragraph 1 and, if applicable, paragraph 2 of this Regulation has been granted and shall include the applicable operational limitations.

DOCUMENT OF COMPLIANCE

(Official seal)

(State)

Certificate No.

Issued under the provisions [of the INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as amended and] * of Regulation (EC) No .../... on the implementation of the ISM Code within the Community

Under the authority of the Government of _____

(Name of the State)

by _____

(person or organization authorized)

Name and address of the Company

(see paragraph 1.1.2 of Part A of Annex I to Regulation (EC) No .../...)

THIS IS TO CERTIFY THAT the safety management system of the Company has been audited and that it complies with the requirements of the International Management Code for the Safe Operation of Ships and for Pollution Prevention (ISM Code) for the types of ships listed below (delete as appropriate):

Passenger ship
Passenger high-speed craft
Cargo high-speed craft
Bulk carrier
Oil tanker
Chemical tanker
Gas carrier
Mobile offshore drilling unit
Other cargo ship
Ro-Ro passenger ferry

This Document of Compliance is valid until....., subject to periodical verification.

* May be deleted for ships engaged only on voyages within one Member State.

Issued at
(place of issue of the document)

Date of issue

(Signature of the duly authorized official issuing the document)

(Seal or stamp of issuing authority, as appropriate)

Certificate No

ENDORSEMENT FOR ANNUAL VERIFICATION

THIS IS TO CERTIFY THAT, at the periodical verification in accordance with [regulation IX/6.1 of the Convention and paragraph 13.4 of the ISM Code and] * Article 5 of Regulation (EC) No .../... on the implementation of the ISM Code within the Community, the safety management system was found to comply with the requirements of the ISM Code.

1st ANNUAL VERIFICATION

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

2nd ANNUAL VERIFICATION

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

3rd ANNUAL VERIFICATION

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

4th ANNUAL VERIFICATION

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

* May be deleted for ships engaged only on voyages within one Member State.

SAFETY MANAGEMENT CERTIFICATE

(Official seal)

(State)

Certificate No.

Issued under the provisions [of the INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as amended and] * of Regulation (EC) No .../... on the implementation of the ISM Code within the Community

Under the authority of the Government of _____
(name of the State)

by _____
(person or organization authorized)

Name of ship:

Distinctive number or letters:

Port of registry:

Type of ship **

Gross tonnage:

IMO Number:

Name and address of Company:

(see paragraph 1.1.2 of Part A of Annex I of Regulation (EC) No .../...)

THIS IS TO CERTIFY THAT the safety management system of the ship has been audited and that it complies with the requirements of the International Management Code for the Safe Operation of Ships and for Pollution Prevention (ISM Code), following verification that the Document of Compliance for the Company is applicable to this type of ship.

This Safety Management Certificate is valid until....., subject to periodical verification and the Document of Compliance remaining valid.

* May be deleted for ships engaged only on voyages within one Member State.

** Insert the type of ship from among the following: passenger ship; passenger high-speed craft; cargo high-speed craft; bulk carrier; oil tanker; chemical tanker; gas carrier; mobile offshore drilling unit; other cargo ship; ro-ro passenger ferry.

Issued at.....

(place of issue of the document)

Date of issue.....

(Signature of the duly authorized official issuing the certificate)

(Seal or stamp of issuing authority, as appropriate)

Certificate No.

**ENDORSEMENT FOR INTERMEDIATE VERIFICATION
AND ADDITIONAL VERIFICATION (IF REQUIRED)**

THIS IS TO CERTIFY THAT, at the periodical verification in accordance with [regulation IX/6.1 of the Convention and paragraph 13.8 of the ISM Code and] * Article 5 of Regulation (EC) No .../... on the implementation of the ISM Code within the Community, the safety management system was found to comply with the requirements of the ISM Code.

INTERMEDIATE VERIFICATION

(to be completed between the second and third anniversary date)

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

ADDITIONAL VERIFICATION **

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

ADDITIONAL VERIFICATION **

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

ADDITIONAL VERIFICATION **

Signed: _____

(Signature of authorized official)

Place: _____

Date: _____

* May be deleted for ships engaged only on voyages within one Member State.

** If applicable. Reference is made to paragraph 13.8 of the ISM Code and paragraph 3.4.1 of the Guidelines on Implementation of the International Safety Management (ISM) Code by Administrations (Resolution A.913(22)).

INTERIM DOCUMENT OF COMPLIANCE

(Official seal)

(State)

Certificate No.

Issued under the provisions of [of the INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as amended and] * of Regulation (EC) No .../... on the implementation of the ISM Code within the Community

Under the authority of the Government of _____

(name of the State)

by _____

(person or organization authorized)

Name and address of the Company

(see paragraph 1.1.2 of Part A of Annex I to Regulation (EC) No .../...)

THIS IS TO CERTIFY THAT the safety management system of the Company has been recognised as meeting the objectives of paragraph 1.2.3 of Part A of Annex I to Regulation (EC) No .../..., for the type(s) of ships listed below (delete as appropriate):

- Passenger ship
- Passenger high-speed craft
- Cargo high-speed craft
- Bulk carrier
- Oil tanker
- Chemical tanker
- Gas carrier
- Mobile offshore drilling unit
- Other cargo ship
- Ro-Ro passenger ferry

This Interim Document of Compliance is valid until

* May be deleted for ships engaged only on voyages within one Member State.

Issued at:

(place of issue of the document)

Date of issue:

(Signature of the duly authorized official issuing the document)

(Seal or stamp of issuing authority, as appropriate)

INTERIM SAFETY MANAGEMENT CERTIFICATE

(Official seal)

(State)

Certificate No.

Issued under the provisions of [of the INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as amended and] * of Regulation (EC) No .../... on the implementation of the ISM Code within the Community

Under the authority of the Government of _____

(name of the State)

by _____

(person or organization authorized)

Name and address of the Company

(see paragraph 1.1.2 of Part A of Annex I to Regulation (EC) No .../...)

Name of ship:.....

Distinctive number or letters:.....

Port of registry:

Type of ship **

Gross tonnage:

IMO Number:.....

Name and address of Company:

(see paragraph 1.1.2 of Part A of Annex I to Regulation (EC) No .../...)

THIS IS TO CERTIFY THAT the requirements of paragraph 14.4 of Part A of Annex I to Regulation (EC) No .../... have been met and that the Document of Compliance / Interim Document of Compliance *** of the Company is relevant to this ship.

* May be deleted for ships engaged only on voyages within one Member State.

** Insert the type of ship from among the following: passenger ship; passenger high-speed craft; cargo high-speed craft; bulk carrier; oil tanker; chemical tanker; gas carrier; mobile offshore drilling unit; other cargo ship; ro-ro passenger ferry.

*** Delete as appropriate

This Interim Safety Management Certificate is valid until subject to the Document of Compliance / Interim Document of Compliance *** remaining valid.

Issued at:

(place of issue of the document)

Date of issue:.....

(Signature of the duly authorized official issuing the certificate)

(Seal or stamp of issuing authority, as appropriate)

Certificate No.

The validity of this Interim Safety Management Certificate is extended to:

Date of extension:.....

(Signature of the duly authorized official extending the validity)

(Seal or stamp of issuing authority, as appropriate)
