



Council of the  
European Union

Brussels, 10 June 2022  
(OR. en)

8940/22

---

---

**Interinstitutional File:**  
**2022/0133 (NLE)**

---

---

UD 104

#### **LEGISLATIVE ACTS AND OTHER INSTRUMENTS**

---

Subject: COUNCIL REGULATION amending Regulation (EU) 2021/2283 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products

---

**COUNCIL REGULATION (EU) 2022/...**

**of ...**

**amending Regulation (EU) 2021/2283  
opening and providing for the management of autonomous tariff quotas of the Union  
for certain agricultural and industrial products**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) In order to ensure a sufficient and uninterrupted supply of certain agricultural and industrial products which are produced in insufficient quantities in the Union and thereby avoid any disturbances on the market for those products, autonomous tariff quotas of the Union ('quotas') were opened by Council Regulation (EU) 2021/2283<sup>1</sup>. Within those quotas, products can be imported into the Union at reduced or zero duty rates.
- (2) As it is in the Union's interest to ensure an adequate supply of certain industrial products, and having regard to the fact that identical, equivalent or substitute products are not produced in sufficient quantities within the Union, it is necessary to open new quotas with order numbers 09.2819, 09.2839, 09.2855, 09.2857 and 09.2702 at zero duty rates for appropriate quantities of those products.
- (3) As the scope of the quotas with order numbers 09.2583 and 09.2876 has become inadequate to fulfil the needs of the economic operators in the Union, the description of the products covered by those quotas should be amended. The indication of the applicable TARIC code for those products should therefore be amended.

---

<sup>1</sup> Council Regulation (EU) 2021/2283 of 20 December 2021 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 1388/2013 (OJ L 458, 22.12.2021, p. 33).

- (4) As it is no longer in the Union's interest to maintain the quotas with order numbers 09.2637, 09.2679 and 09.2740, those quotas should be closed with effect from 1 July 2022.
- (5) Taking into account the amendments to be made and for the sake of clarity, the Annex to Regulation (EU) 2021/2283 should be replaced.
- (6) In order to avoid any interruption in the application of the quota scheme and to comply with the guidelines set out in the communication from the Commission of 13 December 2011 concerning autonomous tariff suspensions and quotas, the changes provided for in this Regulation regarding the quotas for the products concerned should apply from 1 July 2022. This Regulation should therefore enter into force as a matter of urgency,

HAS ADOPTED THIS REGULATION:

*Article 1*

The Annex to Regulation (EU) 2021/2283 is replaced by the text set out in the Annex to this Regulation.

*Article 2*

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 July 2022.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at ...,

*For the Council*

*The President*

---

**ANNEX**

‘ANNEX

| Order number | CN code  | TARIC  | Description   | Quota period | Quota volume | Quota duty rate |
|--------------|--|--|---|--------------|--------------|-----------------|
| 09.2849      | ex 0710 80 69  | 10   | Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals <sup>(1)(2)</sup>   | 1.1.-31.12.  | 700 tonnes   | 0 %             |
| 09.2664      | ex 2008 60 39  | 30   | Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products <sup>(1)</sup>  | 1.1.-31.12.  | 1 000 tonnes | 10 %            |
| 09.2913      | ex 2401 10 35<br>ex 2401 10 70<br>ex 2401 10 95<br>ex 2401 10 95<br>ex 2401 10 95<br>ex 2401 20 35<br>ex 2401 20 70<br>ex 2401 20 95<br>ex 2401 20 95<br>ex 2401 20 95 | 91<br>10<br>11<br>21<br>91<br>91<br>10<br>11<br>21<br>91 | Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than EUR 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00 <sup>(1)</sup> | 1.1.-31.12.  | 6 000 tonnes | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume      | Quota duty rate |
|--------------|---------------|-------|---|--------------|-------------------|-----------------|
| 09.2828      | 2712 20 90    |       | Paraffin wax containing by weight less than 0,75 % of oil   | 1.1.-31.12.  | 100 000 tonnes    | 0 %             |
| 09.2600      | ex 2712 90 39 | 10    | Slack wax (CAS RN 64742-61-6)   | 1.1.-31.12.  | 100 000 tonnes    | 0 %             |
| 09.2578      | ex 2811 19 80 | 50    | Sulphamidic acid (CAS RN 5329-14-6) with a purity by weight of 95 % or more, whether or not with not more than 5 % addition of the anti-caking agent silicon dioxide (CAS RN 112926-00-8) | 1.1.-31.12.  | 27 000 tonnes     | 0 %             |
| 09.2928      | ex 2811 22 00 | 40    | Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide   | 1.1.-31.12.  | 1 700 tonnes      | 0 %             |
| 09.2806      | ex 2825 90 40 | 30    | Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)  | 1.1.-31.12.  | 12 000 tonnes     | 0 %             |
| 09.2819      | ex 2833 25 00 | 30    | Copper hydroxide sulfate (Cu <sub>4</sub> (OH) <sub>6</sub> (SO <sub>4</sub> )), hydrate (CAS RN 12527-76-3) with a purity by weight of 98 % or more                                      | 1.7.-31.12.  | 120 000 kilograms | 0 %             |
| 09.2872      | ex 2833 29 80 | 40    | Caesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight 48 % or more but not more than 52 % of caesium sulphate                                    | 1.1.-31.12.  | 400 tonnes        | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume         | Quota duty rate |
|--------------|---------------|-------|---|--------------|----------------------|-----------------|
| 09.2567      | ex 2903 22 00 | 10    | Trichloroethylene (CAS RN 79-01-6) with a purity by weight of 99 % or more          | 1.1.-31.12.  | 11 885 000 kilograms | 0 %             |
| 09.2837      | ex 2903 79 30 | 20    | Bromochloromethane (CAS RN 74-97-5)   | 1.1.-31.12.  | 600 tonnes           | 0 %             |
| 09.2933      | ex 2903 99 80 | 30    | 1,3-Dichlorobenzene (CAS RN 541-73-1)   | 1.1.-31.12.  | 2 600 tonnes         | 0 %             |
| 09.2700      | ex 2905 12 00 | 10    | Propan-1-ol (propyl alcohol) (CAS RN 71-23-8)                                       | 1.1.-31.12.  | 15 000 tonnes        | 0 %             |
| 09.2830      | ex 2906 19 00 | 40    | Cyclopropylmethanol (CAS RN 2516-33-8)  | 1.1.-31.12.  | 20 tonnes            | 0 %             |
| 09.2851      | ex 2907 12 00 | 10    | O-cresol (CAS RN 95-48-7) having a purity of not less than 98,5 % by weight         | 1.1.-31.12.  | 20 000 tonnes        | 0 %             |
| 09.2704      | ex 2909 49 80 | 20    | 2,2,2',2'-Tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol (CAS RN 126-58-9)           | 1.1.-31.12.  | 500 tonnes           | 0 %             |
| 09.2565      | ex 2914 19 90 | 70    | Calcium acetylacetonate (CAS RN 19372-44-2) with a purity by weight of 95 % or more | 1.1.-31.12.  | 400 tonnes           | 0 %             |
| 09.2852      | ex 2914 29 00 | 60    | Cyclopropyl methyl ketone (CAS RN 765-43-5)   | 1.1.-31.12.  | 300 tonnes           | 0 %             |



| Order number | CN code       | TARIC | Description   | Quota period | Quota volume     | Quota duty rate |
|--------------|---------------|-------|---|--------------|------------------|-----------------|
| 09.2638      | ex 2915 21 00 | 10    | Acetic acid (CAS RN 64-19-7) of a purity by weight of 99 % or more              | 1.1.-31.12.  | 1 000 000 tonnes | 0 %             |
| 09.2702      | 2915 32 00    |       | Vinyl acetate (CAS RN 108-05-4)   | 1.7.-31.12.  | 225 000 tonnes   | 0 %             |
| 09.2728      | ex 2915 90 70 | 85    | Ethyl trifluoroacetate (CAS RN 383-63-1)  | 1.1.-31.12.  | 400 tonnes       | 0 %             |
| 09.2665      | ex 2916 19 95 | 30    | Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)                           | 1.1.-31.12.  | 8 250 tonnes     | 0 %             |
| 09.2684      | ex 2916 39 90 | 28    | 2,5-Dimethylphenylacetyl chloride (CAS RN 55312-97-5)                           | 1.1.-31.12.  | 700 tonnes       | 0 %             |
| 09.2599      | ex 2917 11 00 | 40    | Diethyl oxalate (CAS RN 95-92-1)  | 1.1.-31.12.  | 500 tonnes       | 0 %             |
| 09.2769      | ex 2917 13 90 | 10    | Dimethyl sebacate (CAS RN 106-79-6)   | 1.1.-31.12.  | 1 000 tonnes     | 0 %             |
| 09.2634      | ex 2917 19 80 | 40    | Dodecanedioic acid (CAS RN 693-23-2), of a purity by weight of more than 98,5 % | 1.1.-31.12.  | 8 000 tonnes     | 0 %             |
| 09.2808      | ex 2918 22 00 | 10    | O-acetylsalicylic acid (CAS RN 50-78-2)   | 1.1.-31.12.  | 120 tonnes       | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume | Quota duty rate |
|--------------|---------------|-------|--|--------------|--------------|-----------------|
| 09.2646      | ex 2918 29 00 | 75    | <p>Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with:</p> <ul style="list-style-type: none"> <li>– a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and</li> <li>– a melting point of 49 °C or more, but not more than 54 °C,</li> </ul> <p>for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) <sup>(1)</sup></p>   | 1.1.-31.12.  | 380 tonnes   | 0 %             |
| 09.2647      | ex 2918 29 00 | 80    | <p>Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8) with:</p> <ul style="list-style-type: none"> <li>– a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, and</li> <li>– a melting point of 110 °C or more, but not more than 125 °C,</li> </ul> <p>for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) <sup>(1)</sup></p> | 1.1.-31.12.  | 140 tonnes   | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume   | Quota duty rate |
|--------------|---------------|-------|---|--------------|----------------|-----------------|
| 09.2975      | ex 2918 30 00 | 10    | Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)   | 1.1.-31.12.  | 1 000 tonnes   | 0 %             |
| 09.2688      | ex 2920 29 00 | 70    | Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)   | 1.1.-31.12.  | 6 000 tonnes   | 0 %             |
| 09.2598      | ex 2921 19 99 | 75    | Octadecylamine (CAS RN 124-30-1)  | 1.1.-31.12.  | 400 tonnes     | 0 %             |
| 09.2649      | ex 2921 29 00 | 60    | Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)   | 1.1.-31.12.  | 1 700 tonnes   | 0 %             |
| 09.2682      | ex 2921 41 00 | 10    | Aniline (CAS RN 62-53-3) with a purity by weight of 99 % or more  | 1.1.-31.12.  | 150 000 tonnes | 0 %             |
| 09.2617      | ex 2921 42 00 | 89    | 4-Fluoro-N-(1-methylethyl)benzeneamine (CAS RN 70441-63-3)  | 1.1.-31.12.  | 500 tonnes     | 0 %             |
| 09.2602      | ex 2921 51 19 | 10    | O-phenylenediamine (CAS RN 95-54-5)   | 1.1.-31.12.  | 1 800 tonnes   | 0 %             |
| 09.2563      | ex 2922 41 00 | 20    | L-Lysine hydrochloride (CAS RN 657-27-2) or an aqueous solution of L-lysine (CAS RN 56-87-1), containing by weight 50 % or more of L-lysine | 1.7.-31.12.  | 122 500 tonnes | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume   | Quota duty rate |
|--------------|---------------|-------|---|--------------|----------------|-----------------|
| 09.2592      | ex 2922 50 00 | 25    | L-Threonine (CAS RN 72-19-5)  | 1.1.-31.12.  | 166 000 tonnes | 0 %             |
| 09.2575      | ex 2923 90 00 | 87    | 3-Chloro-2-hydroxypropyl)trimethylammonium chloride (CAS RN 3327-22-8), in the form of an aqueous solution containing by weight 65 % or more but not more than 71 % 3-chloro-2-hydroxypropyl)trimethylammonium chloride | 1.1.-31.12.  | 19 000 tonnes  | 0 %             |
| 09.2854      | ex 2924 19 00 | 85    | 3-Iodoprop-2-yn-1-yl butylcarbamate (CAS RN 55406-53-6)   | 1.1.-31.12.  | 400 tonnes     | 0 %             |
| 09.2874      | ex 2924 29 70 | 87    | Paracetamol (INN) (CAS RN 103-90-2)   | 1.1.-31.12.  | 20 000 tonnes  | 0 %             |
| 09.2742      | ex 2926 10 00 | 10    | Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of chapter 55 and heading 6815 <sup>(1)</sup>  | 1.1.-31.12.  | 60 000 tonnes  | 0 %             |
| 09.2583      | ex 2926 10 00 | 30    | Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of headings 2921, 2924, 3903, 3906, 3908, 3911 and 4002 <sup>(1)</sup>   | 1.7.-31.12.  | 20 000 tonnes  | 0 %             |
| 09.2856      | ex 2926 90 70 | 84    | 2-Nitro-4(trifluoromethyl)benzotrile (CAS RN 778-94-9)  | 1.1.-31.12.  | 900 tonnes     | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume | Quota duty rate |
|--------------|---------------|-------|---|--------------|--------------|-----------------|
| 09.2708      | ex 2928 00 90 | 15    | Monomethylhydrazine (CAS RN 60-34-4) in the form of an aqueous solution with a content by weight of monomethylhydrazine of 40 ( $\pm$ 5) %        | 1.1.-31.12.  | 900 tonnes   | 0 %             |
| 09.2581      | ex 2929 10 00 | 25    | 1,5-Naphthylene diisocyanate (CAS RN 3173-72-6) with a purity by weight of 90 % or more   | 1.1.-31.12.  | 300 tonnes   | 0 %             |
| 09.2685      | ex 2929 90 00 | 30    | Nitroguanidine (CAS RN 556-88-7)  | 1.1.-31.12.  | 6 500 tonnes | 0 %             |
| 09.2597      | ex 2930 90 98 | 94    | Bis[3-(triethoxysilyl)propyl]disulphide (CAS RN 56706-10-6)   | 1.1.-31.12.  | 6 000 tonnes | 0 %             |
| 09.2596      | ex 2930 90 98 | 96    | 2-Chloro-4-(methylsulphonyl)-3-((2,2,2-trifluoroethoxy)methyl) benzoic acid (CAS RN 120100-77-8)  | 1.1.-31.12.  | 300 tonnes   | 0 %             |
| 09.2580      | ex 2931 90 00 | 75    | Hexadecyltrimethoxysilane (CAS RN 16415-12-6) with a purity by weight of at least 95 %, for use in the manufacture of polyethylene <sup>(1)</sup> | 1.1.-31.12.  | 165 tonnes   | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume    | Quota duty rate |
|--------------|---------------|-------|--|--------------|-----------------|-----------------|
| 09.2842      | 2932 12 00    |       | 2-Furaldehyde (furfuraldehyde)   | 1.1.-31.12.  | 10 000 tonnes   | 0 %             |
| 09.2696      | ex 2932 20 90 | 25    | Decan-5-olide (CAS RN 705-86-2)  | 1.1.-31.12.  | 6 000 kilograms | 0 %             |
| 09.2697      | ex 2932 20 90 | 30    | Dodecan-5-olide (CAS RN 713-95-1)  | 1.1.-31.12.  | 6 000 kilograms | 0 %             |
| 09.2812      | ex 2932 20 90 | 77    | Hexan-6-olide (CAS RN 502-44-3)  | 1.1.-31.12.  | 4 000 tonnes    | 0 %             |
| 09.2858      | 2932 93 00    |       | Piperonal (CAS RN 120-57-0)  | 1.1.-31.12.  | 220 tonnes      | 0 %             |
| 09.2839      | ex 2933 39 99 | 09    | 2-(2-Pyridyl)ethanol (CAS RN 103-74-2) with a purity by weight of 99 % or more           | 1.7.-31.12.  | 350 tonnes      | 0 %             |
| 09.2673      | ex 2933 39 99 | 43    | 2,2,6,6-Tetramethylpiperidin-4-ol (CAS RN 2403-88-5)                                     | 1.1.-31.12.  | 1 000 tonnes    | 0 %             |
| 09.2880      | ex 2933 59 95 | 39    | Ibrutinib (INN) (CAS RN 936563-96-1)   | 1.1.-31.12.  | 5 tonnes        | 0 %             |
| 09.2860      | ex 2933 69 80 | 30    | 1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)          | 1.1.-31.12.  | 600 tonnes      | 0 %             |
| 09.2566      | ex 2933 99 80 | 05    | 1,4,7,10-Tetraazacyclododecane (CAS RN 294-90-6) with a purity by weight of 96 % or more | 1.1.-31.12.  | 60 tonnes       | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume     | Quota duty rate |
|--------------|---------------|-------|--|--------------|------------------|-----------------|
| 09.2658      | ex 2933 99 80 | 73    | 5-(Acetoacetyl amino)benzimidazolone (CAS RN 26576-46-5)   | 1.1.-31.12.  | 400 tonnes       | 0 %             |
| 09.2593      | ex 2934 99 90 | 67    | 5-Chlorothiophene-2-carboxylic acid (CAS RN 24065-33-6)  | 1.1.-31.12.  | 45 000 kilograms | 0 %             |
| 09.2675      | ex 2935 90 90 | 79    | 4-[[2-Methoxybenzoyl]amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)  | 1.1.-31.12.  | 1 000 tonnes     | 0 %             |
| 09.2710      | ex 2935 90 90 | 91    | 2,4,4-Trimethylpentan-2-aminium (3R,5S,6E)-7-{2-[(ethylsulfonyl)amino]-4-(4-fluorophenyl)-6-(propan-2-yl)pyrimidin-5-yl}-3,5-dihydroxyhept-6-enoate (CAS RN 917805-85-7) | 1.1.-31.12.  | 5 000 kilograms  | 0 %             |
| 09.2945      | ex 2940 00 00 | 20    | D-Xylose (CAS RN 58-86-6)  | 1.1.-31.12.  | 400 tonnes       | 0 %             |
| 09.2686      | ex 3204 11 00 | 75    | Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight           | 1.1.-31.12.  | 250 tonnes       | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume   | Quota duty rate |
|--------------|---------------|-------|--|--------------|----------------|-----------------|
| 09.2676      | ex 3204 17 00 | 14    | Preparations based on Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60 % or more but less than 85 % by weight         | 1.1.-31.12.  | 50 tonnes      | 0 %             |
| 09.2698      | ex 3204 17 00 | 30    | Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment Red 4 content of 60 % or more by weight | 1.1.-31.12.  | 150 tonnes     | 0 %             |
| 09.2659      | ex 3802 90 00 | 19    | Soda flux calcinated diatomaceous earth  | 1.1.-31.12.  | 35 000 tonnes  | 0 %             |
| 09.2908      | ex 3804 00 00 | 10    | Sodium lignosulphonate (CAS RN 8061-51-6)  | 1.1.-31.12.  | 40 000 tonnes  | 0 %             |
| 09.2889      | 3805 10 90    |       | Sulphate turpentine  | 1.1.-31.12.  | 25 000 tonnes  | 0 %             |
| 09.2935      | ex 3806 10 00 | 10    | Rosin and resin acids obtained from fresh oleoresins   | 1.1.-31.12.  | 280 000 tonnes | 0 %             |
| 09.2832      | ex 3808 92 90 | 40    | Preparation containing 38 % or more but not more than 50 % by weight of pyrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion           | 1.1.-31.12.  | 500 tonnes     | 0 %             |



| Order number | CN code       | TARIC | Description   | Quota period | Quota volume | Quota duty rate |
|--------------|---------------|-------|---|--------------|--------------|-----------------|
| 09.2876      | ex 3811 29 00 | 57    | <p>Additives consisting of reaction products of diphenylamine and branched nonenes with:</p> <ul style="list-style-type: none"> <li>– more than 20 % but not more than 50 % by weight 4-monononyldiphenylamine, and</li> <li>– more than 50 % but not more than 80 % by weight 4,4'-dinonyldiphenylamine,</li> <li>– a total percentage of 2,4'-dinonyldiphenylamine and 2,4'-dinonyldiphenylamine of not more than 15 % by weight,</li> </ul> <p>used for the manufacture of lubricating oils <sup>(1)</sup></p> | 1.1.-31.12.  | 900 tonnes   | 0 %             |
| 09.2814      | ex 3815 90 90 | 76    | Catalyst consisting of titanium dioxide and tungsten trioxide   | 1.1.-31.12.  | 3 000 tonnes | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume  | Quota duty rate |
|--------------|---------------|-------|---|--------------|---------------|-----------------|
| 09.2644      | ex 3824 99 92 | 77    | Preparation containing by weight: <ul style="list-style-type: none"> <li>– 55 % or more but not more than 78 % of dimethyl glutarate (CAS RN 1119-40-0),</li> <li>– 10 % or more but not more than 30 % of dimethyl adipate (CAS RN 627-93-0), and</li> <li>– not more than 35 % of dimethyl succinate (CAS RN 106-65-0)</li> </ul> | 1.1.-31.12.  | 10 000 tonnes | 0 %             |
| 09.2681      | ex 3824 99 92 | 85    | Mixture of bis [3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)   | 1.1.-31.12.  | 9 000 tonnes  | 0 %             |
| 09.2650      | ex 3824 99 92 | 87    | Acetophenone (CAS RN 98-86-2), with a purity by weight of 60 % or more but not more than 90 %   | 1.1.-31.12.  | 2 000 tonnes  | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume | Quota duty rate |
|--------------|---------------|-------|--|--------------|--------------|-----------------|
| 09.2829      | ex 3824 99 93 | 43    | <p>Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, having the following characteristics:</p> <ul style="list-style-type: none"> <li>– a resin acid content not exceeding 30 % by weight,</li> <li>– an acid number not exceeding 110, and</li> <li>– a melting point of 100° C or more</li> </ul> | 1.1.-31.12.  | 1 600 tonnes | 0 %             |
| 09.2907      | ex 3824 99 93 | 67    | <p>Mixture of phytosterols, in the form of powder, containing by weight:</p> <ul style="list-style-type: none"> <li>– 75 % or more of sterols,</li> <li>– not more than 25 % of stanols,</li> </ul> <p>for use in the manufacture of stanols/sterols or stanol/sterol esters <sup>(1)</sup></p>  | 1.1.-31.12.  | 2 500 tonnes | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume | Quota duty rate |
|--------------|---------------|-------|---|--------------|--------------|-----------------|
| 09.2568      | ex 3824 99 96 | 91    | <p>Mixture, in pellet form, containing by weight:</p> <ul style="list-style-type: none"> <li>– 49 % or more but not more than 50 % of bis[3-(triethoxysilyl)propyl] polysulphides (CAS RN 211519-85-6), and</li> <li>– 50 % or more but not more than 51 % of carbon black (CAS RN 1333-86-4),</li> </ul> <p>of which 75 % by weight or more pass through a sieve with an aperture of 0,60 mm, but not more than 10 % pass through a sieve with an aperture of 0,25 mm (as determined by the ASTM D1511 method)</p> | 1.1.-31.12.  | 1 500 tonnes | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume | Quota duty rate |
|--------------|---------------|-------|---|--------------|--------------|-----------------|
| 09.2820      | ex 3827 90 00 | 10    | <p>Mixtures containing by weight:</p> <ul style="list-style-type: none"> <li>– 60 % or more but not more than 90 % of 2-chloropropene (CAS RN 557-98-2),</li> <li>– 8 % or more but not more than 14 % of (Z)-1-chloropropene (CAS RN 16136-84-8),</li> <li>– 5 % or more but not more than 23 % of 2-chloropropane (CAS RN 75-29-6),</li> <li>– not more than 6 % of 3-chloropropene (CAS RN 107-05-1), and</li> <li>– not more than 1 % of ethyl chloride (CAS RN 75-00-3)</li> </ul> | 1.1.-31.12.  | 6 000 tonnes | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume  | Quota duty rate |
|--------------|---------------|-------|--|--------------|---------------|-----------------|
| 09.2671      | ex 3905 99 90 | 81    | Poly(vinyl butyral)(CAS RN 63148-65-2):<br><ul style="list-style-type: none"> <li>– containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, and</li> <li>– with a median particle size (D50) of more than 0,6 mm</li> </ul>  | 1.1.-31.12.  | 12 500 tonnes | 0 %             |
| 09.2846      | ex 3907 40 00 | 25    | Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2) | 1.1.-31.12.  | 2 000 tonnes  | 0 %             |
| 09.2585      | ex 3907 99 80 | 70    | Copolymer of poly(ethylene terephthalate) and cyclohexane dimethanol, containing more than 10 % by weight of cyclohexane dimethanol  | 1.1.-31.12.  | 60 000 tonnes | 2 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume  | Quota duty rate |
|--------------|---------------|-------|---|--------------|---------------|-----------------|
| 09.2855      | ex 3910 00 00 | 10    | Liquid poly(methylhydrosiloxane) with terminal trimethylsilyl groups (CAS RN 63148-57-2) with a purity by weight of 99,9 % or more  | 1.7.-31.12.  | 250 tonnes    | 0 %             |
| 09.2723      | ex 3911 90 19 | 10    | Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-4,4'-biphenylene)  | 1.1.-31.12.  | 5 000 tonnes  | 0 %             |
| 09.2816      | ex 3912 11 00 | 20    | Cellulose acetate flakes  | 1.1.-31.12.  | 75 000 tonnes | 0 %             |
| 09.2573      | ex 3913 10 00 | 20    | Sodium alginate extracted from brown seaweed (CAS RN 9005-38-3), with <ul style="list-style-type: none"> <li>– a loss on drying of not more than 15 % by weight (4h at 105 °C),</li> <li>– a water-insoluble fraction of not more than 2 % by weight, calculated on the dry weight</li> </ul> | 1.1.-31.12.  | 2 000 tonnes  | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume  | Quota duty rate |
|--------------|---------------|-------|--|--------------|---------------|-----------------|
| 09.2641      | ex 3913 90 00 | 87    | Sodium hyaluronate, non sterile, with: <ul style="list-style-type: none"> <li>– a weight average molecular weight (<math>M_w</math>) of not more than 900 000,</li> <li>– an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg,</li> <li>– an ethanol content of not more than 1 % by weight,</li> <li>– an isopropanol content of not more than 0,5 % by weight</li> </ul> | 1.1.-31.12.  | 300 kilograms | 0 %             |
| 09.2661      | ex 3920 51 00 | 50    | Sheets of polymethylmethacrylate conforming to standards: <ul style="list-style-type: none"> <li>– EN 4364 (MIL-P-5425E) and DTD5592A, or</li> <li>– EN 4365 (MIL-P-8184) and DTD5592A</li> </ul>  | 1.1.-31.12.  | 100 tonnes    | 0 %             |



| Order number | CN code                        | TARIC    | Description   | Quota period | Quota volume  | Quota duty rate |
|--------------|--------------------------------|----------|---|--------------|---------------|-----------------|
| 09.2645      | ex 3921 14 00                  | 20       | Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm (± 10 cm) x 100 cm (± 10 cm) x 40 cm (± 5 cm)   | 1.1.-31.12.  | 1 700 tonnes  | 0 %             |
| 09.2572      | ex 5205 26 00<br>ex 5205 27 00 | 10<br>10 | Raw white single cotton yarn<br>– of combed fibres,<br>– with an average fibre length of 36,5 mm or more,<br>– produced through the compact ring spinning process with pneumatic compression,<br>– with a tear strength of 26,5 cN/tex or more (according to ISO 2062:2009, at a speed of 5,000 mm/min) | 1.1.-31.12.  | 50 000 tonnes | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume            | Quota duty rate |
|--------------|---------------|-------|---|--------------|-------------------------|-----------------|
| 09.2576      | ex 5208 12 16 | 20    | <p>Unbleached woven fabric in plain weave, with:</p> <ul style="list-style-type: none"> <li>– a width of not more than 145 cm,</li> <li>– a weight of 120 g/m<sup>2</sup> or more, but not more than 130 g/m<sup>2</sup>,</li> <li>– 30 or more, but not more than 45 wefts per cm,</li> <li>– a tuck-in selvedge on both sides,</li> </ul> <p>where from the inside out, the 15 mm (± 2 mm) wide tuck-in selvedge consists of a 6 mm or more but not more than 9 mm wide strip of plain weave and a 6 mm or more but not more than 9 mm wide strip of panama weave</p> | 1.1.-31.12.  | 1 500 000 square meters | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume            | Quota duty rate |
|--------------|---------------|-------|---|--------------|-------------------------|-----------------|
| 09.2577      | ex 5208 12 96 | 20    | <p>Unbleached woven fabric in plain weave, with:</p> <ul style="list-style-type: none"> <li>– a width of not more than 145 cm,</li> <li>– a weight of more than 130 g/m<sup>2</sup>, but not more than 145 g/m<sup>2</sup></li> <li>– 30 or more, but not more than 45 wefts per cm,</li> <li>– a tuck-in selvedge on both sides,</li> </ul> <p>where from the inside out, the 15mm (± 2 mm wide) tuck-in selvedge consists of a 6 mm or more but not more than 9 mm wide strip of plain weave and a 6 mm or more but not more than 9 mm wide strip of panama weave</p> | 1.1.-31.12.  | 2 300 000 square meters | 0 %             |
| 09.2848      | ex 5505 10 10 | 10    | Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides (PA6 and PA66)  | 1.1.-31.12.  | 10 000 tonnes           | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume          | Quota duty rate |
|--------------|---------------|-------|--|--------------|-----------------------|-----------------|
| 09.2721      | ex 5906 99 90 | 20    | <p>Woven and laminated rubberised textile fabric with the following characteristics:</p> <ul style="list-style-type: none"> <li>– with three layers,</li> <li>– one outer layer consists of acrylic fabric,</li> <li>– the other outer layer consists of polyester fabric,</li> <li>– the middle layer consists of chlorobutyl rubber,</li> <li>– the middle layer has a weight of 452 g/m<sup>2</sup> or more but not more than 569 g/m<sup>2</sup>,</li> <li>– the textile fabric has a total weight of 952 g/m<sup>2</sup> or more but not more than 1 159 g/m<sup>2</sup>, and</li> <li>– the textile fabric has a total thickness of 0,8 mm or more but not more than 4 mm,</li> </ul> <p>used for the manufacture of the retractable roof of motor vehicles <sup>(1)</sup></p> | 1.1.-31.12.  | 375 000 square meters | 0 %             |

| Order number | CN code                        | TARIC    | Description   | Quota period | Quota volume            | Quota duty rate |
|--------------|--------------------------------|----------|---|--------------|-------------------------|-----------------|
| 09.2866      | ex 7019 12 00<br>ex 7019 12 00 | 06<br>26 | S glass stratifils (rovings):<br>– composed of continuous glass filaments of 9 µm (±0,5 µm),<br>– measuring 200 tex or more but not more than 680 tex,<br>– not containing any calcium oxide, and<br>– with a breaking strength of more than 3 550 MPa determined by ASTM D2343-09,<br><br>for use in the manufacture of aeronautics <sup>(1)</sup> | 1.1.-31.12.  | 1 000 tonnes            | 0 %             |
| 09.2628      | ex 7019 66 00                  | 10       | Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m <sup>2</sup> (± 10 g/m <sup>2</sup> ), of a type used in rolling insect screens with fixed frames  | 1.1.-31.12.  | 3 000 000 square meters | 0 %             |
| 09.2799      | ex 7202 49 90                  | 10       | Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % of chromium  | 1.1.-31.12.  | 50 000 tonnes           | 0 %             |

| Order number | CN code                        | TARIC    | Description   | Quota period | Quota volume     | Quota duty rate |
|--------------|--------------------------------|----------|---|--------------|------------------|-----------------|
| 09.2652      | ex 7409 11 00<br>ex 7410 11 00 | 30<br>40 | Refined copper foil and strips, electrolytically manufactured, with a thickness of 0,015 mm or more   | 1.1.-31.12.  | 1 020 tonnes     | 0 %             |
| 09.2734      | ex 7409 19 00                  | 20       | Plates or sheets consisting of: <ul style="list-style-type: none"> <li>– a layer of a silicon nitride ceramic with a thickness of 0,32 mm (<math>\pm</math> 0,1 mm) or more but not more than 1,0 mm (<math>\pm</math> 0,1 mm),</li> <li>– covered on both sides with a foil of refined copper with a thickness of 0,8 mm (<math>\pm</math> 0,1 mm), and</li> <li>– on one side partially covered with a coating of silver</li> </ul> | 1.1.-31.12.  | 7 000 000 pieces | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume         | Quota duty rate |
|--------------|---------------|-------|---|--------------|----------------------|-----------------|
| 09.2662      | ex 7410 21 00 | 55    | Plates: <ul style="list-style-type: none"> <li>– consisting of at least one layer of fibreglass fabric impregnated with epoxide resin,</li> <li>– covered on one or both sides with copper foil with a thickness of not more than 0,15 mm,</li> <li>– with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,</li> <li>– with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,</li> <li>– with a comparative tracking index (CTI) of 600 or more</li> </ul> | 1.1.-31.12.  | 80 000 square meters | 0 %             |
| 09.2835      | ex 7604 29 10 | 30    | Aluminium alloy rods with a diameter of 300,1 mm or more, but not more than 533,4 mm  | 1.1.-31.12.  | 1 000 tonnes         | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume | Quota duty rate |
|--------------|---------------|-------|---|--------------|--------------|-----------------|
| 09.2736      | ex 7607 11 90 | 75    | Aluminium and magnesium alloy strip or foil:  | 1.1.-31.12.  | 600 tonnes   | 0 %             |
|              | ex 7607 11 90 | 77    |   |              |              |                 |
|              | ex 7607 11 90 | 78    | – of an alloy conforming to standards 5182-H19 or 5052-H19,   |              |              |                 |
|              | ex 7607 11 90 | 79    | – in rolls with an outside diameter of minimum 1 250 mm but not more than 1 350 mm,                       |              |              |                 |
|              |               |       | – of a thickness (tolerance - 0,006 mm) of 0,15 mm, 0,16 mm, 0,18 mm or 0,20 mm,                          |              |              |                 |
|              |               |       | – of a width ( tolerance $\pm$ 0,3 mm) of 12,5 mm, 15,0 mm, 16,0 mm, 25,0 mm, 35,0 mm, 50,0 mm or 356 mm, |              |              |                 |
|              |               |       | – having a camber tolerance of not more than 0,4 mm/750 mm,   |              |              |                 |
|              |               |       | – of a flatness measurement: I-unit $\pm$ 4,  |              |              |                 |
|              |               |       | – having a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and                    |              |              |                 |
|              |               |       | – of an elongation A50 of more than (5182-H19) 3 % or (5052-H19) 2,5 %,                                   |              |              |                 |
|              |               |       | for use in the manufacture of slats for blinds <sup>(1)</sup>   |              |              |                 |



| Order number | CN code       | TARIC | Description   | Quota period | Quota volume     | Quota duty rate |
|--------------|---------------|-------|---|--------------|------------------|-----------------|
| 09.2722      | 8104 11 00    |       | Unwrought magnesium, containing at least 99,8 % by weight of magnesium  | 1.1.-31.12.  | 120 000 tonnes   | 0 %             |
| 09.2840      | ex 8104 30 00 | 20    | Magnesium powder: <ul style="list-style-type: none"> <li>– of purity by weight of 98 % or more, but not more than 99,5 %, and</li> <li>– with a particle size of 0,2 mm or more but not more than 0,8 mm</li> </ul>   | 1.1.-31.12.  | 2 000 tonnes     | 0 %             |
| 09.2629      | ex 8302 49 00 | 91    | Aluminium telescopic handle for use in the manufacture of luggage <sup>(1)</sup>  | 1.1.-31.12.  | 1 500 000 pieces | 0 %             |
| 09.2720      | ex 8413 91 00 | 50    | Pump head for two cylinder high pressure pump made of forged steel, with: <ul style="list-style-type: none"> <li>– milled threaded fittings with a diameter of 10 mm or more but not more than 36,8 mm, and</li> <li>– drilled fuel channels with a diameter of 3,5 mm or more but not more than 10 mm,</li> </ul> of a kind used in diesel injection systems | 1.1.-31.12.  | 65 000 pieces    | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume     | Quota duty rate |
|--------------|---------------|-------|--|--------------|------------------|-----------------|
| 09.2569      | ex 8414 90 00 | 80    | <p>Turbocharger wheel housing of cast aluminium alloy or cast iron:</p> <ul style="list-style-type: none"> <li>– with a heat resistance up to 400°C,</li> <li>– with a hole of 30 mm or more but not more than 300 mm for the insertion of the compressor wheel,</li> </ul> <p>for use in the automotive industry <sup>(1)</sup></p>   | 1.1.-31.12.  | 4 000 000 pieces | 0 %             |
| 09.2570      | ex 8482 91 90 | 10    | <p>Rollers with a logarithmic profile and a diameter of 25 mm or more but not more than 70 mm or balls with a diameter of 30 mm but not more than 100 mm,</p> <ul style="list-style-type: none"> <li>– made of 100Cr6 steel or 100CrMnSi6-4 steel (ISO 3290),</li> <li>– with a deviation of 0,5 mm or less as determined with the FBHmethod</li> </ul> <p>for use in wind turbine industry <sup>(1)</sup></p> | 1.1.-31.12.  | 600 000 pieces   | 0 %             |

| Order number | CN code       | TARIC | Description   | Quota period | Quota volume         | Quota duty rate |
|--------------|---------------|-------|---|--------------|----------------------|-----------------|
| 09.2738      | ex 8482 99 00 | 30    | <p>Brass cages with the following characteristics:</p> <ul style="list-style-type: none"> <li>– continuously or centrifugally cast,</li> <li>– turned,</li> <li>– containing by weight 35 % or more, but not more than 38 % of zinc,</li> <li>– containing by weight 0,75 % or more, but not more than 1,25 % of lead,</li> <li>– containing by weight 1,0 % or more, but not more than 1,4 % of aluminium, and</li> <li>– with a tensile strength of 415 Pa or more,</li> </ul> <p>of a kind used for the manufacture of ball bearings</p> | 1.1.-31.12.  | 50 000 pieces        | 0 %             |
| 09.2857      | ex 8482 99 00 | 50    | <p>Inner and outer rings made of steel, not grinded, outer ring with an internal raceway, inner ring with an external raceway, with external diameters of:</p> <ul style="list-style-type: none"> <li>– 14 mm or more but not more than 77 mm for the inner ring, and</li> <li>– 26 mm or more but not more than 101 mm for the outer ring</li> </ul>   | 1.7.-31.12.  | 10 000 000 kilograms | 0 %             |

| Order number | CN code                        | TARIC    | Description   | Quota period | Quota volume       | Quota duty rate |
|--------------|--------------------------------|----------|---|--------------|--------------------|-----------------|
| 09.2763      | ex 8501 40 20<br>ex 8501 40 80 | 40<br>30 | Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm ( $\pm 0,2$ mm) but not more than 135 mm ( $\pm 0,2$ mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners <sup>(1)</sup> | 1.1.-31.12.  | 2 000 000 pieces   | 0 %             |
| 09.2672      | ex 8529 90 92<br>ex 9405 42 31 | 75<br>70 | Printed circuit board with LED diodes:<br><ul style="list-style-type: none"> <li>– whether or not equipped with prisms/lens, and</li> <li>– whether or not fitted with connector(s)</li> </ul> for the manufacture of backlight units for goods of heading 8528 <sup>(1)</sup>  | 1.1.-31.12.  | 115 000 000 pieces | 0 %             |

| Order number | CN code       | TARIC | Description  | Quota period | Quota volume  | Quota duty rate |
|--------------|---------------|-------|--|--------------|---------------|-----------------|
| 09.2574      | ex 8537 10 91 | 73    | <p>Multifunctional device (instrument cluster) with:</p> <ul style="list-style-type: none"> <li>– curved TFT LCD display (radius 750 mm) with touch-sensitive surfaces,</li> <li>– microprocessors and memory chips,</li> <li>– acoustic module and loudspeaker,</li> <li>– connections for CAN, 3 x LIN bus, LVDS and Ethernet,</li> <li>– for operating various functions (e.g. chassis, lighting) and</li> <li>– for situation-related display of vehicle and navigation data (e.g. speed, odometer, charge level of the drive battery),</li> </ul> <p>for use in the manufacture of passenger cars powered solely by an electric motor covered by HS subheading 8703 80 <sup>(1)</sup></p> | 1.1.-31.12.  | 66 900 pieces | 0 %             |

| Order number | CN code   | TARIC          | Description  | Quota period | Quota volume     | Quota duty rate |
|--------------|---|----------------|--|--------------|------------------|-----------------|
| 09.2003      | ex 8543 70 90                                   | 63             | Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm x 30 mm                            | 1.1.-31.12.  | 1 400 000 pieces | 0 %             |
| 09.2910      | ex 8708 99 97                                   | 75             | Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87 <sup>(1)</sup> | 1.1.-31.12.  | 200 000 pieces   | 0 %             |
| 09.2694      | ex 8714 10 90                                   | 30             | Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes   | 1.1.-31.12.  | 1 000 000 pieces | 0 %             |
| 09.2668      | ex 8714 91 10<br>ex 8714 91 10<br>ex 8714 91 10 | 21<br>31<br>75 | Bicycle frame, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including electric bicycles) <sup>(1)</sup>  | 1.1.-31.12.  | 600 000 pieces   | 0 %             |
| 09.2564      | ex 8714 91 10<br>ex 8714 91 10<br>ex 8714 91 10 | 25<br>35<br>77 | Frame, constructed from aluminium or aluminium and carbon fibres and artificial resin, for the use in the manufacture of bicycles (including electric bicycles) <sup>(1)</sup>                                   | 1.1.-31.12.  | 9 600 000 pieces | 0 %             |

| Order number | CN code                        | TARIC    | Description   | Quota period | Quota volume   | Quota duty rate |
|--------------|--------------------------------|----------|---|--------------|----------------|-----------------|
| 09.2579      | ex 9029 20 31<br>ex 9029 90 00 | 40<br>40 | Clustered instrument panel with: <ul style="list-style-type: none"> <li>– stepping motors,</li> <li>– analog pointers and dials,</li> <li>– or without microprocessor control board,</li> <li>– or without LED indicators or LCD display,</li> <li>– showing at least:               <ul style="list-style-type: none"> <li>– speed,</li> <li>– engine revolutions,</li> <li>– engine temperature,</li> <li>– the fuel level,</li> <li>– communicating via CAN-BUS and/or K-LINE protocols,</li> </ul> </li> </ul> for use in the manufacture of goods of Chapter 87 <sup>(1)</sup> | 1.1.-31.12.  | 160 000 pieces | 0 %             |

(1) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013.

(2) However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.’

---